

can-am®



ATV PRODUCT SPEC BOOK

**VEHICLE SPECIFICATIONS, ACCESSORIES,
PARTS & MAINTENANCE AND APPAREL**

2026

LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

COMPATIBILITY/REQUIREMENTS

• No tools needed: Quickly install and remove accessories by hand. • Equip your Can-Am for specialized tasks in no time. • Sturdy mounting system that holds up to the roughest terrain.				OUTLANDER 450/570	OUTLANDER	RENEGADE
LinQ ACCESSORIES WITH 16" BASE				• LinQ® anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler (18 L) 715010491				LinQ Adapter Plate 715007273 & LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960 & LinQ Base Installation Kit 715008125	LinQ Luggage Rack 715001734 & LinQ Anchor Adapter Kit 715004960 OR LinQ Adapter Plate 715007274 & LinQ Base Installation Kit 715008125
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449						
LinQ 4.5 Gal (17 L) Sport Bag 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)						
LinQ Tool Kit 715006829						
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110						
LinQ ACCESSORIES WITH 36" BASE				• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879				LinQ Base 715002350	No further requirements	LinQ Luggage Rack 715001734
LinQ 23 Gal (86 L) Trunk Box 715004923						
LinQ 32 Gal (121 L) Trunk Box 715001747 (1-up) / 715001748 (1-up EU) 715001749 (MAX) / 715001750 (MAX EU)				No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018				LinQ Base 715002350		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black				No compatibility		
LinQ Premium Storage Bag by OGIO 715002923 • Black				LinQ Base 715002350		
LinQ Heavy Duty Basket 715001215						
LinQ Low Profile Basket 715004282						
LinQ HOLDERS						
LinQ 4" (10 cm) Rack Extension 715001711 • Silver / 715001665 • Black				Not compatible *Alternative 5" Rack Extensions (715001913) are available for G2L	No further requirements	LinQ Luggage Rack 715001734
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black						
LinQ Mounted Gear Grips 715005340				LinQ Base 715002350		
LinQ Tool Holder 715007358						
LinQ Gun Boot Rack 715002112 715002113				Not compatible *Alternative Gun Boot Rack (715001919) is available for G2L		No compatibility

The LinQ system is BRP's game-changing, tool-free cargo solution. Snap gear on or off in seconds. No fuss, no rattle, just rock-solid mounting on any terrain.

LINQ SYSTEM ADVANTAGE

ORIGINAL LinQ SYSTEM

Handles medium- to large-sized gear with two anchor setups: the 16" base for standard accessories and the 36" base for racks and serious payloads.

LinQ LITE

Made for smaller items and lightweight gear you can hang from rails or vertical mounts.



LinQ ACCESSORIES WITH 16" BASE

NEW LinQ Rigid Cooler (18 L)	G2, G2L, G2S	715010491
-------------------------------------	--------------	------------------



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

LinQ Modular Box	G2, G2L, G2S	715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)
-------------------------	--------------	---



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)	G2, G2L, G2S	219401110
---	--------------	------------------



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions : 9" L x 17" W x 2½" H.

LinQ Tool Kit		G2, G2L, G2S	715006829
	- Includes: - Cutter pliers - Long-nose pliers - Locking pliers - Ratchet wrench 3/8" drive 6" ratchet extension - Integrated CVT belt storage location (belt not included) - Long-socket 19 mm 3/8" drive - 6 pts - Socket 18 mm 3/8" drive - Long-socket 17 mm 3/8" drive - 6 pts - Socket 15 mm 3/8" drive - Socket 13 mm 3/8" drive - Socket 10 mm 3/8" drive - Socket 8 mm 3/8" drive - Socket Torx T40 3/8" drive - Socket Torx T30 3/8" drive - Socket Torx T20 3/8" drive - Breaker bar 3/8" drive - Combination wrench set: - Wrench 19 mm - Wrench 18 mm - Wrench 15 mm - Wrench 13 mm - Wrench 10 mm - Wrench 8 mm - See table for installation location and requirements.		
LinQ Tool Box		G2, G2L, G2S	715008111
	- High precision injected HDPE construction provides rigidity and durability. 5 gal (19 L) maximum capacity. - Weather-resistant, sealed and lockable cover. - Easy one-second on/off tool-less system. - All the benefits of LinQ – simple, fast and secure. - See table for installation location and requirements.		
LinQ 10.6 Gal (40 L) Roll-Top Bag		G2, G2L, G2S	715008110
	- Fully waterproof roll-top dry bag will securely store and confine your equipment. - LinQ mounted using heavy-duty rigid plastic base. - High capacity storage solution 10.6 gal (40 L). - Bottom foam liner for additional equipment protection. - Integrated handle for easy transportation on/off the vehicle. - Marinized for salt water purposes. - Dimensions: 14" L x 19" W x adjustable H. - See table for installation location and requirements.		
SR 5.5 Gal (21 L) LinQ Bag		G2, G2L, G2S	860202449
	- Semi-rigid expandable bag. 5.5 gal (21 L) capacity. - See table for installation location and requirements.		
LinQ 4.5 Gal (17 L) Sport Bag		G2, G2L, G2S	860202447
	- All the benefits of LinQ – simple, fast and secure. 17 liter (4.5 US gallon) capacity. - Thermoformed bag base in HDPE (high-density polyethylene) providing rigidity and durability. - Premium insulating foam for optimal ice retention. - Rigid bottom, semi-rigid top. - Easy one-second on/off tool-less system. - See table for installation location and requirements.		
LinQ ACCESSORIES WITH 36" BASE			
LinQ 12 Gal (45 L) Cargo Box		G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003879
	- LinQ mounted for easy on, easy off installation. - Holds cargo safely and securely while riding. - See table for installation location and requirements.		
LinQ 23 Gal (86 L) Trunk Box		G2 (except 6x6 models), G2L, G2S	715004923
	- LinQ mounted for easy on, easy off installation. - Lockable and weather-resistant. - Holds cargo safely and securely while riding. - Comfort pads for passenger. - See table for installation location and requirements.		

LinQ 32 Gal (121 L) Trunk Box		G2 (except MAX models & 6x6), G2S European Version	715001747 715001748 • No rear taillight.
	• LinQ Retrofit Adapter Plate (715001334) is required for G1 models. • Trunk Box Panels available in many colors to match your vehicle (sold separately). • See table for installation location and requirements.		
LinQ 32 Gal (121 L) Trunk Box for Outlander MAX		G2 (MAX models only except 6x6 models) European Version	715001749 715001750 • No rear taillight.
	• Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding, which is comfort-fitted with a portion made of closed cell foam that won't absorb water. • Very easy to embark even when driver is seated. • Trunk Box Panels available in many colors to match your vehicle (sold separately).		
LinQ 32 Gal (121 L) Trunk Box Panels		G2 (except 6x6 models), G2S EUROPEAN VERSION (EC compliant)	715001391 • Black 715001397 • Black
	• Color panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.		
LinQ 11.5 Gal (43 L) Audio Cargo Box		G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003018
	• Mounts on/off easily to hold/carry cargo safely and securely. • The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. • Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity. • Backlit control panel perfect for night riding. • Water-resistant speakers. • Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier. • See table for installation location and requirements.		
LinQ 8 Gal (30 L) Cooler Box		G2 (except 6x6 models), G2S	715004778 • Black 715004698 • Gray
	• LinQ mounted for easy on, easy off installation. • Rotomolded construction provides exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. • Integrated, fully-removable compartment protects food. • Robust rubber latches keep the cover tightly closed. • Weather-resistant. • Convenient drain plug. • See table for installation location and requirements.		
LinQ Premium Storage Bag by OGIO		G2 (except 6x6 models), G2L, G2S	715002923 • Black
	• LinQ mounted for easy on, easy off installation. • Holds cargo safely and securely while riding. • See table for installation location and requirements.		
LinQ Low Profile Basket		G2, G2L (front only for MAX & 6x6 models), G2S	715004282
	• Low profile, open basket increases cargo space. • Perfect for easy access to tools, rope, winch and plow accessories. • Multiple bungee cord and tie-down anchor points. • Made of impact-resistant injected polypropylene. • See table for installation location and requirements.		
LinQ Heavy-Duty Basket		G2, G2L (front only for MAX & 6x6 models), G2S	715001215
	• Made of high-strength, low-alloy steel. • LinQ mount for easy on, easy off installation. • Can be placed on both front and back racks of vehicle. • See table for installation location and requirements.		

Large Cargo Box	G2, G2L (except 6x6)	715007001
 • Rear bed to carry large items. • Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory. • Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip. • It is installed on ATV platforms through the LinQ system and hooks to make it easy to install and remove. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

LinQ HOLDERS

LinQ Tool Holder	G2, G2L, G2S	715007358
 • Ultra-versatile tool holder. • Convenient swivel-latch allows tools to be stored in any orientation. • Sold in pairs. • G2S: LinQ Luggage Rack (715001734) is required for installation.		

LinQ Gear Grips	G2, G2L, G2S	715005340
 • Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. • Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. • Quick-release button opens grip quickly for easy access to gear. • Heavy-duty base system built for the toughest adventures. • Make transporting your tools a snap by combining the Gear Grips with the LinQ system. • 360° orientation. • Sold in pairs.		

LinQ MOUNTING

LinQ Anchor Adapter Kit	G2, G2S	715004960
 • Allows the installation of accessories with 16" LinQ Base on LinQ racks. • Tool-less installation and removal. • For G2S, the LinQ Luggage Rack (715001734) is required for installation.		

LinQ Base	G2L	715002350
 • Made of glass fiber reinforced polypropylene. • Allows you to install LinQ accessories. • Sold in pack of 4.		

LinQ Lock	G2, G2L, G2S	860201968
 • Simple way to securely lock most LinQ accessories. • Lock cover protects lock from the elements. • Corrosion resistant. • Pack of 1, includes 2 keys. • Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.		

LinQ Replacement Parts		715010798
 • Unique mounting fastener usable on any LinQ system accessory. • Tool-less installation and removal. • Sold in pairs.		

RACKS & HOLDERS

LinQ Rack Extension – 4" (10 cm)	G2, G2S	715001711 • Silver 715001665 • Black
	• Fits front or rear. • Strong and durable. • Helps keep cargo securely in place. • Easy and tool-less installation thanks to the LinQ system. • Anti-corrosion coating with durable powder coat finish. • LinQ Luggage Rack (715001734) is required for G2S.	
LinQ Rack Extension – 6" (15 cm)	G2, G2S	715001712 • Silver 715001671 • Black
	• Fits front or rear. • Strong and durable. • Helps keep cargo securely in place. • Easy and tool-less installation thanks to the LinQ system. • Anti-corrosion coating with durable powder coat finish. • LinQ Luggage Rack (715001734) is required for G2S.	
Rack Extension – 5" (13 cm)	G2L	715001913
	• Fits front or rear. • Made of carbon steel. • Provides tie-down points to secure cargo on racks. • Easy installation on tubular rack. • Anti-corrosion coating with durable powder coat finish.	
LinQ Luggage Rack	G2S (except X mr models)	715001734
	• Bolt-on rack. • Enables use of LinQ mounted accessories on the G2S.	
LinQ Base Plate	G2L	715007273
	• Enables use of 16" wide LinQ Base accessories on G2L to extend cargo options and journey opportunities. • Requires LinQ Base Kit (715008125).	
LinQ Base Plate	G2S	715007274
	• Enables use of 16" wide LinQ Base accessories on G2S to extend cargo options and journey opportunities. • Requires LinQ Base Kit (715008125).	
Gun Boot Rack	G2L (MAX models only)	715001919
	• Made of steel. • Designed for the tubular rack. • For use with Gun Boot 6.0 Impact by Kolpin. • Can be mounted to either side of the vehicle.	
Gun Boot 6.0 Impact [†] by Kolpin [†]	G2, G2L	715001419
	• Extra room for pistol-grip-type weapons and small bipods. • Easily fits firearms up to 51" (130 cm) in total length. • Provides ample room for 2$\frac{3}{8}$" (60 mm) scopes. • Hatchback design allows easy access. • Ergonomically designed handle and molded attachment points for sling.	• Snap-close cover with locking capability. • Designed to accommodate left and right hand bolt-action rifles and shotguns. • Includes removable, shock absorbing foam and nylon impact liner for superior interior protection. • Requires appropriate mounting kit for installation.
LinQ Gun Boot Rack (Not illustrated)	G2 (except MAX, 6x6 & X mr 1000) G2 (MAX & X mr 1000 models only)	715002112 715002113
• This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ system.		• For use with Gun Boot 6.0 Impact by Kolpin.
Multi-Fit Holder	G2, G2L	715002354 • Single 715001945 • Double
	• Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible. • Easy installation on tubular rack, extension racks, basket or bumpers.	• For G2, the LinQ Rack Extension (715001711) is required. • Sold in pairs.

Gear Grips	G2L	715001421
	- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. - Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. - Quick-release button opens grip quickly for easy access to gear. - Heavy-duty base system built for the toughest adventures. - Easy installation on tubular racks, extension racks, brackets or bumpers. - Sold in pairs.	

CARGO & STORAGE

Side Walls & Tailgate	G2 (6x6 models only)	715005153
	- Allows for a quick and easy conversion of the cargo bed into a trunk with plenty of room. - Rotationally molded walls provide extreme durability for hard work - in all conditions.	

Cargo Protection Wall (Not illustrated)	G2 (6x6 models only)	708301522
Fits with or without side walls		

Hard Top	G2 (6x6 models only)	715002394
	- The hard top provides a 116 gal (440 L) cargo box. - Locking secures your belongings. - The cover raises assisted by gas cylinders.	

Cargo Box Pool	G2L (6x6 models only)	715005256
	- Transforms the flatbed into a large capacity cargo box for increased loading possibilities. - Made of durable formed HDPE and shaped to maximize cargo space. - Allows access to vehicle's water-resistant rear compartment. - Designed for perfect fit and easy installation.	

Tarpaulin	G2 (6x6 models only)	715002416
	- Fitted to cover all of the items in your cargo box completely. - Prevents splash from entering cargo box. - Easily removable for quick access.	

18 Gal (70 L) Utility Box	G2 (6x6 models only)	715001999
	- Wherever you go and whatever you do, this handy 18 gal (70 L) utility box is your mobile storage. - The lid keeps your equipment safe from the elements in all conditions. - Slides under the flatbed with handles for easy access.	

Cargo Box Net	G2 (6x6 models only)	715001371
	Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.	

Soft Storage Bag	G2, G2L, G2S	715003759
	3 -section bag. - Transport gear in a weatherproof bag. 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage. - LinQ Luggage Rack (715001734) is required for G2S.	

Storage 2.6 Gal (10 L) Bag	269502121	
	- Roll-top dry bag for fully protecting your cargo from the elements. - Fits in rear compartment of your vehicle.	

WINDSHIELDS

Deluxe Fairing

G2 (except X mr & 6x6), G2L

■ **715001232** • Black
■ **715007073** • Tundra Green



- Innovative, richly featured wind protection.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Two cup holders.
- Ready for GPS mounting kit.
- Optional mirrors and auxiliary lighting.
- Requires low, high or extra high windshield.
- Tapered Handlebar Adapter Kit is required for vehicles with 1 1/8" (28 mm) tapered aluminum handlebars.
- Does not fit T3 models.

Tapered Handlebar Adapter Kit

(Not illustrated)

Deluxe Fairing

715002470

- Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1 1/8" (28 mm) tapered aluminum handlebars.

Extra High Windshield

Deluxe Fairing

715000936



- 16" (41 cm) windshield provides the ultimate protection against the elements while touring.
 - For wind protection and winter applications.
 - Tool-less installation and replacement.
- Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

High Windshield

Deluxe Fairing

715001211



- 11" (28 cm) high, for wind protection and winter applications.
 - Tool-less installation and replacement.
- Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Low Windshield

Deluxe Fairing

715001227



- 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting.
 - Tool-less installation and replacement.
- Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

ACCESSORIES

Auxiliary Windshield Lighting

Deluxe Fairing

715003115



- 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1,800 lumens.
- 2 x 10 W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

Deluxe Mirror Kit

Deluxe Fairing

715002353



- Improved mounting system.
- Wide rear view.
- Perfect fit with your Deluxe Fairing.

WINDSHIELD KITS

Extra High Windshield Kit

G2, G2L, G2S (except X mr models)

715003023



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 16" (41 cm) windshield.
- For ultimate wind protection and winter applications.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

High Windshield Kit

G2, G2L, G2S (except X mr models)

715006382



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 11" (28 cm) windshield.
- For wind protection and winter applications.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Low Windshield Kit	G2, G2L, G2S (except X mr models)	715003021
	- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride. - Quick tool-less removal once base brackets are mounted on handlebar. - Fits straight and tapered handlebars.	- Improved design for enhanced rigidity. - Steering Cover (709400939) is required for XT and Mossy Oak models. 6" (15 cm) windshield. - Allows you to keep your vehicle looking sporty while giving you some protection from the elements. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors	G2, G2L, G2S	
	- Rugged injected plastic construction with Can-Am logo. - Include removable cap for air flow adjustment. - Mounting kit sold separately.	715000525 • Black / Yellow 715001706 • Black / Black 715003811 • Can-Am Red / Black 715003812 • Manta Green / Black 715003814 • Octane Blue / Black 715006118 • Viper Red / Black

Passenger Wind Deflectors	G2 and G2L (MAX models only)	715001669
	- These wind deflectors fit on the passenger handles and provide greater comfort while riding. - Easy to install and remove.	

Full Wrap Aluminum Mounting Kit	G2, G2L, G2S	715001378
	- Lightweight black die cast aluminum construction. - Includes complete hardware. - Handlebar wind deflectors sold separately.	

Aluminum Tapered Handlebar	G2, G2L, G2S	715000550
	$\frac{7}{8}$" – $1\frac{1}{8}$" (22 mm – 28 mm) tapered handlebar made of 6061-T6 aluminum. - Includes all hardware, center steering foam and cover.	

Mirrors Left – $\frac{3}{8}$" (10 mm)	G2, G2L, G2S	708200963
	- Adjustable handlebar mounted convex mirrors. - The convex surface allows improved visibility with a wider field of view. - Matte finish.	- Stem includes $\frac{3}{8}$" (10 mm) thread. - Bracket (715000190) is required for installation on DS 450. - Bracket not required for installation on Outlander and Renegade.


Mirrors Right – $\frac{3}{8}$" (10 mm) (Not illustrated)	G2, G2L, G2S	709400523
	- True vision surface 5" x 3" (13 cm x 8 cm). - Matte finish. - Stem includes $\frac{3}{8}$" (10 mm) thread.	Bracket (715000190) required except for vehicles with right hand brake.

Handlebar Mirrors	G2, G2L, G2S	715005366
	- Adjustable handlebar mounted convex mirrors. - The convex surface allows improved visibility with a wider field of view. - Doesn't require a windshield or fairing to be mounted. - Works with all windshield options.	

SEATS

Outlander MAX Passenger Seat Kit	G2 2015 & up, G2L (MAX models only)	715002373
	Perfect to replace used or damaged passenger's seat.	
Heavy-Duty Seat Cover	G2, G2L	715007212
	- Heavy-duty materials to cover and protect the seat. - Abrasion- and tear-resistant. - Simply installs by stretching around the original seat; the elastic holds the cover securely in place.	

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed high molecular weight polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

OUTLANDER, RENEGADE

G2						G2L		G2S	
2016 & Prior		2017-2018		2019 & Up				2017-2018	2019-2022
Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		

HMWPE SKID PLATE PROTECTION KIT

715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

INDIVIDUAL HMWPE SKID PLATES

1 A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
2 Underbelly Plates <i>Footwell portion not compatible with Renegade X mr</i>	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
3 Trailing Arm Protectors	–	–	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with $\frac{3}{16}$ " (4.5 mm) thick high strength 5052 H32 aluminum.

- Ultimate durability.
- High strength.

OUTLANDER

G2						G2L	
2016 & prior		2017-2018		2019 & Up		Any Year	
Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only


ALUMINUM SKID PLATE PROTECTION KIT

715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

INDIVIDUAL ALUMINUM SKID PLATES

1 A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
3 Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
4 Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922 (except X mr 850 models)	715000922	715000922	715000922
5 Trailing Arm Protectors	—	—	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
7 Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES




For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick high strength 5052 H32 aluminum.

- Ultimate durability.
- High strength.

RENEGADE

G2S				
	2016 & Prior	2017-2018	2019-2022	2023 & Up
INDIVIDUAL ALUMINUM SKID PLATES				
1 A-Arm Protectors	715001667	715001667	715004820	715004820
2 Front Skid Plate	715000925	715000925	715000925	715001906
3 Central Skid Plate	715002078	715002078	715002078	715002078
4 Trailing Arm Protectors		715008595	715004821	715004821
5 Rear Differential Protectors	715000920	715000920	715000920	715000920
6 Rear Skid Plate	715002028	715002028	715002028	715002028

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed high molecular weight polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

ALUMINUM



Made with high strength ⅜" (4.5 mm) thick 5052 H32 aluminum.

- Ultimate durability.
- High strength.

OUTLANDER 6X6

	G2 6X6			G2L 6X6
	2016 & Prior	2017-2018	2019 & Up	Any Year
INDIVIDUAL HMWPE SKID PLATES				
1 HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
2 HDPE Full Underbelly Skid Plate	715005290 (except MAX)	715005290	715005290 (except MAX)	715005259 (MAX only)
	715005320 (MAX only)	715005320	715005320 (MAX only)	
3 HMWPE Trailing Arm Protectors	–	715003466	715004823	715003466 (2020 models & prior only)
INDIVIDUAL ALUMINUM SKID PLATES				
1 Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667
2 Aluminum Full Underbelly Skid Plate	–	–	–	–
3 Aluminum Trailing Arm Protectors	–	715008595	715004821	715008595

PLASTIC SKID PLATES



Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

• Lighter than aluminum.

Offer your Outlander & Renegade the full protection kit or get them individually	Outlander	Outlander MAX	Outlander 6x6	G2, G2S	G2I	G2L MAX
INDIVIDUAL PLASTIC SKID PLATES						
1 A-Arm Protectors G2	715002924	715002924	715002924	715002924	—	—
2 Trailing Arm Protectors G2	715002925	—	715002925	715002925	—	—
3 PLASTIC SKID PLATE G2	715006019	715006020	715005290 715005320 (MAX)	—	715006115	715006116

BUMPERS & GUARDS

BUMPERS

Expedition Front Bumper

G2, G2L (except X mr models & X xc models 2022 & up)

715007233



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's front.
- Protects and doesn't obstruct the vehicle's headlights.
- Integrated mounting spots for lights.
- Inside and outside anticorrosion coating with a durable powder coat finish.

Expedition Rear Bumper

G2, G2L

715007234



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear.
- Protects and doesn't obstruct the vehicle's taillights.
- Inside and outside anticorrosion coating with a durable powder coat finish.
- G2 base and DPS rear bumper installation requires 705008164 and 705008165.

X mr Front Bumper

G2S 2023 & up

715008198



- Enhanced vehicle front protection. Required as a mounting point for Radiator Relocator (715008898).

XT Front Bumper

G2

715004837



- Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Rear Bumper

G2

715004920



- Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Front Bumper

G2L

715001910



- Winch compatible.
- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

XT Rear Bumper

G2L

715001911



- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

Extreme Front Bumper

G2
G2L

715001286*
715004279



- Ultra-sturdy build.
- Enhances front-vehicle protection.
- Compatible with XT Front Bumper.
- Fits the Apache™ 360 Track System (when side panels are removed).

**Not compatible with Front Hitch.*

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Rancher Rear Bumper	G2, G2L (except 6x6 models)	715003462
----------------------------	-----------------------------	------------------



- Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- Coverage extends to provide an extra layer of defense to your taillights.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with track systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Renegade Extreme Front Bumper	G2S 2022 and prior (except X mr models)	715002469
--------------------------------------	---	------------------



- Enhanced vehicle front protection.
- Required as a mounting point for Radiator Relocator (715008898).

GUARDS

Body Side Protector	G2 2019 & up with XT Bumpers (except X mr, 6x6 and MAX models)	715004940*
----------------------------	--	-------------------



- The heavy-duty fender guard designed to pull double duty, protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Durable and bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation."

**Not compatible with Front and Rear Rancher Bumpers.*

***Requires Body Side Protector Extensions (715003460) for installation on MAX models.*

Body Side Protector Extensions (Not illustrated)	G2, G2L (MAX models only)	715003460
--	---------------------------	------------------

- This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly integrate into the look of Outlander MAX models.

Mud Flaps	G2 (with stock fender flares)	715007089
------------------	-------------------------------	------------------



- Keep mud, snow and debris out of cargo area and protect trailer and vehicles behind you.
- Add aesthetic appearance to your vehicle.
- Require stock fender flares.
- Sold in pairs.

Fender Flares	G2 2012-2018 (except with 30" tires) (except 6x6 models)	715001764*
	G2 2019 & up (with 30" tires) (except 6x6 models)	715004250**
	G2L	715001909***
	G2L European vehicles only 2015 & up	715004487



- Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Give vehicle added flair for that rugged cool look.
- Include front and rear extensions and all mounting hardware.

**Comes stock on G2 models 2019 & up (except X mr models).*

***Standard on G2 X mr 1000R.*

****Not compatible with European vehicles.*

Fender Flare Extensions	G2 (except 6x6 models)	715005111*
--------------------------------	------------------------	-------------------



- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of high molecular weight polyethylene (HMWPE) for advanced abrasion resistance.
- Include front and rear extensions.

**Must be used with Fender Flares for G2 (715001764).*

Fender Flares	G2S (except X mr models)	705012695
----------------------	--------------------------	------------------



- Integrated extended Fender Flares for sporty look and full body protection from dirt and water.
- Include front and rear extensions and all mounting hardware.

Flatbed Protection Tubes	G2 (6x6 models only)	715002030
	• Bolt-on bumpers for the sides of the 6x6 flatbed. • Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.	

Flatbed Protection Tubes	G2L (6x6 models only)	715005266
	• Bolt-on bumpers for the sides of the 6x6 flatbed. • Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.	

LIGHTS & ELECTRICAL

Integrated Heated Grips & Thumb Throttle Combo	G2, G2L, G2S (2024 & up)	715009284
	• Heat levels for grips and thumb displayed on vehicle screen. • Ergonomic button integrated on LH grip. • Single button for both grips and thumb heat selection.* • Five temperature settings for the thumb and grips. • Adjustable heat ratio between grip and thumb warmer.* • Hold button to reach maximum heat quickly. • Remembers your last heat setting.	
	• IP67-rated waterproof sealing keeps the elements out. • ECE compliant. • Plug-and-play installation. • Clamp-on grips, no glue required. <i>* Models with touchscreen display provide enhanced user interface with independent grips and thumb heat level selection.</i>	

Heated Grips & Thumb Throttle Combo	G2, G2L, G2S	715003250 Not compatible with Intelligent Throttle Control (iTC)
	G2, G2L, G2S (2019 to 2021)	715008739* Compatible with Intelligent Throttle Control (iTC)
	G2, G2L, G2S (2022 & up)	715010553 Compatible with Intelligent Throttle Control (iTC)

	• LED dimmer facilitates reading temperature settings. • 4 temperature settings with individual controls for thumb and grips. • Returns to previous heat setting.	
	• One-touch shutdown. • Wiring Cable is required for installation on G2L models only.	

**Relocation bracket 715007619 required for installation on T-category models & G2L XU (INTL)*

Wiring Cable (Not illustrated)	G2L	710004567
• Required for installation of Heated Hand Grips and Throttle Combo.		

Heated Visor Outlet	G2, G2L	715001246
	• Strategically positioned on vehicle to maintain your agility. • Optional visor outlet that delivers fog-free riding. • Quick and easy installation. • Sold individually. • Heated Visor not included.	

Heated Passenger Grips & Visor Outlet	G2, G2L (MAX models only)	715008794
	• Replace your stock passenger handles. • Dual temperature switch integrated into seat arm for 3-zone heated handles and grips. • Heated visor outlet integrated into seat arm.	

USB Power Outlet Kit	G2, G2L, G2S	219400510
	- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.). - Dual port USB connectors. - Plug-and-play kit. * The power outlet is not capable of recharging all device types while riding.	
Seat Heater	G2, G2L	715007211
	25 W seat heater delivers chill-free riding comfort. - One temperature only. - Heated pad and electrical harness only. - Heavy Duty Seat Cover (715007212) is required for the installation.	
Bluetooth Handlebar Soundbar by MTX	G2, G2L, G2S	219400840
	- Bluetooth speaker with the unbeatable convenience of fingertip control. - Rugged IP66-rated weather-resistant speaker designed for outdoor use. - Driven by 150 watts of quality audio power. - Seamless integration and operation from Bluetooth enabled devices. Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.	
Electronic Device Holder	G2, G2L (except 6x6 & X mr models)	715004919
	- Robust injected-polypropylene construction allows for the right fit and easy installation. - Adjustable unit safely holds smartphones or small tablets with a length or width measuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case. - Integrated storage (0.6 gal / 2.1 L).	
Engine heater	Outlander 500 / 570 / 650 / 800 (G1/G2)	605154278
	Outlander 1000 (G2)	715002043
3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights	G2, G2L (except X mr models)	715010094
	14 W LED lights producing 1,260 lumens each. - Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. - Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.	
3.5" (9 cm) LED Flood Lights (2 X 14 W)	G2, G2L (except X mr models)	715010093
	14 W LED lights producing 1,260 lumens each. - Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. - Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.	
4" (10 cm) Round LED Lights (2 x 25 W)	G2, G2L (except X mr models)	715002935
	25 W LED spotlights. 1,800 lumens. - Rugged and waterproof. - Includes basic wiring and switch. - Can-Am branded grill.	
10" (25 cm) Double Stacked LED Light Bar (60 W)	G2, G2L (except X mr models)	715010065
	- Equipped with twelve 5 W Cree LEDs. 5,400 lumens. - Packs a big punch for its size. - Rugged and waterproof. - Can be installed on front bumpers, sport roof and Bimini roof with sun visor.	
Light Power Cable (Not illustrated)	G2, G2L	715007275
Required for installation of the 10" (25 cm) LED Light Bar and the 3.5" (9 cm) and 4" (10 cm) LED Lights.		

Baja Designs High Beam Kit	G2 (2022 and prior)	715004284
	• Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play. • Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts. • Driving/Combo light pattern for smooth blend of light for both near field applications and distance.	
2" (5 cm) Square LED Lights (2 X 10 W)	G2, G2L, G2S	715004293
	• 2 x 900 lumens 10 W LED Cree light kit. • Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. • Multi-Position Light Mount Kit is required for installation. • Not ECE Certified	
Multi Position Light Mount Kit	G2, G2L, G2S	715004274
	• Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm). • Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10 W). • Kit includes tube clamp mounts and power cables.	
RAM⁺ LED Spotlight	G2, G2L, G2S	710005423
	• 540-lumen (9 W) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system. • Not ECE Certified	
RAM Mount for Cellphone Holder	G2, G2L, G2S	715001985
	• Convenient bracket for installing the Cellphone Holder (715008786) (not included) onto your unit's handlebar.	
C-TEK charger		860200997
	• C-TEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products. • Charger is built to meet the demanding arctic conditions. • Ask your dealer for more information.	
Digitally Encoded Security System (D.E.S.S.[™]) Green Key	G2, G2S (2018 & up)	710005232
	• Anti-theft technology, Digitally Encoded Security System (D.E.S.S.[™]) key snaps easily on the vehicle and provides riders with easy and quick starts every time. • The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind. • The Programmable D.E.S.S.[™] Key can also be programmed in 3 modes: • Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque. • Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction. • Performance mode: No restrictions. • T Category Approved	

WINCHES

CAN-AM HD WINCHES

Can-Am HD 2500 Winch	G2, G2L (except T-cat 2022 & up)	715006414
	• Heavy-duty four-way roller fairlead. • Ergonomic clutch handle. • Rugged all-steel gears and bushings provide more torque and longer life. • Automatic 100% load-holding brake. • Sealed solenoid for all-weather protection. • Wired Remote Control sold separately. • Plug-and-play wiring and attachment brackets. • Weather-sealed handlebar-mounted switch. • Pulling strength capability of 2,500 lb (1,134 kg). • 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. • CE Compliant	

Can-Am HD 3500 Winch	G2, G2L (except T-cat 2022 & up)	715006415
-----------------------------	----------------------------------	------------------



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of $\frac{7}{32}$ " (15.2 m of 5.4 mm) wire steel cable.
- CE Compliant

NEW Can-Am HD 2500 Winch	T-cat 2022 & up and G2L XU (INT)	715008140
---------------------------------	----------------------------------	------------------



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Weather-sealed handlebar-mounted switch.
- CE Compliant
- Wire Harness (715007746) required for G2.
- Wire Harness (715002453) required for G2L.

NEW Can-Am HD 3500 Winch	T-cat 2022 & up and G2L XU (INT)	715008141
---------------------------------	----------------------------------	------------------



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Weather-sealed handlebar-mounted switch.
- CE Compliant
- Wire Harness (715007746) required for G2.
- Wire Harness (715002453) required for G2L.

WINCH ACCESSORIES

Wireless Winch Remote	Can-Am HD Winches	715008286
------------------------------	-------------------	------------------



- On/Off and Winch In / Winch Out buttons with LED indicator light.
- Large Winch In / Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control	WARN Winches	715006378
	Can-Am HD Winches (715006414 & 715006415)	715006555
	Can-Am HD Winches (715008140 & 715008141)	715008121



- This kit allows owners to add a handheld remote to their winch or stock winch.
- Works with the handlebar-mounted switch.
- Wired Remote and Remote Socket included.
- 10 ft. wire.

Rear winch kit	G2 (except 6x6 models)	715007100
	G2 (6x6 models only)	715006503
	G2L (6x6 models only)	715007099



- The remote-controlled rear winch is a godsend when you want to pull yourself out of a tough spot or move heavy loads.
- Includes a fully-sealed Warn winch and all wiring and hardware needed for an easy and quick installation.
- Pulling strength capability of 3,000 lb (1,361 kg).
- 50 ft. of $\frac{7}{32}$ " (15.2 m of 5.5 mm) wire steel cable.

Winch Accessories Kit	715002409
------------------------------	------------------



- Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- Includes tree straps, snatch block, shackle and winching gloves.

WARN Hawse Fairlead	WARN Winches	715007698
----------------------------	--------------	------------------



- Double powder-coated construction.
- Required to use the Synthetic Winch. Cable (715004254) on WARN winches.
- To be used with synthetic winch cables only.

Roller Fairlead	WARN Winches	715007699
	Can-Am HD Winch	710007459



- Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

Hook with Safety Latch & Strap Kit (Not illustrated)

Can-Am HD Winches

705014949

- Heavy-duty winch-rope hook with stainless steel snap.
- Includes a nylon safety strap.

Replacement Wire Rope – Can-Am HD

705014983

705014984



- Play it safe, always carry a replacement wire rope.
- 2,500 lb (1,134 kg) pulling strength with 50 ft of 3/16" (15.2 m of 4.8 mm) wire rope for 705014983.
- 3,500 lb (1,588 kg) pulling strength with 50 ft of 7/32" (15.2 m of 5.5 mm) wire rope for 705014984.

Replacement Wire Rope – ATV WARN Winches

715006256



- Play it safe, always carry a replacement wire rope.
- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 7/32" (15.2 m of 5.5 mm) aircraft grade steel wire.

Synthetic Winch Cable

ATV WARN Winches

715004254



- Easier to manipulate than steel cable.
- Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP.
- Kit includes synthetic rope and rock guard sleeve.
- Always use with the new Hawse Fairlead (715007698).
- 50 ft. (15.2 m) of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- 3,500 lb (1,588 kg) pulling strength.

Winch Mounting Plate

G2S 2022 & prior

715000927



- Adds functionality to your Renegade.
- Fits Can-Am winches by WARN.

Winch Wire Harness (Not illustrated)

G2 2021 & up, G2S 2021 & up and G2L

715002453

- Required plug-and-go wiring to install WARN winch only.
- Not required for Can-Am HD winches.

HITCHES

HITCHES

Rear Hitch

G2, G2L (except 6x6 models), G2S

715001925



- E-coat finish.
- Fixed hitch ball mounting bracket.
- Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

Front and Rear Hitch Drawbar

G2, G2L, G2S

715008350



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

HITCH ACCESSORIES

Rear Receiver Hitch

G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2

715005186



- E-coat finish.
- Does not affect ground clearance.
- Trailer ball not included.
- On 4x4 use, this hitch offers 1,500 lb (680 kg) of towing capacity.
- On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity.
- Compliant with European T regulations.
- Not compatible with G2L models with Rear Skid Plates.

Front Receiver Hitch

G2

715000921



- Front receiver hitch for Outlander with or without a winch.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.
- Not compatible with Extreme Front Bumper, Rancher Bumper or ProMount Plows.

Rubber Receiver Plug

705204503



- Rubber cap for 2" (5 cm) hitch receiver.

Front coupling device	T3	705205025
-----------------------	----	-----------

• Required for T3 models.

Multitrailer	619590024
--------------	-----------



- Bogie wheels updated to be more silent than before and now equipped with grease nipples.
- Product developed for heavy-duty use.
- 100% galvanized steel.
- Specifications: 12 mm plywood base, strong stand, movable attachment points (4 pc),
- tipping bed, removable sides and 4 pc timber holder.
- Underside of the bogie and frame designed to travel over stones and logs (no sharp edges).
- Bed length: 182 cm
- Bed width: 66 cm bottom / 95 cm top
- Bed height: 60 cm
- Weight: 200 kg with timber holders and sides

PERFORMANCE

PERFORMANCE

Renegade Snorkel Kit	G2S (2021 & up)	715007083
----------------------	-----------------	-----------



- Comprehensive kit.
 - Extended air intakes and CVT exhaust.
 - CVT outlet integrates into pod cover.
 - Ideal for muddy conditions.
- Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Renegade Radiator Relocator Kit	G2S (2023 & up)	715008898
	G2S (2022 & prior)	715001929



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr).

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Mud Strap	G2, G2L, G2S	715003053
-----------	--------------	-----------



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.

Radiator Protector	G2, G2S (except G2S with 500 engine)	715001744
--------------------	--------------------------------------	-----------



- Metal shield that mounts over radiator face, providing protection from stones and branches.

Outlander Snorkel Kit	G2 2015 & up, G2L (except X mr & 6x6 models)	715005999
-----------------------	--	-----------



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- Ideal for muddy conditions.
- Not compatible with windshields.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Outlander Snorkel Kit	G2 (X mr models only), G2L (X mr models only)	715002518
-----------------------	---	-----------



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- Ideal for muddy conditions.
- Not compatible with windshields.
- Raised horn only.
- Provides higher intake.
- For best fit and finish, appropriate gauge support is required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Outlander Radiator Relocator Kit	G2, G2L (except X xc 2022 & up and 6x6 models)	715001930
	- Relocates radiator to top mount position. - Prevents cooling performance loss in muddy conditions. - Uses existing radiator. - Includes support, hardware and hoses.	- Engineered for easy cooling system bleeding and maintenance. - Radiator not included.
<i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		
X mr Traction Plates	G2 (MAX models only), G2L	715001752
	- Provide extra foot grip for driver when riding in extreme mud conditions. - Help driver maintain ideal riding position to maximize vehicle traction. - Made of aluminum. - Not meant for a passenger.	
Self-Clearing Footwells	G2 2015 & up, G2L	715004759
	- Made from aluminum. - Replace original footwells. - Feature large evacuation ports to avoid mud and snow accumulation in footwells.	- Aggressive design for improved traction. - Not compatible with Body Side Protectors. - Sold in pairs.
Footpeg Kit	G2, G2L	715001131
	- Provides maximum integrated grip and more stability during vigorous riding. - Kick-up end generates added grip during hard cornering. - Made of aluminum. - Sold in pairs.	
Foam Air Filter by Twin Air†	G2, G2S, G2L	715001333
	- Maximizes performance by increasing air flow throughout RPM range. - Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.	
Heavy-Duty Springs	G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	715003199 • Front
	G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	715003200 • Rear
	G2 2019 & up (Base, DPS & XT models, except 6x6)	715005159 • Front & Rear
	- Heavy-duty springs provide enhanced stiffness. - Perfect for snow clearing and hauling heavy loads. - Improve handling. - Standard on Outlander PRO and Mossy Oak models.	
Front Shock Covers	G2, G2L, G2S	715500301
	- Feature ventilation holes. - Offer added protection in rough terrain and weather conditions. - Sold in pairs.	
Front and Rear Heavy-Duty Shock kits	G2L (4x4 and 6x6 models)	715007841 • Front
		715008136 • Rear
	- Stiffer shocks than the standard ones, for Heavy-duty usage. - Improved load capacity, ground clearance and comfort (front and rear). - Sold in pairs.	
Extreme Heavy-Duty rear spring set	G2	715001998
	• E.g. for use with Forest Pro Log Trailer.	

EMERGENCY ACCESSORIES

Emergency Kit	715006102
	- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in. - Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip ties and cloth rags.

COVERS, DECALS & ADD-ONS

Trailer Cover



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Protect windshield and colored panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailer cover protects your vehicle during transportation.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2 (except MAX models)	715001737
G2 (MAX and X mr 1000R models only)	715001736
G2L (except MAX models)	715002026
G2L (MAX models only)	715002025

Storage Cover



- Weather-resistant storage covers.
- For vehicle storage only.
- UV-resistant solution-dyed polyester construction.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	715001720
G2, G2L (MAX and X mr 1000R models only)	715001668
G2 (6x6 models only)	715005095
G2 MAX (6x6 models only)	715004488
G2L (6x6 models only)	715005261
G2L MAX (6x6 models only)	715006024

Flag



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes Flag Mount (715000127).

■ **715000277** • Yellow

Bolt-On† Retractable Ratcheting Tie-Downs

295101072



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily; bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

■ **715008309** • Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

Shifter Lock

G2, G2L

715007337



- Secure the vehicle's shifter by locking it in position.
- Prevents the vehicle from going into neutral without the lock key.

Lockable Gas Tank Cap

G2, G2L, G2S

860200387

619590085 • (Scandinavia)



- Protects your fuel.
- Meets EPA requirements.

License Plate Bracket

G2S

715001401

G2L

715002498



- Provides specific area to install license plate.
- Mounts to rear of vehicle.

No traction? No problem. Apache XC Tracks are built for serious terrain. With improved flotation and stability, they tackle deep snow, mud, and everything in between. Engineered for optimized attack angles, reduced noise, and unmatched durability, this system means all-season dominance.

DESIGNED FOR PEAK PERFORMANCE

Aggressive lugs deliver max traction without sacrificing handling. A reinforced steel frame boosts strength, while the center slide improves alignment and reduces de-tracking. Reduced NVH levels and the wheel placement ensure smooth, quiet power delivery. Plus, wheel longevity is increased with replaceable wheel bearings.



APACHE TRACK SYSTEMS

APACHE TRACK SYSTEMS		
Apache Backcountry Track System	G2 (except 6x6 models), G2L, G2S	715005247
	• Designed to deliver the best flotation level and deep-snow performance on the market. • Contact patch is 23% bigger than the Apache 360 LT. • Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow. • Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. • Apache Backcountry Mounting Kit and engine and air intake pre-filters are required. • For winter use only. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>	
Apache Backcountry Mounting Kit <i>(Not illustrated)</i>	G2 2018 & prior, G2S 2018 & prior, G2L	715004830
	G2 2019 & up, G2S 2019 & up	715004796
• Required for installation of the Apache Backcountry Track System. • DPS module and pre-filter are required and sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

APACHE XC AND XC LT

Apache XC LT Track System	G2 2019 & up, G2S 2019 & up	715007719
 • Long Track version. • Brand-new track design to optimize driving off and in deep snow conditions. • Reduction in steering effort thanks to the tandem 4 wheels. • Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem. • Better steering precision with this wheel and track alignment due to good ground contact. • 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability. • Track width: front 12.5" and rear 15". • Adds 3" (7.62 cm) of ground clearance versus 27" tires. • Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).	• Central guide for optimized track alignment and reduced occurrences of detracking. • Optimized track layout with increased angle of attack for better obstacle crossing and snow performance. • Stamped and welded steel frame for improved strength and durability. • Easy maintenance with replaceable hub and wheel bearings. • Main hub is oil bath with 3 bearings inside for consistent lubrication. • DPS module and engine and CVT pre-filter required. • Mounting kit sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>	

Apache XC Track System	G2 2019 & up, G2S 2019 & up	715008664
 • Brand-new track design to optimize driving off and in deep snow conditions. • Reduction in steering effort thanks to the tandem 4 wheels. • Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem. • Better steering precision with this wheel and track alignment due to good ground contact. • 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability. • Track width: front 12.5" and rear 15". • Adds 3.25" of ground clearance vs 25" tires. • Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).	• Central guide for optimized track alignment and reduced occurrences of detracking. • Optimized track layout with increased angle of attack for better obstacle crossing and snow performance. • Stamped and welded steel frame for improved strength and durability. • Easy maintenance with replaceable hub and wheel bearings. • Main hub is oil bath with 3 bearings inside for consistent lubrication. • DPS module and engine and CVT pre-filter required. • Mounting kit sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>	

Apache XC & XC LT Mounting Kit (Not illustrated)	G2 2019 & up, G2S 2019 & up	715008200
• Required for installation of the Apache XC and XC LT Track System. • Track DPS Module and Pre-Filter not included. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

APACHE 360 & 360 LT

Apache 360 Track System	G2 (except 6x6 models), G2L, G2S	715006323
 • Multifunctional tracks perfect for any Can-Am ATV. • Average ground clearance of 16" (41 cm). • 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. • Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required. • EC compliant. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

Apache 360 LT Track System	G2, G2L, G2S	715005103
 • Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles. • Extra contact patch adjustment for better performance over rough terrain. • Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). • 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. • EC compliant. • ATV: Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and CVT air intake pre-filters are required and sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

APACHE 360 LT 6X6

Apache 360 LT (6x6) Track System	G2, G2L (6x6 only)	715005104
	• Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles. • Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered. • Average ground clearance increase of 4.5" (11.4 cm). • 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. • Apache 360 LT Mounting Kit, Track DPS Module and Engine and Pre-Filter Kit are required. • Reliable heavy-duty build. • EC compliant. • Exclusively for the Outlander 6x6. • Recommended for use on snow only. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>	
	G2 2018 & prior (except 6x6 models), G2S 2018 & prior, G2L	715007207
	G2 2019 & up (except 6x6 models), G2S 2019 & up	715007206
	G2 2018 & prior, G2L (6x6 models)	715004991
	G2 2019 & up (6x6 models)	715005105

Apache 360 & 360 LT Mounting Kit (Not illustrated)

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

APACHE TRACK SYSTEM ACCESSORIES

Track DPS Module (Not illustrated)	G2, G2L, G2S	715007338
• An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease. • Required to install the Apache and Backcountry Track Systems. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		
Air Intake Pre-Filter		715003483
	• Adds extra protection to your engine in harsh riding conditions. • Filter blocks particles larger than 0.007" (0.19 mm). • Easy, tool-less installation. • Necessary to maintain vehicle warranty when tracks are installed. • Required to install the Apache and Backcountry Track Systems. • Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO. • Not compatible with Snorkel Kits.	
Engine Air Intake Pre-Filter	G2, G2L, G2S	715004729
	• Adds extra protection to your engine in harsh riding conditions. • Filter blocks particles larger than 0.005" (0.13 mm). • Necessary to maintain vehicle warranty when tracks are installed.	
Idler Wheel Kit	Apache Backcountry Track System (rear tracks only)	860201230 • 141 mm
	• Reduces drag and rolling resistance. • Includes 2 wheels, brackets and hardware. • Add up to 2 kits per rear track. • Can extend slider life in hardened snow conditions.	
Sliders with Vespel[†] Inserts	Apache Backcountry Track System	503194815
	• Use DuPont Vespel inserts for less friction. • Longer life. • Can be cut to desired length. • 8 needed per vehicle. • Sold individually.	
Rail Ice Scratchers	Apache Backcountry Track System	860201728
	• Provide additional lubrication in hard and icy conditions. • Rail mounted, small, light. • Design expands on coil concept to allow reversing without damage. • Easily stored when not in use.	

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY

Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715005247	715004830	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)
2018 & Prior G2, G2S					
2019 & Up G2, G2S					
2019 & Up G2 1000R	715005247 & 715005891	715004796			

APACHE XC AND XC LT

Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Up G2, G2S	715007719 and 715008664	715008200	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)

APACHE 360 AND APACHE 360 LT

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up	G2L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715007207	715007338	715004729 & 715003483 (standard on G2 models and G2L PRO model)	715004729
2018 & Prior	G2, G2S					
2019 & Up	G2, G2S		715007206			

APACHE 360 LT 6X6

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior	G2 6x6	715005104	715004991	715007338	715004729 & 715003483 (standard on G2 models and G2L PRO model)	715004729
2019 & Up	G2L 6x6					
2019 & Up	G2 6x6		715005105			

BUILD A KIT THAT WORKS HARD.

Combine a mounting kit, push frame, and blade. Then, customize with accessories like the plow angling kit, blade extensions, or edge markers. Easy to install, engineered to last, and tough enough for brutal winter jobs—this lineup covers every plowing need.



PROMOUNT PLOWS

PROMOUNT PLOW KITS

REFERENCE CHART					
	54" Black Steel	60" Black Steel	66" Black Steel	60" Flex2	66" Flex2
Plow Kit	715007753	715007754	715007755	715008181	715008182
Blade	715004472	715004202	715009881	715004203	715009883
Push Frame	715004980	715004980	715004980	715004980	715004980
Mounting Plate	715007751	715007751	715007751	715007751	715007751

STEEL PLOWS

Can-Am ProMount Steel Plow Kits 54" (137 cm) Blade

G2, G2L, G2S

■ 715007753 • Black



- These kits include:
 - Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Plate

Can-Am ProMount Steel Plow Kits 60" (152 cm) Blade

G2, G2L, G2S

■ 715007754 • Black



- These kits include:
 - Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Plate

Can-Am ProMount Steel Plow Kits 66" (168 cm) Blade

G2, G2L, G2S

■ 715007755 • Black



- These kits include:
 - Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Plate

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ 715004472 • Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ 715004202 • Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ 715009881 • Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715009877 • Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 – 60" (152 cm) Plow Kit

G2, G2L, G2S

■ 715008181



- These kits include:
 - Can-Am ProMount Flex2 Blade
 - Push Frame with Quick-Attach System
 - Mounting Plate

Can-Am ProMount Flex2 – 66" (168 cm) Plow Kit

G2, G2L, G2S

■ 715008182 • Black



- This kit includes:
 - Can-Am ProMount Flex2 Blade
 - Push Frame with Quick-Attach System
 - Mounting Plate

ANGLE PLOWS

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G2, G2L, G2S

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G2, G2L, G2S

715007263



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G2, G2L, G2S

715009879



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

ProMount One-Way State Blade Rubber Flap (Not illustrated)

715007299

- Allows for more efficient snow projections in various snow conditions.

CAN-AM ProMount FLEX2 PLOWS

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade	Fits ProMount Push Frame	715009883
	• Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs. • Replaceable wear blade. • Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.	• Blade design provides best snow roll-off at any angle. • Clears 60" (152 cm) when plow is fully angled. • Blade height of 17" (43 cm). • Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade	Fits ProMount Push Frame	715009868
	• Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment. • Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur. • Replaceable wear blade. • Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.	• Blade design provides best snow roll-off at any angle. • Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility. • Clears 66" (168 cm) when plow is fully angled.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System	G2, G2L, G2S	715004980
	• Heavy-duty steel tubes designed to withstand the roughest use. • Mid-mount carriage provides ultimate push strength and traction. • Designed for maximum plow lift height. • Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.	• Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan. • Can-Am ProMount Mounting Plate required for installation. • Blade swivels left or right, 5 positions. • Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Can-Am ProMount Mounting Plate	G2, G2L, G2S	715007751
	• Required to install the Can-Am ProMount Push Frame with Quick-Attach System. • Mounting plate precision-designed to stay on year round without compromising ground clearance. • Fits on ATVs with or without Can-Am Skid Plates. • Plow Roller Fairlead included.	

Can-Am ProMount Push Frame Extension	G2, G2L, G2S	715006257
	• 12" (30 cm) push frame extension. • Required when plow is installed with Apache Track System.	

NEW Can-Am ProMount Plow Angling System	G2, G2L, G2S	715010904
	• Improved operation speed for quicker plow angle adjustments. • Converts your plow system into an easy-to-control unit from the driver's seat. • Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.	• Compatible with ProMount Blade. • Push Frame (715004980) is required. • Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper. • Winch and plow sold separately. • Not compatible with Apache Backcountry LT Track System.

NEW Plow Quick Adjust Blade Shoes	ProMount steel & Flex2 Blades 60" (all years), 66" & 72" (2025 & prior)	715009751
	• Zinc-plated steel construction for corrosion resistance. • Easy and quick tool-free adjustment. • Pre-set adjustment for different heights. • Larger shoe diameter for greater ground contact. • Improved shoe design for better flotation.	

Can-Am ProMount Edge Markers	G2, G2L, G2S	715004206
	• Help locate the edges of your plow. • Height: 24" (60 cm). • Sold in pairs. • Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).	

Can-Am ProMount Drift Cutters	G2, G2L, G2S	715006258
	• Help keep snow in the plow. • Dimensions: 17" x 13" (43.2 cm x 33 cm). • Sold in pairs. • Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).	
Can-Am ProMount Curved Wear Blade	G2, G2L, G2S	715007791 • 60" (152 cm) 715007792 • 66" (168 cm)
	• Wear blade designed with a folded back bottom lip. • The increased surface allows for less digging while plowing uneven surfaces. • Ideal for snow covered gravel, grass, paver stone and other soft surfaces.	
Can-Am ProMount Plastic Wear Blade	G2, G2L, G2S	715004480 • 54" (137 cm) 715004481 • 60" (152 cm) 715004482 • 66" (168 cm) 715004483 • 72" (183 cm)
	• To help prevent scratches on smooth driveways and markable surfaces.	
Back Drag Blade	ProMount Plows (60" and more)	715007794
	• ¼ thick steel swivel scraper. • Lifts up when the vehicle is moving forward so as to not affect the scraping. • Increased capacity to pull snow. • More aggressive scraping in reverse mode. • Lifts the blade off the ground so that it scrapes evenly. • Adjustable in length for compatibility with 60", 66" and 72" blades. • Compatible with ProMount blades (Flex and Steel).	
Plow Roller Fairlead	G2, G2L, G2S	705009222
	• Larger diameter lower roller reduces wear on wire rope for plow application. • Can be used with all ProMount plows. • Included in Plow Mounting Plate Kit (715007751).	
Pulley Kit for Alpine Super-Duty Plow	G2, G2L	715000279
	• Pulley kit to be used in conjunction with the winch when using a snow plow. • Recommended to increase winch efficiency. • To be used with the XT Front Bumper.	
Synthetic Winch Cable for Plowing		715000540
	• Specially designed for plowing applications. • 8' (2.4 m) section of durable, extra-strong synthetic rope. • Stands up to repeated, sharp angle pulls used to lift heavy plow blades. • Temporarily replace your winch rope for plow season to save wear and tear on wire rope.	
Plow Limit Switch (Not illustrated)	G2, G2L, G2S	715006259
	• For controlling the cable tension when over-raising your plow system. • Prevents winch, plow push frame and vehicle damage.	