

can-am®



ATV PRODUCT SPEC BOOK

**VEHICLE SPECIFICATIONS, ACCESSORIES,
PARTS & MAINTENANCE AND APPAREL**

2026

G3, G3L ACCESSORIES

ATV Hero Units Packages	54
LinQ: Easy On, Easy Off Cargo	56
Cargo & Storage	67
Windshields	69
Handlebars & Mirrors	70
Skid Plates	72
Bumpers & Guards	74
Light & Electrical	75
Winches	78
Hitches	80
Performance	81
Covers & Add-Ons	82
Apache Track Systems	83
ProMount Plows	86






LINQ SYSTEM

Your ATV is your workhorse and your ticket to adventure. Unlock its full potential with the LinQ system. Easily secure and unload your gear: no fuss, no tools, just ride.

A NEW WAY TO LOCK IN

LinQ SLIDING BASE

Available for the 2026 Outlander 6x6, the new Sliding LinQ Base features a two-part design: a low-profile mount plate stays out of the way, while the sliding base clips in instantly when you need it.



LinQ SYSTEM

fits medium to heavy accessories with two base sizes: 16" bases for standard mounts and 36" bases that unlock optimal load capacity.

LinQ LITE

is designed for compact, on-the-go storage (max. 4.5 lb (2 kg) per latch). It lets you mount accessories to rails or vertical surfaces.

ATV HERO UNITS PACKAGES

STEP 1 ESSENTIALS

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Starter Essentials	LinQ Tool kit	715006829	715006829	715006829
	LinQ Base Installation Kit or Sliding Base Installation Kit (Needed for the LinQ Tool kit)	860201806	860201806	715009123
	Fender Flares	715006336*		
	LinQ Lite Fender Rails	715009474	715009474	715009474
	Trailer Cover	715010578 / 715010579	715010578 / 715010579	

* For non T Cat units you need to change the SKU to 715005349

+

STEP 2 USAGES

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Adventure (Excluding Xmr)	LinQ Trunk Box	715009312 / 715009499	715009312	
	LinQ Fuel Caddy – 4 Gallons	860202246		860202246
	LinQ Base Installation Kit (Needed for the LinQ Fuel Caddy)	860201806		860201806
	High Windshield Kit **	715006480*	715006480*	715006480*
	3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights	715009775	715009775	715009775
	Light Power Cable (Needed for the LED Lights)	715005353	715005353	715005353
	Aluminum Footpeg Kit	715008199	715008199	715008199
	Radiator Protector	715005333		715005333

*For Backcountry & XT-P models you need to change the SKU to 715010902

**In units not coming with Handguards will require the Handguards Frame Kit to install the Windshield

***In DPS and 6x6 DPS units will require the installation of a Front bumper to fit the LED Lights

****To complete the package we recommend the installation of the Rear Bumper if not coming with the unit and a Skid Plate Kit

OR

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Utility/Farming (Excluding Xmr)	LinQ Cargo Basket	715005274 / 715010173	715005274	715005274 / 715010173
	Tool Holder Bolt on (To be used in the LinQ Cargo Basket)	715008896	715008896	715008896
	LinQ Gear Grips	715005340	715005340	715005340
	Adjustable Adventure Low Windshield	715005860 / 715009219		715005860 / 715009219
	Console Extension	715005368 / 715009218		715005368 / 715009218
	Can-Am ProMount Push Frame with Quick-Attach System	715004980	715004980	715004980
	Can-Am ProMount Mounting Kit	715009483	715009483	715009483
	10" (25 cm) Double Stacked LED Light Bar (60 W)	715010065	715010065	715010065
	Light Power Cable (Needed for the LED Lights)	715005353	715005353	715005353

*DPS and 6x6 DPS units will require the installation of a Front bumper to fit the LED Light Bar

**DPS, Pro HD5 Base and 6x6 DPS units will require the installation of a Front Winch

***To complete the package we recommend the installation of the Rear Bumper if not coming with the unit

OR

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Forestry (Excluding Xmr)	LinQ Chainsaw Holder	715004975	715004975	715004975
	LinQ Fuel Caddy – 4 Gallons	860202246	860202246	860202246
	LinQ Base Installation Kit (Needed for the LinQ Fuel Caddy)	860201806	860201806	860201806
	Large Cargo Box or LinQ Cargo Basket	715007001 / 715010173	715007001	
	Adventure High Windshield Hardcoated	715007268 / 715009458		715007268 / 715009458
	Console Extension	715005368 / 715009218		715005368 / 715009218
	Rear Winch	715010087		
	10" (25 cm) Double Stacked LED Light Bar (60 W)	715010065	715010065	715010065
	Light Power Cable (Needed for the LED Lights)	715005353	715005353	715005353

*In DPS and 6x6 DPS units will require the installation of a Front bumper to fit the LED Light Bar.

**DPS, Pro HD5 Base and 6x6 DPS units will require the installation of a Front Winch.

***To complete the package we recommend the installation of the Rear Bumper and the XT Handguards if not coming with the unit.

ATV HERO UNITS PACKAGES

STEP 2 USAGES

OR

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Hunting (Excluding Xmr)	LinQ Gun Case	715009240	715009240	715009240
	LinQ Gun Case Mounting Kit - Fender Position	715006074	715006074	715006074
	LinQ Rack Extensions	715004954 / 715009281+715009475	715004954	715009281
	LinQ Gear Grips	715005340	715005340	715005340
	Rear Winch	715010087		
	Extra High Windshield Kit **	715006481*	715006481*	715006481*
	15" (38 cm) Double Stacked LED Light Bar (90 W)	715010066	715010066	715010066
	Light Power Cable (Needed for the LED Lights)	715005353	715005353	715005353

*For Backcountry & XT-P models you need to change the SKU to 715010902

**In units not coming with Handguards will require the Handguards Frame Kit to install the Windshield

***In DPS and 6x6 DPS units will require the installation of a Front bumper to fit the LED Light Bar

****DPS, Pro HD5 Base and 6x6 DPS units will require the installation of a Front Winch

*****To complete the package we recommend the installation of the Rear Bumper if not coming with the unit and a Skid Plate Kit

OR

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Snow (Excluding Xmr)	Apache XC Track Kit	715008664	715008664	
	Apache XC Track Kit Mounting Kit	715008264	715008264	
	Can-Am ProMount 60" (152 cm) Steel Plow Kit	715006203	715006203	715006203
	Adventure High Windshield Hardcoated	715007268 / 715009458		715007268 / 715009458
	Console Extension	715005368 / 715009218		715005368 / 715009218
	LinQ Trunk Box	715009471 / 715009472	715009471 / 715009472	
	LinQ Tool Holder	715007358	715007358	715007358
	Integrated Heated Grips & Thumb Throttle Combo	715009284	715009284	715009284
	Heated Passenger Grips & Visor Outlet	715005358	715005358	715005358
	Seat Heater	715007211*	715007211*	715007211*
	Heavy-Duty Seat Cover (Needed for the Seat Heater)	715008311 / 715008313*	715008311 / 715008313*	715008311 / 715008313*
	Adventure Side Wind Deflectors	715005862 / 715009462		715005862 / 715009462
	Passenger Wind Deflectors	715001669	715001669	715001669
	3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights	715009774	715009774	715009774
	Light Power Cable (Needed for the LED Lights)	715005353	715005353	715005353

*Fitting 1 up models and MAX without removable passenger seat

**In DPS and 6x6 DPS units will require the installation of a Front bumper to fit the LED Lights

***DPS, Pro HD5 Base and 6x6 DPS units will require the installation of a Front Winch

****To complete the package we recommend the installation of the Rear Bumper and the Touring Handguards if not coming with the unit + a Skid Plate Kit

OR

PACKAGE	SKU DESCRIPTION	G3L/G3	G3L ELECTRIC	G3L 6X6 / G3 6X6
Winter (Excluding Xmr)	Integrated Heated Grips & Thumb Throttle Combo	715009284	715009284	715009284
	Adventure High Windshield Hardcoated	715007268 / 715009458		715007268 / 715009458
	Console Extension	715005368 / 715009218		715005368 / 715009218
	Seat Heater	715007211*	715007211*	715007211*
	Heavy-Duty Seat Cover (Needed for the Seat Heater)	715008311 / 715008313*	715008311 / 715008313*	715008311 / 715008313*
	Heated Passenger Grips & Visor Outlet	715005358	715005358	715005358
	Adventure Side Wind Deflectors	715005862 / 715009462		715005862 / 715009462
	Passenger Wind Deflectors	715001669	715001669	715001669

*Fitting 1 up models and MAX without removable passenger seat

**To complete the package we recommend the Touring Handguards if not coming with the unit

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3

G3		1	2	3	4		
LinQ ACCESSORIES WITH 16" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	NEW LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment	NO	YES, with LinQ Base Installation Kit 860201806	NO	NO	
	LinQ Tool Box 715008111	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.					
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ 4.5 Gal (17 L) Sport Bag 860202447	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.					
	NEW LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252						
	LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					YES	
	LinQ 5 Gal (20 L) Modular Cargo Box 715007112						NO
	LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830						
	LinQ Tool Kit 715006829	YES					
	LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only.	NO	NO			
	LinQ Oil Caddy - 1 Gallon 860202445						
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ ACCESSORIES WITH 36" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Cargo Basket (90 L) 715010173	NO	YES	NO	YES	NO	
	Front LinQ Cargo Box (90 L) 715005272	YES			NO		
	LinQ Cargo Box (53 L) 715010172	NO	Yes, not fitting if a front windshield is installed		YES	YES	
	LinQ Low Profile Box (63 L) 715007827						
	LinQ Trunk Box (145 L) 715009471		NO	NO	YES, remove the rear rack for installation.	NO	
	LinQ Trunk Box (87 L) - G3 715009499				YES	NO	YES
	LinQ 9.2 Gal (35 L) Cooler 715006998	NO					
	LinQ Gun Case 715009240						
LinQ HOLDERS AND RACKS		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Gear Grips 715005340	YES, with LinQ Base Installation Kit 860201806	YES	YES, with LinQ Base Installation Kit 860201806	YES	NO	
	LinQ Tool Holder 715007358						
	LinQ Chainsaw Holder 715004975	YES	NO	NO	NO		
	LinQ Front Rack Extension 715009281	NO	YES		YES		
	LinQ Rear Rack Extension 715009475		NO				

*Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L

G3L		1	2	3	4	LinQ Can Stack on Top	
LinQ ACCESSORIES WITH 16" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack		
	NEW LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment	NO	YES, with LinQ Base Installation Kit 860201806	NO	NO	
	LinQ Tool Box 715008111	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.					
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ 4.5 Gal (17 L) Sport Bag 860202447	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.					
	NEW LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252						
	LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					YES	
	LinQ 5 Gal (20 L) Modular Cargo Box 715007112					Can be installed inside* or on the front cargo compartment.	
	LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830						
	LinQ Tool Kit 715006829						
	LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only.					
	LinQ Oil Caddy - 1 Gallon 860202445						
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ ACCESSORIES WITH 36" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Large Cargo Box 715007001	NO	NO	NO	YES	NO	
	LinQ Cargo Basket (90 L) 715005274		YES			YES, not fitting if a front windshield is installed	
	LinQ Cargo Box (53 L) 715006997						
	LinQ Low Profile Box (63 L) 715007827					YES	
	LinQ Cargo Box (90 L) 715005272	YES	YES		NO	NO	
	LinQ Trunk Box (87 L) - G3L 715009312	NO	NO		YES		
	LinQ Trunk Box (145 L) 715009471			YES, remove the rear rack for installation.	NO	YES	
	LinQ 9.2 Gal (35 L) Cooler 715006998				NO	YES	NO
	LinQ Gun Case 715009240				YES	NO	
LinQ HOLDERS AND RACKS		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Gear Grips 715005340	YES, with LinQ Base Installation Kit 860201806	YES	YES, with LinQ Base Installation Kit 860201806	YES	NO	
	LinQ Tool Holder 715007358						
	LinQ Rack Extension 715004954	NO		NO			
	LinQ Chainsaw Holder 715004975	YES	NO		NO		

*Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3 MAX

G3 MAX		1 Front Cargo Compartment	2 Front Rack	3 Rear Cargo Compartment	4 Rear Rack	LinQ Can Stack on Top	
LinQ ACCESSORIES WITH 16" BASE							
	NEW LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment	NO	NO		NO	
	LinQ Tool Box 715008111	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ SR 5.5 Gal (21 L) Bag 860202449						
	LinQ 4.5 Gal (17 L) Sport Bag 860202447	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.					YES, with LinQ Base Installation Kit 860201806
	NEW LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252						
	LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494						NO
	LinQ 5 Gal (20 L) Modular Cargo Box 715007112			NO			
	LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830			NO			
	LinQ Tool Kit 715006829			YES			
	LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110			YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.	NO		
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only.		NO			
	LinQ Oil Caddy - 1 Gallon 860202445						
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ ACCESSORIES WITH 36" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Cargo Basket (90 L) 715010173	NO	YES	NO	YES	NO	
	Front LinQ Cargo Box (90 L) 715005272	YES			NO		
	LinQ Cargo Box (53 L) 715010172	NO	YES, not fitting if a front windshield is installed		YES	YES, not fitting if the passenger seat is installed	YES
	LinQ Low Profile Box (63 L) 715007827						
	LinQ Trunk Box (139 L) 715009472		NO	NO	YES, remove the rear rack for installation.	NO	NO
	LinQ Trunk Box (87 L) - G3 715009499				YES		
	LinQ 9.2 Gal (35 L) Cooler 715006998				NO		
	LinQ Gun Case 715009240			YES	NO		
LinQ HOLDERS AND RACKS		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Gear Grips 715005340	YES, with LinQ Base Installation Kit 860201806	YES	YES, with LinQ Base Installation Kit 860201806	YES	NO	
	LinQ Tool Holder 715007358						
	LinQ Chainsaw Holder 715004975	YES	NO	NO	NO	NO	
	LinQ Front Rack Extension 715009281	NO	YES		YES		
	LinQ Rear Rack Extension 715009475		NO				

*Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L MAX

G3L MAX		1	2	3	4	LinQ Can Stack on Top
LinQ ACCESSORIES WITH 16" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	
	NEW LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment	NO	NO	NO	NO
	LinQ Tool Box 715008111	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				
	LinQ SR 5.5 Gal (21 L) Bag 860202449					
	LinQ 4.5 Gal (17 L) Sport Bag 860202447	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.		YES, with LinQ Base Installation Kit 860201806		YES
	NEW LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252					
	LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					
	LinQ 5 Gal (20 L) Modular Cargo Box 715007112					
	LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830			NO		NO
	LinQ Tool Kit 715006829			NO		YES
	LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110			YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.		NO
	LinQ Fuel Caddy – 4 Gallons 860202246			YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only.		
	LinQ Oil Caddy – 1 Gallon 860202445					
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
LinQ ACCESSORIES WITH 36" BASE		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
	LinQ Large Cargo Box 715007001	NO	NO	NO	YES	NO
	LinQ Cargo Basket (90 L) 715005274		YES		NO	
	LinQ Cargo Box (90L) 715005272	YES	NO		YES	
	LinQ Trunk Box (87 L) – G3L 715009312	NO	NO		YES, not fitting if the passenger seat is installed	
	LinQ Cargo Box (53 L) 715006997		YES			YES
	LinQ Low Profile Box (63 L) 715007827		YES, not if a front windshield is installed		YES, not fitting if the passenger seat is installed	
	LinQ Trunk Box (139 L) 715009472		NO	YES, remove the rear rack for installation.	NO	NO
	LinQ 9.2 Gal (35 L) Cooler 715006998		NO	NO	YES	
	LinQ Gun Case 715009240	YES	NO	NO		
LinQ HOLDERS AND RACKS		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
	LinQ Gear Grips 715005340	YES, with LinQ Base Installation Kit 860201806	YES	YES, with LinQ Base Installation Kit 860201806	YES	NO
	LinQ Tool Holder 715007358					
	LinQ Rack Extension 715004954	NO	NO	NO		
	LinQ Chainsaw Holder 715004975	YES			NO	

*Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

6X6

6X6	1	2	3	LinQ Can Stack on Top	
LinQ ACCESSORIES WITH 16" BASE	Front Cargo Compartment	Front Rack	Rear Cargo Bed		
 NEW LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment	NO	YES, with LinQ Sliding Base Installation Kit 715009123	NO	
 LinQ Tool Box 715008111	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				YES
 LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.				
 LinQ 4.5 Gal (17 L) Sport Bag 860202447					
 LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					
 LinQ 5 Gal (20 L) Modular Cargo Box 715007112					
 LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830					
 LinQ Tool Kit 715006829	YES				
 LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.		NO		
 NEW LinQ Fuel Caddy 5 Gallons 715007822	NO			NO	
 LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only.				
 LinQ Oil Caddy - 1 Gallon 860202445					
 LinQ Gun Case 715004968	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				NO
LinQ ACCESSORIES WITH 36" BASE	Front Cargo Compartment	Front Rack	Rear Cargo Compartment		LinQ Can Stack on Top
 LinQ Cargo Basket (90 L) 715005274 or 715010173	NO	YES	Yes, with 2x LinQ Sliding Base Installation Kit 715009123 (only when the walls of the bed are removed)**	NO	
 Front LinQ Cargo Box (90 L) 715005272	YES				
 LinQ Cargo Box (53 L) 715006997 or 715010172	NO	Yes, not fitting if a front windshield is installed		YES	
 LinQ Low Profile Box (63 L) 715007827		NO			
 LinQ Trunk Box (87 L) 715009499 or 715009312					
 LinQ 9.2 Gal (35 L) Cooler 715006998			YES	NO	NO
 LinQ Gun Case 715004968					
LinQ HOLDERS AND RACKS	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	LinQ Can Stack on Top	
 LinQ Gear Grips 715005340	YES, with LinQ Base Installation Kit 860201806	YES	YES, with LinQ Sliding Base Installation Kit 715009123 or on rear bed box walls	NO	
 LinQ Tool Holder 715007358					
 NEW LinQ Cargo Bed Rack 715009336	NO	NO	YES	YES	
 LinQ Chainsaw Holder 715004975	YES		NO	NO	

*Removal of front cargo compartment lid is required.

**LinQ Low Profile (63 L) (715007828) is not compatible with Outlander 6x6 MAX.
Can be installed in a 16" configuration only at the rear end of the cargo bed.

LinQ ACCESSORIES WITH 16" BASE

NEW LinQ Rigid Cooler (18 L)

G3, G3L

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

NEW LinQ 5 US Gal (20 L) Fuel Caddy

G3 (6X6 models only)
G3L (6X6 models only)

715007822



- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 5 US gal (20 L) capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Dimensions: 12" L x 19" W x 12" H.
- Compatible only if installed below the LinQ Cargo Bed Rack (715009336).
- Check local regulations regarding fuel transportation

LinQ Fuel Caddy – 4 Gallons

G3 (except X mr models)
G3L (except X mr models)

860202246



- Quick, easy and secure installation with LinQ system.
- No-spill spout for easy use.
- 3.7 US gallon (14 L) capacity.
- Meets the new latest Flame Mitigation Device (FMD) standard.
- No LinQ 16" accessories can be stacked on the LinQ 4-Gallon Fuel Caddy.
- Can't be installed on the rear lid due to weight limitation.
- See table for installation location and requirements.
- Check local regulations regarding fuel transportation

LinQ Oil Caddy – 1 Gallon

G3 (except X mr models)
G3L (except X mr models)

860202445



- 1 US gallon (3.78 L) capacity.
- No LinQ 16" accessories can be stacked on the LinQ 1-Gallon Oil Caddy.
- Can't be installed on the rear lid due to weight limitation.
- See table for installation location and requirements.

LinQ Chainsaw Holder

G3 (except X mr models)
G3L (except X mr models)

715004975



- This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- Pinch the blade for a solid and quick fix.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- Allows installation of the LinQ Tool Holder.
- Not compatible with the LinQ Rack Extension when installed on the front rack of the vehicle.

LinQ Modular Box

G3, G3L

715005494 • (10 L)
715007112 • (20 L)
715006830 • (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.
- Can't be installed on the rear lid due to weight limitation.

Thermal Insert for LinQ Modular Box (10 L)

G3, G3L

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Kit	G3, G3L	715006829
 - Includes: - Cutter pliers - Long-nose pliers - Locking pliers - Ratchet wrench 3/8" drive - 6" ratchet extension - Integrated CVT belt storage location (belt not included)	- Long-socket 19 mm 3/8" drive - 6 pts - Socket 18 mm 3/8" drive - Long-socket 17 mm 3/8" drive - 6 pts - Socket 15 mm 3/8" drive - Socket 13 mm 3/8" drive - Socket 10 mm 3/8" drive - Socket 8 mm 3/8" drive	- Socket Torx T40 3/8" drive - Socket Torx T30 3/8" drive - Socket Torx T20 3/8" drive - Breaker bar 3/8" drive - Combination Wrench set: - Wrench 19 mm - Wrench 18 mm - Wrench 15 mm - Wrench 13 mm - Wrench 10 mm - Wrench 8 mm - See table for installation location and requirements.

LinQ Tool Box	G3, G3L	715008111
 - High precision injected HDPE construction provides rigidity and durability. 5 gal (19 L) maximum capacity. - Weather-resistant, sealed and lockable cover. - Easy one-second on/off tool-less system. - All the benefits of LinQ – simple, fast and secure. - See table for installation location and requirements. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		

LinQ 10.6 Gal (40 L) Roll-Top Bag	G3, G3L	715008110
 - Fully waterproof roll-top dry bag will securely store and confine your equipment. - LinQ mounted using heavy-duty rigid plastic base. - High capacity storage solution 10.6 gal (40 L). - Bottom foam liner for additional equipment protection.		- Integrated handle for easy transportation on/off the vehicle. - Marinized for salt water purposes. - Dimensions: 14" L x 19" W x adjustable H. - See table for installation location and requirements.


SR 5.5 Gal (21 L) LinQ Bag	G3, G3L	860202449
 - Semi-rigid expandable bag. 5.5 gal (21 L) capacity. - See table for installation location and requirements.		

LinQ 4.5 Gal (17 L) Sport Bag	G3, G3L	860202447
 - All the benefits of LinQ – simple, fast and secure. 17 liter (4.5 US gallon) capacity. - Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.		- Rigid bottom, semi-rigid top. - Easy one-second on/off tool-less system. - See table for installation location and requirements

NEW LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler	G3, G3L	295101252
 5.3 US gal (20 L) of insulated, water-resistant capacity. - Quick, easy and secure LinQ system installation. - Attaches with one set of LinQ Fasteners. - Single day use soft cooler. - Mesh pocket on top of the lid.		- Zippered pocket under the lid for quick and easy access. - Removable interior for easy cleaning. - Carry handles for easy transport. - Can contain twelve 355 ml cans. - Dimensions: 19" L x 13" W x 10" H.

LinQ ACCESSORIES WITH 36" BASE

LinQ Trunk Box (145 L)	G3 (except MAX models) G3L (except MAX models)	715009471
 - Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity. - Storage capacity of 31 gal (145 L). - Easy to install and remove with the LinQ system. - LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).		- Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity. - New ergonomic and resistant latch system offers excellent sealing. - Ability to install LinQ Tool Holders (715008896) on the box. - Lockable with a lock on the front of the box (two keys included).

NEW Rear Cargo Box Divider (145 L)	G3 (except MAX & 6X6 models) G3L (except MAX & 6X6 models)	715010103
 - Easy installation thanks to hook-and-loop fasteners. - Includes left and right divider. - Mesures 7" (176 mm). - It is installed at a specific point in the cargo box to divide it neatly into 3 similar sections. - Requires LinQ 31 US Gal (145 L) Trunk Box (715009471).		

LinQ Trunk Box (139 L)	G3 (MAX models only) G3L (MAX models only)	715009472
	• Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity. • Storage capacity of 30 gal (139 L). • Easy to install and remove with the LinQ system. • LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included). • Compatible with the passenger seat.	• New ergonomic and resistant latch system offers excellent sealing. • Ability to install LinQ Tool Holders (715008896) on the box. • Lockable with a lock on the front of the box (two keys included).
NEW Rear Cargo Box Divider (139 L)	G3 (MAX models only) G3L (MAX models only)	715010111
	• Easy installation thanks to hook-and-loop fasteners. • Includes left and right divider. • Measures 9.5" (248 mm). • It is installed at a specific point in the cargo box to divide it neatly into 3 similar sections. • Requires LinQ 30 US Gal (139 L) Trunk Box (715009472).	
LinQ Trunk Box (87 L) – G3L	G3L	715009312
	• Weatherproof polyethylene rear cargo box. • Can be installed on the rear rack only. • Storage capacity of 23 gal (87 L). • Optimized shape of the cargo box base fits the G2L rear rack perfectly. • Lockable with a lock on the front of the box (2 keys included). • Easy to install, easy to remove using the LinQ system.	• Installation in LinQ 36" configuration. • Compatible with the passenger seat. • Ability to install LinQ Tool Holders (715008896) on the box. • Up to 3 LinQ Lite Multi Holders (715008087) can be installed to add LinQ Lite accessories to your cargo box. • See table for installation location and requirements.
LinQ Trunk Box (87 L) – G3	G3	715009499
	• Weatherproof polyethylene rear cargo box. • Can be installed on the rear rack only. • Storage capacity of 23 gal (87 L). • Optimized shape of the cargo box base to fit the G3L rear rack perfectly. • Lockable with a lock on the front of the box (2 keys included).	• Easy to install, easy to remove using the LinQ system. • Installation in LinQ 36" configuration. • Compatible with the passenger seat. • Ability to install Tool Holders (715008896) on the box. • Up to 3 LinQ Lite Multi Holders (715008087) can be installed to add LinQ Lite accessories to your cargo box. • See table for installation location and requirements.
LinQ Cargo Box (90 L)	G3 (except X mr models) G3L (except X mr models)	715005272
	• Made of polyethylene. • Storage capacity of 23 gal (90 L). • Can be installed on the front rack only. • Easy to install, easy to remove using the LinQ system. • Need to remove the front DropDown cover for optimal capacity. • Lockable with a lock on the front of the box (2 keys included).	
LinQ Cargo Box (53 L)	G3 G3L	715010172
	• Made of polyethylene. • Storage capacity of 14 gal (53 L). • Easy to install and remove with the LinQ system. • Can be installed on the front or rear racks. • New ergonomic and resistant latch system offers excellent sealing.	• Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity. • Ability to install LinQ Tool Holders (715008896) on the box. • Lockable with a lock on the front of the box (two keys included). • See table for installation location and requirements.
LinQ Low Profile Box (63 L)	G3, G3L	715007827
	• Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 16.6 gal (63 L). • LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system. • Can be installed in a 36" configuration only. • LinQ 16" accessories can be installed on the cover to increase cargo capacity.	• Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding. • Support feet at hinge level so the box can stand on its own. • The compact design allows for maximum rear field of vision. • Features a lock on the front of the box (two keys included). • See table for installation location and requirements.

LinQ Cargo Basket (90 L)	G3	715010173
	G3L	715005274



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- Ability to install LinQ Tool Holders (715008896) on the basket.
- See table for installation location and requirements.

Large Cargo Box	G3L	715007001
------------------------	-----	------------------



- Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks for easy installation and removal.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

LinQ 9.2 Gal (35 L) Cooler	G3, G3L	715006998
-----------------------------------	---------	------------------



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Molded-in handles for quick installation and removal.
- Option to add LinQ Lite Multi Holder (5 LinQ Lite) (715008087) on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Cannot be installed on the front rack.
- See table for installation location and requirements.

LinQ LITE ACCESSORIES

NEW LinQ Lite Multi Holder (Front Fenders)	G3, G3L	715009474
---	---------	------------------



- Allows for installation of select LinQ Lite accessories on the front fenders.
- Three LinQ Lite mounting points allow for versatile storage/hanging options.
- Holds up to two LinQ Lite Cupholders (715007804) or a single LinQ Lite Fender Bag (715009280).
- Finished, robust style.
- Includes necessary installation hardware.
- Sold as a pair.

NEW LinQ Lite Multi Holder	G3 (6x6 models only, except MAX models) G3L (6x6 models only, except MAX models)	295100977
-----------------------------------	---	------------------



- Allows for installation of select LinQ Lite accessories.
- Capable of mounting on any flat surface such as garage walls for easy accessory storage.
- Five LinQ Lite mounting points allow for versatile storage/hanging options.
- Finished, robust style.
- Includes necessary installation hardware.
- Required to install LinQ Lite Bag (10 L) (715009132).

NEW LinQ Lite Fender Bag	G3, G3L	715009280
---------------------------------	---------	------------------



- Provides 5 liters of extra storage space for tools, accessories, or personal items.
- Constructed using high-durability materials designed for enhanced resistance to variable weather conditions.
- Designed to fit on the Outlander fender, it attaches securely with the LinQ Lite Rail.
- Features a zippered pocket and magnetic lid for secure closure.
- Includes an interior mesh pocket, perfect for organizing your essentials.
- Front mesh pocket provides convenient access to frequently used items.
- Requires LinQ Lite Multi Holder (715009474) for installation.

NEW LinQ Lite Bag (10 L)	G3, G3L	715009132
---------------------------------	---------	------------------



- Provides 10 liters of extra storage space for tools, accessories, or personal items.
- Constructed using high-durability materials for enhanced resistance to variable weather conditions.
- Shoulder strap included for easy transport.
- Features a zippered pocket and magnetic lid for secure closure.
- The yellow interior helps you find what you're looking for in seconds.
- Includes an interior mesh pocket, perfect for organizing your essentials.
- Side mesh pocket on each side provides convenient access to frequently used items.
- You can install it on several of our LinQ Cargo Boxes with the LinQ Lite Multi Holder (715008087).
- It can fit on the LinQ Trunk Box (87 L) (715009312 or 715009499) or on the LinQ 9.2 Gal (35 L) Cooler (715006998).
- Requires the LinQ Lite Multi Holder (715008087) for installation or the LinQ Lite Multi Holder (295100977) if installed on the 6X6 bed wall (except G3L 6X6 MAX).

NEW LinQ Lite Cup Holder	G3, G3L	715009406
	• Keep your beverage within reach. • Flexible fins adjust to various beverage container sizes to hold most securely. • No permanent installation point means you're free to move it almost anywhere. • Tool-less placement, easy to move from place to place. • Requires LinQ Lite Multi Holder (715008087) for installation on cargo box or (715009474) for installation on fender.	

NEW LinQ Lite Cargo Box Multi Holder	G3, G3L	715008087
	• Allows for installation of select LinQ Lite accessories. • Five LinQ Lite mounting points allow for versatile storage/hanging options. • Finished, robust style. • Includes necessary installation hardware. • You can install it on several of our LinQ Cargo Boxes and have as many as three on one box. • It can fit on the LinQ Trunk Box (87 L) (715009312 or 715009499) or on the LinQ 9.2 Gal (35 L) Cooler (715006998). • Holds up to three LinQ Lite Cup Holders (715009406).	

NEW LinQ Lite Multipurpose Bag	G3, G3L	295101154
	• Perfect add-on to store and organize your equipment or store other items like sunscreen, cellphone, sunglasses and more. • Tool-less installation in seconds with LinQ Lite clip-in system. • Five external pockets for fast access to small necessities. • Features one zippered opening. • Dimensions: 16" L x 3.5" W x 10.5" H. • Requires LinQ Lite Multi Holder (715008087) for installation.	

LinQ RACKS & HOLDERS

NEW LinQ Cargo Bed Rack	G3 (6x6 models only) G3L (6x6 models only)	715009336
	• Strong, durable steel rack. • Easy and tool-less installation thanks to the LinQ System. • Allows the installation of 16" LinQ accessories with LinQ Sliding Base Kit included. • 36" LinQ anchors integrated into the rack. • Can be positioned in the front, middle or rear of the cargo bed. • Up to 2 racks can be installed at the same time (front & rear position). • Allows multi-level storage on cargo bed. • Provides more usable space in the cargo box. • The clearance under the rack is 11.5" (294 mm). • 4 Tool Holder Bolt-On (715008896) can be installed on each side for a total of 8. • Required to install the LinQ Fuel Caddy 5 US Gal (20 L) (715007822). The Fuel Caddy must be installed below the LinQ Cargo Bed Rack.	

NEW X mr Rear Rack	G3	715010217
	• Black polypropylene glass-filled rear rack replacing the actual rack. • LinQ 36" anchors integrated. • Possibility to install LinQ 16" accessories into the dropdown to increase the cargo capacity (requires LinQ Base Installation Kit). • The rack features six handles crafted with precision. • Textured area for foot grip. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>	

LinQ Rack Extension	G3L (Except 6x6 models)	715004954
	• Easy to install and remove with the LinQ system. • Fits front or rear of the vehicle. • Provides tie-down points to secure cargo on racks. • Made of steel with anti-corrosion coating and durable powder-coat finish. • Height of 7".	

LinQ Front Rack Extension	G3 (except X mr models)	715009281
	• Easy to install and remove with the LinQ system. • Fits front of the vehicle only. • Provides tie-down points to secure cargo on racks. • Made of aluminum with durable powder-coat finish. • Height of 5".	

LinQ Rear Rack Extension	G3 (except X mr & 6X6 models)	715009475
	• Easy to install and remove with the LinQ system. • Fits rear of the vehicle only. • Provides tie-down points to secure cargo on racks. • Made of aluminum with durable powder-coat finish. • Height of 7".	
LinQ Tool Holder	G3, G3L	715007358
	• Ultra-versatile tool holder. • Convenient swivel-latch allows tools to be stored in any orientation. • Sold in pairs.	
LinQ Gear Grips	G3, G3L	715005340
	• Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. • Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. • Quick-release button opens grip quickly for easy access to gear. • Heavy-duty base system built for the toughest adventures. • Make transporting your tools a snap by combining the Gear Grips with the LinQ system. • 360° orientation. • Sold in pairs.	
Gear Grips	G3L	715001421
	• Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. • Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. • Quick-release button opens grip quickly for easy access to gear. • Heavy-duty base system built for the toughest adventures. • Easy installation on tubular racks, extension racks, brackets or bumpers. • Sold in pairs.	
LinQ Gun Case	G3, G3L	715009240
	• The practical design lets riders store shotguns and rifles up to 52" (132 cm), even with most optic configurations. • Adapts to different weapon shapes and features with foam cushions that can be repositioned. • The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn. • The LinQ Gun Case must be installed on the front compartment lid using the LinQ Base Installation Kit (860201806), on the Front Rack or on the fender position using the LinQ Gun Case Mounting Kit (715006074). • Can't be installed on the rear lid due to weight limitation.	
LinQ Gun Case Mounting Kit – Fender Position	G3, G3L	715006074
	• This kit is required to install the LinQ Gun Case on the fender position. • Installs on the right side of the vehicle, and the safety system allows the driver or passenger to quickly exit the vehicle. • The low-profile mounting system can be left on the vehicle year-round and doesn't get in the way when the Gun Case is not installed.	

HOLDERS

NEW Tie-Down Anchors	G3 (6x6 models only) G3L (6x6 models only)	715010487
	• Made of high-strength cast aluminum. • Coated with corrosion resistant black coating. • Add extra points on the wall of the cargo bed for tying down cargo in the back of your vehicle. • Includes 4 pieces.	
Tool Holder Bolt-On	G3, G3L	715008896
	• Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274), LinQ Cargo Box (53 L) (715006997), LinQ Trunk Box (139 L) (715006097 & 715009472), LinQ Cargo Bed Rack (715009336), and LinQ Trunk Box (145 L) (715005273 & 715009471). • Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation. • Sold in pairs. • Several degrees of adjustment.	

Multi-Fit Holder

G3L

715002354 • Single

715001945 • Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- Easy installation on tubular rack, extension racks, basket or bumpers.
- Sold in pairs.

LinQ MOUNTING

NEW LinQ Sliding Base Installation Kit

G3 (6x6 models only)

G3L (6x6 models only)

715009123



- This LinQ Sliding Base Installation Kit comes in 2 parts.
- The first part, the LinQ Sliding Mount Plate, can stay on your vehicle at all times without interfering with loading, thanks to its flat design.
- When you need the second part, the LinQ Sliding Base, you can simply clip it in in less than 2 seconds.
- The LinQ Sliding base is therefore non-permanent, easy to remove, and you can easily play with and swap anchors.
- Sold as a pair.
- Includes LinQ Sliding Mount Plate, LinQ Sliding Base, and hardware.

LinQ Base Installation Kit

G3, G3L

860201806



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Base

G3L

715002350



- Made of polypropylene glass fiber.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

CARGO & STORAGE

LinQ Replacement Parts

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Lock

G3, G3L

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

Soft Storage Bag (70 L)

G3L

715007002



- Carry your gear in a weatherproof bag.
- Soft bag with a storage capacity of 18.5 gal (70 L) designed to maximize space in the front or rear of the vehicle.
- 3-compartment bag with removable dividers.
- Easy to install with strap system.
- X mr models: Fits on rear rack only.

CHOOSE THE RIGHT MOUNTING STYLE

Windshields do more than block wind—they cut fatigue, improve comfort, and keep debris out of the zone. Outlander G3 and G3L models offer two smart mounting styles built to match different ride preferences and functional needs.



HANDLEBAR-MOUNTED

Quick to install, these windshields move with the handlebars for dynamic coverage that tracks with every turn. A flexible, straightforward option for wind protection on the go.

CONSOLE-MOUNTED

They stay fixed to the frame for stable, consistent protection from wind and debris, no matter how you steer. Plus, since they're not mounted on the handlebars, they won't affect handling or control.



WINDSHIELDS

Adventure Side Wind Deflectors

G3L (except X mr and Electric models)

715005862



- Side Wind Deflectors for additional wind protection.
- Easy installation.
- Console Extension (715005368) is required for installation.
- Works with Adventure Windshields (715005860, 715005377, 715007268).
- Not compatible with Integrated Audio System (715005354).
- T Category Approved

Adventure High Windshield – Hardcoated

G3L (except X mr and Electric models)

715007268



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and winter weather.
- Made of injected polycarbonate with a thickness of $\frac{5}{32}$ " (4 mm) with ultra-resistant Quantum⁺ coating.
- Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure High Windshield

G3L (except X mr and Electric models)

715005377



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and weather.
- Made of injected polycarbonate with a thickness of $\frac{5}{32}$ " (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure Low Windshield

G3L (except X mr and Electric models)

715005860



- Adventure windshield with three-position adjustable height.
- 10 in. (25 cm) high for wind protection.
- Made of injected polycarbonate with a thickness of $\frac{5}{32}$ " (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Console Extension

G3 (except X mr models)

715009218



- Integrated storage compartment (2 L) with magnetic mount safe for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: one pre-assembled Can-Am plate with 3M multi-surface adhesive.
- Includes guide clips molded into the door to feed the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure Windshield and Side Wind Deflectors.
- Not compatible with Snorkel Kit.
- Includes tether cord for additional peace of mind.
- T Category Approved

Adventure Side Wind Deflectors

G3 (except X mr models)

715009462



- Side Wind Deflectors for additional wind protection.
- Easy installation.
- Controllable vents to manage airflow.
- Console Extension (715009218) is required for installation.
- Works with Adventure Windshields (715009219, 715009453, 715009458).
- Not compatible with Integrated Audio System (715005354).
- T Category Approved

Adventure High Windshield – Hardcoated


G3 (except X mr models)

715009458



- Quickly change your wind protection with the flip of both levers.
- 14" (36 cm) high to protect against wind and winter weather with a 2" (5 cm) adjustment.
- Made of injected polycarbonate with a thickness of $\frac{5}{32}$ " (4 mm) with ultra-resistant Quantum⁺ coating.
- Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715009218) is required for installation.
- Side Wind Deflectors (715009462) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure High Windshield	G3 (except X mr models)	715009453
	• Quickly change your wind protection with the flip of both levers. • 14" (36 cm) high to protect against wind and weather with a 2" (5 cm) adjustment. • Made of injected polycarbonate with a thickness of 5/32" (4 mm). • Console Extension (715009218) is required for installation. • Side Wind Deflectors (715009462) available for added protection. <i>Installation of some accessories shown may impact vehicle compliance with some regulations.</i> Consult your local dealer for information.	

Adjustable Adventure Low Windshield	G3 (except X mr models)	715009219
	• Quickly change your wind protection with the flip of both levers. • 10" (25 cm) high for wind protection with a 2" adjustment. • Made of injected polycarbonate with a thickness of 5/32" (4 mm). • Console Extension (715009218) is required for installation. • Side Wind Deflectors (715009462) available for added protection. <i>Installation of some accessories shown may impact vehicle compliance with some regulations.</i> Consult your local dealer for information.	

NEW High Windshield Kit	G3 (except X mr, Backcountry and XT-P)	715006480
	G3L (except X mr models)	
	G3 (Backcountry & XT-P models only)	715010902
	• 11" (28 cm) high, for wind protection and winter applications. • The windshield is made of polycarbonate, 1/8" thick (3 mm). • Integrated plastic injected handguard with Can-Am logo. • Requires Handguards Frame Kit (715010295) for installation on units with no factory handguards. • Not compatible with Integrated Audio System (715005354) or Console Extension (715009218). <i>Installation of some accessories shown may impact vehicle compliance with some regulations.</i> Consult your local dealer for information.	

NEW Extra High Windshield Kit	G3 (except X mr, Backcountry and XT-P)	715006481
	G3L (except X mr models)	
	G3 (Backcountry & XT-P models only)	715010947
	• 16" (41 cm) high, for wind protection and winter applications. • The windshield is made of polycarbonate, 1/8" thick (3 mm). • Integrated plastic injected handguard with Can-Am logo. • Requires Handguards Frame Kit (715010295) for installation on units with no factory handguards. • Not compatible with Integrated Audio System (715005354) or Console Extension (715009218). <i>Installation of some accessories shown may impact vehicle compliance with some regulations.</i> Consult your local dealer for information.	

Console Extension	G3L (except X mr and Electric models)	715005368
	• Integrated storage compartment (1 gal/4 L) with magnetic mount safe for your electronic device. • Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install. • Magnetic mount is 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently. • Two possible positions for your electronic device: portrait and landscape. • Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Am plates with 3M multi-surface adhesive. • Includes guide clips molded into the door to feed the charging cable. • Possibility of installing USB outlet in storage compartment (USB power outlet sold separately). • Required for the installation of the Adventure Windshield and Side Wind Deflectors. • Not compatible with Snorkel Kit. • Includes tether cord for additional peace of mind. • T Category Approved	

Console Extension USB Power Outlet	G3 (except X mr & Electric models) G3L (except X mr & Electric models)	715008750
	• Useful for the Console Extension (715005368 & 715009218) to plug your electronic device charger into the compartment. • USB-A and USB-C ports. • Rubber cap protects ports when not in use. • Backlit to highlight the USB ports. • Console Extension (715005368 or 715009218) is required for installation.	

HANDLEBARS & MIRRORS

NEW Handguards Frame Kit	G3 (except X mr 1000R models), G3L	715010295
	• Lightweight black die-cast aluminum full wrap frame. • Mounting system leaves the handlebar free. • Includes complete hardware. • Requires Can-Am Handguards (715010293/715010294) or XT Handguards (715010296) or Sport Handguards (715010297). • Required to install High & Extra High Windshield Kit (715006480 & 715006481) for units with no factory handguards. • T Category Approved	

NEW Touring Handguards

G3 (except X mr 1000R models), G3L

■ **715010293** • Black
■ **715010294** • Neo Yellow



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- New ergonomic design offers better comfort for the hand and increases protection.
- Include complete hardware.
- Require Handguards Frame Kit (715010295).
- T Category Approved

NEW XT Handguards

G3 (except X mr 1000R models), G3L

715010296



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- New ergonomic design offers better comfort for the hand and increases protection.
- Include complete hardware.
- Require Handguards Frame Kit (715010295).
- T Category Approved

NEW Sport Handguards

G3 (except X mr 1000R models), G3L

715010297



- Give your ATV a sporty look with the low-profile design.
- Rugged injected plastic deflectors with Can-Am logo.
- Include complete hardware.
- Require Handguards Frame Kit (715010295).
- T Category Approved

NEW Handlebar Muffs

G3 (except X mr 1000R models), G3L

715009288



- Ultra warm muffs for extreme cold conditions.
- Thermoformed construction allows muffs to keep their shape and provides more space for hand movement.
- Easy to install and remove without any tools.
- Large transparent section allows visibility of control switches.
- Note: Always install complete Can-Am Touring or XT Handguards with these Handlebar Muffs.
- Requires Full Wrap Handguards Frame Kit (715010295) with Touring Handguards (715010293 or 715010294) or XT Handguards (715010296).
- Not compatible with Sport handguards' (715010297).
- Installing the muffs without the handguard's large plastic parts can cause interference with controls.

Driver Full Wrap Handguards

G3 (base & DPS models only)
G3L (base & DPS models only)

■ **715005361** • Black
■ **715005362** • Neo Yellow



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- Lightweight black die cast aluminum full wrap frame.
- New ergonomic design offers better comfort for the hand and increases protection.
- Mounting system leaves the handlebar free.
- Include complete hardware.
- T Category Approved

Passenger Wind Deflectors

G3 (MAX models only)
G3L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

Handlebar Mirrors


G3, G3L

715005366



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Don't require a windshield or fairing to be mounted.
- Work with all windshield options.
- T Category Approved

SKID PLATES




Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: With aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation. No need to remove factory skid plates. No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

OUTLANDER

G3		G3L		ELECTRIC	
2025 & up		2023 and Up		2026	
Except MAX models	MAX models only	Except MAX models	MAX models only	Except MAX models	MAX models only
SKID PLATE PROTECTION KIT (T Category approved)					
	715009216	715009217	715010280	715010281	
INDIVIDUAL SKID PLATES (T Category approved)					
1 Front Aluminum A-Arm Protectors	715009214 (except G3 X mr & Backcountry models)	715009214 (except G3 X mr & Backcountry models)	715005305	715005305	715005305
2 Rear Aluminum A-Arm Protectors (sold in pairs)	715009215 (except G3 X mr & Backcountry models)	715009215 (except G3 X mr & Backcountry models)	715005308	715005308	715005308
3 HMWPE Underbelly and Footboard Plates	715009864	715009865	715009864	715009865	

SKID PLATES



Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: With aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation. No need to remove factory skid plates. No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

OUTLANDER 6X6

G3 6X6		G3L 6X6	
2026		2026	
Except MAX models	MAX models only	Except MAX models	MAX models only
SKID PLATE PROTECTION KIT (T Category approved)			
	715009343	715009344	715009341
			715009342
INDIVIDUAL SKID PLATES (T Category approved)			
1 Front Aluminum A-Arm Protectors	715009214	715009214	715005305
2 Rear Aluminum A-Arm Protectors (sold in pairs)	715009215	715009215	715005308
3 HMWPE Underbelly and Footboard Plates	715009339	715009340	715009339
			715009340

BUMPERS & GUARDS

NEW XT Front Bumper

G3 (except X mr)

715009289



- Heavy-duty construction with profiled steel tubes provides the most complete protection for your vehicle.
- Wide and sturdy construction with black powder-coat finish and metal corners.
- Integrated tow hooks and light mounting points.
- Protects vehicle lights and corners.
- Winch compatible.
- T Category Approved

XU Front Bumper

G3L

715006614



- Heavy-duty tubular construction provides the most complete protection for your vehicle.
- Protects vehicle lights and corners.
- Winch compatible.
- Integrated tow hook.
- Similar to the XU model's bumper.
- T Category Approved

XT Front Bumper

G3L

715004952



- Provides additional protection for your vehicle against the elements.
- Tough and durable.
- Large tube construction with black powder coat finish.
- Similar to stock bumper on XT models.
- Mounting plate included for tow hook.
- T Category Approved

Extreme Front Bumper Plates

G3 (except X mr models)

715009293




- Ultra-robust steel construction provides additional protection to the front of the vehicle in rough terrain.
- Compatible with all front bumpers.
- Durable powder coat finish.
- Not compatible with track systems.
- T Category Approved

Extreme Front Bumper Plate

G3L (except X mr models)

715005439



- Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.
 - Compatible with all front bumpers.
 - Not compatible with track systems.
- Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Front Tow Hook

G3L

715008842



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- Allows you to attach most hooks or straps.
- This tow hook offers 3,500 lb (1,587 kg) of towing capacity.
- Made of forged steel.
- XT Front Bumper (715004952) required for installation.
- Not compatible with Outlander XT stock bumper.

NEW XT Rear Bumper

G3 (except 6x6 models)

715009292



- Made of profiled steel tubes for complete protection of the vehicle's rear.
- Provides additional protection for your vehicle against obstacles.
- Protects the rear lights of the vehicle without obstructing them.
- Wide and sturdy construction with black powder-coat finish and metal corners.
- T Category Approved

NEW Rear Bumper

G3 (6x6 models only)
G3L (6x6 models only)

715009770



- High-resistance steel tubular construction.
- Anti-corrosion coating with durable powder coat finish.
- Provides added protection to the rear.
- Required to install the Cargo Bed Side Protectors (715009345).

NEW Cargo Bed Side Protectors		G3 (6x6 models only) G3L (6x6 models only)	715009345
	• 1.5" (3.8 cm) diameter steel-tube construction. • Anti-corrosion coating with durable powder coat finish. • 3 integrated hook points on each side to secure cargo. • Requires Rear Bumper (715009770) for installation. • Not compatible with the LinQ Cargo Basket (90 L) (715010173 & 715005274), LinQ Trunk Box 23 US Gal (87 L) (715009499), or LinQ Cargo Box 14 US Gal (53 L) (715010172 & 715006997).		
Full Rear Bumper		G3L (except 6X6 models)	715008738
	• Provides additional protection for your vehicle against obstacles. • Protects the rear lights of the vehicle without obstructing them. • Strong and durable, it must be added to the XT rear bumper (stock or accessory) for full protection. • Wide and sturdy tubular construction with black powder-coat finish and metal corners. • T Category Approved		
XT Rear Bumper		G3L (STD, DPS & X mr models only)	715004953
	• Sturdy tubular construction. • Protects the vehicle against obstacles. • Standard on Outlander XT and Outlander PRO. • Fits base models with grab bar only. • Required to install the Full Rear Bumper. • T Category Approved		
Fender Flares		G3L (except T-cat and Electric models) G3L (T-cat models only)	715005349 715006336
	• Kit is designed to deliver extra protection to your vehicle from dirt and debris. If you enjoy riding in the mud, it's a must. • Made of injected plastic that hugs your vehicle fenders perfectly. • Give vehicle added flair for a rugged, cool look. • Include front and rear extensions and all mounting hardware. • T Category Approved		

LIGHTS & ELECTRICAL

LIGHTS

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights		G3L, G3 (except X mr models)	715010094
	• 14 W LED lights producing 1,260 lumens each. • Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. • Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light. • Sold in pairs. • ECE Certified • Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. • XT or XU Front Bumpers (715004952, 715009289 & 715006614) and Light Power Cable (715005353) required for installation. • Can also be installed on the stock front bumpers (XT and XU). • T Category Approved as Work Lamp		
3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights		G3L, G3 (except X mr models)	715010093
	• 14 W LED lights producing 1,260 lumens each. • Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. • Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light. • Sold in pairs. • ECE Certified • Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, or for dusty or foggy riding conditions. • XT or XU Front Bumpers (715004952, 715009289 & 715006614), and Light Power Cable (715005353) required for installation. • Can also be installed on the stock front bumpers (XT and XU). • T Category Approved as Work Lamp		
NEW SMART 10" (25 cm) LED Light Bar		G3 (except X mr models), G3L	715008745
	• The perfect combination of powerful white and selective yellow LEDs. • Selective yellow is ideal for driving in low visibility conditions. • The light is composed of 16 white LEDs and 8 yellow LEDs. • Spot and Flood combo beam. • The side lens design provides highly effective wide-angle illumination. • The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance. • The lens is made from hard-coated polycarbonate. • IP67 and IP69k submersible and pressure washer safe. • Switch options: Off, Low and High. Color change by flicking the switch quickly. • Wiring Harness (715010044) is required for installation. Sold separately. • Just a heads-up, you'll need a bumper for this. • ECE Certified		

10" (25 cm) Double Stacked LED Light Bar (60 W)	G3L, G3 (except X mr models)	715010065
	- Equipped with 12 5 W Cree LEDs. 5,400 lumens. - Rugged and waterproof. - Packs a big punch for its size.	- ECE Certified - XT or XU Front Bumpers (715004952, 715009289, and 715006614), and Light Power Cable (715005353) required for installation. - Can also be installed on the stock front bumpers (XT and XU). - T Category Approved as Work Lamp

15" (38 cm) Double Stacked LED Light Bar (90 W)	G3L, G3 (except X mr models)	715010066
	- Equipped with 18 5 W Cree LEDs. 8,400 lumens. - Complements the Light Racks and most bumpers. - Rugged and waterproof. - Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.	- ECE Certified - XT Front Bumper (715004952 and 715009289) and Light Power Cable (715005353) are required for installation. - Can also be installed on the stock front bumpers (XT only). - T Category Approved as Work Lamp

NEW LED Light Bar Harness	G3, G3L	715010044
	- Required to install SMART 10" (25 cm) LED Light Bar (715008745). - Plug & play installation. - Includes harness and hardware.	


Light Power Cable (Not illustrated)	G3, G3L	715005353
Required for installation of the 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the 3.5" (9 cm) LED Lights.		

RAM[†] LED Spotlight	G3, G3L	710005423
	540-lumen (9 W) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system. - Not ECE Certified	

ELECTRICAL

NEW Power Tilt Bed	G3 (6x6 models only) G3L (6x6 models only)	715009338
	- Powerful cargo box tilter with dash-integrated switch. - Supports loads of up to 1,000 lb (453 kg). - Features a strong and fast tilting electric actuator.	

Integrated Heated Grips & Thumb Throttle Combo	G3 (except X mr 1000R), G3L	715009284
	- Heat levels for grips and thumb displayed on vehicle screen. - Ergonomic button integrated on LH grip. - Single button for both grips and thumb heat selection.* - Five temperature settings for the thumb and grips. - Adjustable heat ratio between grip and thumb warmer.* - Hold button to reach maximum heat quickly. - Remembers your last heat setting.	- IP67-rated waterproof sealing keeps the elements out. - ECE compliant. - Plug-and-play installation. - Clamp-on grips, no glue required. - Models with touchscreen or color display provide enhanced user interface with independent grips and thumb heat level selection. - T Category Approved

Heated Passenger Grips & Visor Outlet	G3 (MAX models only), G3L (MAX models only)	715005358
	- Replace your stock passenger handles. - Dual temperature switch integrated into seat arm for 3-zone heated handles and grips. - Heated visor outlet integrated into seat arm.	

Seat Heater	G3L, G3 (Except MAX models with removable passenger seat)	715007211
	25 W seat heater delivers chill-free riding comfort. - One temperature only. - Heated pad and electrical harness only. - Heavy-Duty Seat Cover (715008311) is required for installation on 1-up models. - Heavy-Duty Seat Cover (715008313) is required for installation on 2-up models.	

Heated Visor Outlet	G3, G3L	715001246
	• Strategically positioned on vehicle to maintain your agility. • Optional visor outlet that delivers fog-free riding. • Quick and easy installation. • Sold individually. • Heated Visor not included.	
USB Power Outlet Kit	G3, G3L	219400510
	• Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.). • Dual port USB connectors. • Plug-and-play kit. • Replaces the vehicle's 12 V socket. *The power outlet is not capable of recharging all device types while riding.	
USB Intelligent Power Outlet Kit	G3, G3L	715009117
	• Power all your electronics with this easy-to-mount USB plug. • Provides one USB-A 3.0 and one USB-C (PD) plug. • Power rate: 36 watts. • Intelligent USB charger for a fast charge when battery is low. • Replaces the vehicle's 12 V socket.	
NEW 10.25 in. Color Touchscreen Display Protector	Vehicle equipped with 10.25 in. Color Touchscreen Display	860202680
	• Tempered glass – 0.3 mm thick. • 9H hardness for tough protection. • 100% bubble free adhesive. • Anti-scratch, anti-glare and anti-fingerprint. • Maintains 99.99% clarity. • Easy to clean. • Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.	
Cellphone Holder	G3, G3L	715008786
	• Water resistant door allows for perfect phone positioning. • Features capacitive and resistive touchscreen technology. • Spring system in back plate automatically adjusts for thickness. • Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions. • Works with almost all charger wires. • Does not include cellphone or charging wires. • Requires the RAM Mount for Cellphone Holder (715001985) or the Console Extension (715005368) for installation. • If installed on the Console Extension, the Console Extension USB Power Outlet (715008750) is required to charge cellphone. • If installed on the Console Extension, Driver Full Wrap Handguards are incompatible.	
RAM⁺ Mount for Cellphone Holder	G3, G3L	715001985
	• Convenient bracket for installing the Cellphone Holder (715008786) (not included) onto your unit's handlebar.	
Integrated Audio System	G3, G3L	715005354
	• Fully integrated and weatherproof audio system. • Includes two 6.5" front fender Bluetooth speakers giving you fingertip control of the tracks you're playing. • Designed to be Can-Am tough in the most demanding riding conditions. • Expertly tuned for exceptional sound, even when you're on the move on your Outlander. • Comes with two speakers, each with 50 W dynamic power, for a total of 100 W dynamic power. • Seamless integration and operation from any Bluetooth-enabled devices, or via an auxiliary port. • Plug-and-play audio system specifically designed not to drain the battery. • Compatible with the Console Extension (715005368 or 715009218) and Adventure Windshields. • Not compatible with the Adventure Side Wind Deflectors (715005862 or 715009462). • Not compatible with Windshield Kits (715006481, 715006480, 715010902 & 715010947) • EC compliant. Note: We recommend you use 20 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.	
Bluetooth Handlebar Soundbar by MTX	G3 (except X mr & Electric models) G3L (except Electric models)	219400840
	• Bluetooth speaker with the unbeatable convenience of fingertip control. • Rugged IP66-rated weather-resistant speaker designed for outdoor use. • Driven by 150 watts of quality audio power. • Seamless integration and operation from Bluetooth enabled devices. • Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable. • Not compatible with XT Handlebar Protector Kit. • EC compliant. Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.	



- CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- Charger is built to meet the demanding arctic conditions.
- Ask your dealer for more information.

RFID Key Green D.E.S.S.™

G3 (with ITC)
G3L (with ITC)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
Performance mode: No restrictions.

NEW Charging Cable Type 2 Mode 2

G3L (Electric models only)

219401227 • US
219401266 • UK
219401260 • Europe (12A)
219401310 • Europe (8A)



- Features compact size, overheating protection mechanism, and an IP67 ingress protection rating.
- Bright and smooth panel design with built-in LED indicators.
- Operates in a wide range of temperatures (-30°C to 50°C).
- Included:
 - 1 Mobile connector - 9.5' (3 M) Cable.
 - 1 Storage bag.
 - AC Type Plug:
 - NEMA 5-15 for 219401227 (US).
 - CE Type G for 219401266 (UK).
 - CE Type E for 219401260 and 219401310 (Europe).
- Voltage: 120V (219401227) or 240V (219401266, 219401260, 219401310).
- Charging power: 12A (219401227, 219401266, 219401260) or 8A (219401310).

Charging Cable Mode 3 Type 2

G3L (Electric models only) 219401274



- A Mode 3 charging cable is a connecting cable between the charging station and the electric motorcycle.
- IP55 ingress protection rating.
- Operates in a wide range of temperature (-40°C to 50°C)
- Included:
 - 1 Mobile connector - 23' (7 M.) Cable.
 - 1 Storage bag.
- Voltage: 480V
- Charging Power: 32A

WINCHES

CAN-AM HD WINCHES

Can-Am HD 2500 Winch

G3 (except X mr)
G3L (2025 & up)

715009797



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Can be used with the Wireless Winch Remote (w) or the Can-Am HD Wired Remote Control (715008121) (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- CE & UKCA compliant.
- T Category Approved

Can-Am HD 3500 Winch

G3 (except X mr)
G3L (2025 & up)

715009798



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Can be used with the Wireless Winch Remote (715008286) or the Can-Am HD Wired Remote Control (715008121) (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 7/32" (15.2 m of 5.6 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- CE and UKCA compliant.
- T Category Approved

Can-Am HD 2500 Winch	G3L 2024 & prior	715006973
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and longer life. - Automatic 100% load-holding brake. - Can be used with the Wireless Winch Remote (715008286) or the Can-Am HD Wired Remote Control (715008121) (sold separately).	- Pulling strength capability of 2,500 lb (1,134 kg). 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. - Heavy-duty 4-way roller fairlead. - Weather-sealed handlebar-mounted switch. - Sealed solenoid for all-weather protection. - Plug-and-play wiring. - CE and UKCA compliant. - T Category Approved
Can-Am HD 3500 Winch	G3L 2024 & prior	715006974
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and longer life. - Automatic 100% load-holding brake. - Can be used with the Wireless Winch Remote (715008286) or the Can-Am HD Wired Remote Control (715008121) (sold separately). - Pulling strength capability of 3,500 lb (1,588 kg).	50 ft. of 7/32" (15.2 m of 5.6 mm) wire steel cable. - Heavy-duty 4-way roller fairlead. - Weather-sealed handlebar-mounted switch. - Sealed solenoid for all-weather protection. - Plug-and-play wiring. - CE and UKCA compliant. - T Category Approved
Can-Am HD 3500-S Winch	G3L 2024 & prior	715008285
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and longer life. - Automatic 100% load-holding brake. - Can be used with the Wireless Winch Remote (715008286) or the Can-Am HD Wired Remote Control (715008121) (sold separately). - Pulling strength capability of 3,500 lb (1,588 kg).	50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope. - Heavy-duty Hawse fairlead. - Weather-sealed handlebar-mounted switch. - Sealed solenoid for all-weather protection. - Plug-and-play wiring. - CE and UKCA compliant. - T Category Approved
Can-Am HD 3500-S Winch	G3 (except X mr models), G3L 2025 & up	715009799
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and longer life. - Automatic 100% load-holding brake. - Can be used with the Wireless Winch Remote (715008286) or the Can-Am HD Wired Remote Control (715008121) (sold separately). - Pulling strength capability of 3,500 lb (1,588 kg).	50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope. - Heavy-duty Hawse fairlead. - Weather-sealed handlebar-mounted switch. - Sealed solenoid for all-weather protection. - Plug-and-play. - CE and UKCA compliant. - T Category Approved
Rear Winch Kit	G3L (Except 6x6 and Electric Models)	715010087
- Complete kit, including the Can-Am HD 2500 winch - Uncompromised ground clearance - Includes hitch support (hitch drawbar available separately) - Heat shield protecting the winch from the exhaust heat		

WINCH ACCESSORIES

NEW X mr Winch Strap Extension for Plow	G3 X mr	715010174
	- Heavy-duty black polyester webbing strap with PVC abrasion protection. - UV, mildew and stretch resistant. - Provides a physical height limiter to enhanced frame protection avoiding contact between plow pushframe and the vehicle. - Instantly adds significant length to your winch hook.	
NEW Wireless Winch Remote	All Can-Am HD Winches	715008286
	- On/Off and Winch In / Winch Out buttons with LED indicator light. - Large Winch In / Winch Out buttons for easy activation with gloves. - Ergonomic remote handle shape with a trigger-like holding protrusion. - Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.	
NEW Winch Cable Stopper	All Can-Am HD Winches	715009921
	- Made of EPDM, a highly durable synthetic rubber. - The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead. - In addition, the split design makes it easy to install.	

NEW Winch Harness	G3L (Electric models only)	715009917
 Required to install a winch on a Outlander Electric without a factory installed winch.		

Can-Am HD Wired Remote Control	Can-Am HD Winches	715008121
 - This kit allows owners to add a handheld remote to their winch or a stock winch. - Works with the handlebar-mounted switch. - Wired Remote and Remote Socket included. 10 ft. wire.		

Winch Accessories Kit		715002409
 - Get the most out of your winch. - Double your pulling power, change your pulling direction and keep your winch in proper working order. - Includes tree straps, snatch block, shackle and winching gloves.		

HITCHES

HITCHES

Front Receiver Hitch	G3, G3L	715004977
 - Installs easily. No drilling required. - This hitch offers a 1,500 lb (680 kg) towing capacity. - Allows you to maneuver your trailer easily in tight, confined areas. - Hitch bar sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. consult your local dealer for information.</i>		


Rear Hitch Drawbar Kit	G3, G3L	715006230
 - Works on 2" (5 cm) standard receiver hitch. - Offers a towing capacity of 3.8 kN (R = 750 kg). 50 mm Hitch Ball included. - Forged steel. - For European vehicles only. - T Category Approved		

HITCH ACCESSORIES

Rubber Receiver Plug		705204503
 Rubber cap for 2" (5 cm) hitch receiver.		

Multitrailer		619590024
 - Bogie wheels updated to be more silent than before and now equipped with grease nipples. - Product developed for heavy-duty use. 100% galvanized steel. - Specifications: 12 mm polywood base, strong stand, movable attachment points (4 pc), - tipping bed, removable sides and 4 pc timber holder. - Underside of the bogie and frame designed to travel over stones and logs (no sharp edges). - Bed length: 182 cm - Bed width: 66 cm bottom / 95 cm top - Bed height: 60 cm - Weight: 200 kg with timber holders and sides		

PERFORMANCE

PERFORMANCE		
NEW Fixed Riser – 1.5 in. (38 mm)	G3 (except X mr, XT-P & Backcountry models), G3L, 6x6 DPS	715009919
 • 1.5" (38 mm) height. • Made of lightweight machined aluminum. • Black powder coat paint. • T Category Approved		
NEW Performance Sway Bar Kit	G3 2025 & up (except XT, XT-P, X mr, 6x6 & Limited)	715010580
 • Made of high-strength steel for durability and precision. • Double bonded rubber bushings on sway bars reduce noise and maintenance and increase durability. • Includes complete hardware.		
NEW Foam Air Filter by TwinAir†	G3L (except Electric models) G3 (except Electric models)	715004944 715009125
 • Oiled filtering foam for superior dust retaining capacity with high air flow. • Washable and reusable.		
Snorkel Kit	G3L (except Electric models)	715005073
 • Comprehensive snorkel kit for extended air intakes and CVT exhaust. • The CVT outlet integrates into the pod cover. • Ideal when riding in muddy conditions. • Not compatible with windshields. • Can be installed with the Integrated Audio System (715005354). • T Category Approved		
Radiator Relocator Kit	G3L (except Electric models)	715004943
 • Relocates radiator to top mount position. • Prevents cooling performance loss in muddy conditions. • Allows riders to open the relocator hood for easy radiator cleaning. • Engineered for easy cooling system bleeding and maintenance. • Includes support, hardware and hoses. Uses existing radiator: radiator not included. • T Category Approved		
Mud Strap	G3, G3L	715003053
 • Convenient sturdy grab-handle. • Lets drivers redistribute their weight for improved traction in demanding conditions.		
Radiator Protector	G3 (except X mr models) G3L (except X mr models)	715005333
 • Metal shield mounts over radiator face and protects vehicle from stones and branches. • Easily slides out of its holder for easy cleaning.		
Heavy Duty Spring Kits	G3L (except MAX & X mr models)	715008202 • Front 715004942 • Rear
 • Allows riders to replicate the standard HD5/HD7 suspension setup on the Outlander 500/700 (1-up). • The heavy-duty springs improve handling and provide enhanced stiffness, which is perfect for snow clearing and hauling heavy loads. • Two springs included in the kit. • T Category Approved		
Aluminum Footpeg Kit	G3, G3L	715008199
 • Provides maximum integrated grip and stability during vigorous riding. • The kick-up end gives riders added grip during hard cornering. • Made of aluminum, sold in pairs.		

EMERGENCY ACCESSORIES

Emergency Kit

715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS & ADD-ONS

Heavy-Duty Seat Cover

G3 (except MAX models)
G3L (except MAX models)

715008311



- Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

Heavy-Duty Seat Cover

G3L (MAX models without removable passenger seat)

715008313



- Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

NEW Trailering Cover

G3, G3L (except MAX models)
G3, G3L (MAX models only)

715010578

715010579



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Fuel tank can be accessed via a zip fastener.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- Quick and easy clip-on installation.
- Designed with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- Can be installed with or without Can-Am accessories.

Flag

715000277 • Yellow



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes Flag Mount (715000127).

Ratchet Tie-Downs

715008309 • Black/
Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

No traction? No problem. Apache XC Tracks are built for serious terrain. With improved flotation and stability, they tackle deep snow, mud, and everything in between. Engineered for optimized attack angles, reduced noise, and unmatched durability, this system means all-season dominance.

DESIGNED FOR PEAK PERFORMANCE

Aggressive lugs deliver max traction without sacrificing handling. A reinforced steel frame boosts strength, while the center slide improves alignment and reduces detracking. Reduced NVH levels and the wheel placement ensure smooth, quiet power delivery. Plus, wheel longevity is increased with replaceable wheel bearings.



APACHE TRACK SYSTEMS

APACHE XC AND XC LT		
Apache XC LT Track System	G3 (except 6x6 models) G3L (2023 & up) (except 6x6 models)	715007719
	• Long Track version. • Brand-new track design to optimize driving off and in deep snow conditions. • Reduction in steering effort thanks to the tandem 4 wheels. • Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem. • Better steering precision with this wheel and track alignment due to good ground contact. • 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability. • Track width: front 12.5" and rear 15". • Adds 3" (7.62 cm) of ground clearance versus 27" tires.	• Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness). • Central guide for optimized track alignment and reduced occurrences of detracking. • Optimized track layout with increased angle of attack for better obstacle crossing and snow performance. • Stamped and welded steel frame for improved strength and durability. • Easy maintenance with replaceable hub and wheel bearings. • Main hub is oil bath with 3 bearings inside for consistent lubrication. • DPS module and engine and CVT pre-filter required. • Mounting kit sold separately. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>

Apache XC Track System

G3 (except 6x6 models)
G3L (2023 & up) (except 6x6 models)

715008664



- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision with this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3.25" of ground clearance vs 25" tires.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).

- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- Mounting kit sold separately.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache XC & XC LT Mounting Kit

(Not illustrated)

G3 (except 6x6 models)
G3L (2023 & up) (except 6x6 models)

715008264

- Required for installation of the Apache XC and XC LT Track System.
- Track DPS Module and Pre-Filter not included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

APACHE BACKCOUNTRY

Apache Backcountry Track System

G3
G3L (except Electric models)

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.

- Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.
- For winter use only.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Backcountry Mounting Kit

(Not illustrated)

G3 (except 6x6 models)
G3L (except 6x6 & Electric models)

715010045

- Required to install Apache Backcountry Track System.
- DPS module and pre-filter not included.
- Improved installation time and switch seasons faster than ever.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

APACHE 360 & 360 LT

Apache 360 Track System

G3L (except Electric models)

715006323



- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.
- EC compliant.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 LT Track System

G3L (except Electric models)

715005103



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.

- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and Air Intake Pre-filters are required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 & 360 LT Mounting Kit

(Not illustrated)

G3L (except Electric models)

715004992

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.
- Improved installation time and switch seasons faster than ever.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

APACHE TRACK SYSTEM ACCESSORIES

Track DPS Module <i>(Not illustrated)</i>	G3 (without iTC)	715007338
	G3L (without iTC) (except Electric models)	
	G3 (with iTC)	715006266
	G3L (with iTC)	
• An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease. • Required to install the Apache and Backcountry Track Systems. <i>Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.</i>		
Air Intake Engine Pre-filter	G3	715008314
	G3L (except Electric models)	
	• Adds extra protection for your engine in harsh riding conditions. • The filter blocks particles larger than 0.005". • Necessary when tracks are installed.	
Idler Wheel Kit	Apache Backcountry Track System (rear tracks only)	860201230 • 141 mm
	 • Reduces drag and rolling resistance. • Includes 2 wheels, brackets and hardware. • Add up to 2 kits per rear track. • Can extend slider life in hardened snow conditions.	
Sliders with Vespel[†] Inserts	Apache Backcountry Track System	503194815
	 • Use DuPont Vespel inserts for less friction. • Longer life. • Can be cut to desired length. • 8 needed per vehicle. • Sold individually.	
Rail Ice Scratchers	Apache Backcountry Track System	860201728
	 • Provide additional lubrication in hard and icy conditions. • Rail mounted, small, light. • Design expands on coil concept to allow reversing without damage. • Easily stored when not in use.	

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 & Up	G3L	715005247	715010045	715007338 (without iTC)	715008314	Not required
	G3			OR 715006266 (with iTC)		

APACHE XC AND XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 & Up	G3L	715007719 (Apache XC LT) and 715008664 (Apache XC)	715008264	715006266 (with iTC)	715008314	Not required
	G3			OR 715007338 (without iTC)		

APACHE 360 AND APACHE 360 LT

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023	G3L	715006323 (Apache 360)	715004992	715007338 (without iTC)	715008314	Not required
		OR 715005103 (Apache 360 LT)		OR 715006266 (with iTC)		

The Outlander G3 and G3L plows are tough on snow and easy to install. With ProMount Mounting Pins, there's no drilling, no guesswork. Just a clean fit that stays on year-round without sacrificing ground clearance. Quick to set up, built to push hard.

BUILD A KIT THAT WORKS HARD.

Combine a mounting kit, push frame, and blade. Then, customize with accessories like the plow angling kit, blade extensions, or edge markers. Easy to install, engineered to last, and tough enough for brutal winter jobs—this lineup covers every plowing need.



PROMOUNT PLOWS

PROMOUNT PLOW KITS

STEEL – REFERENCE CHART				
	54" Black Steel	60" Black Steel	66" Black Steel	72" Black Steel
Plow Kit	715006202	715006203	715006205	—
Blade	715004472	715004202	715009881	715009877
Push Frame	715004980	715004980	715004980	715004980
Mounting Kit	715009483	715009483	715009483	715009483

FLEX2 – REFERENCE CHART			
	60" Flex2	66" Flex2	72" Flex2
Plow Kit	715006204	715008206	—
Blade	715004203	715009883	715009868
Push Frame	715004980	715004980	715004980
Mounting Plate	715009483	715009483	715009483

STEEL PLOWS

Can-Am ProMount 54" (137 cm) Steel Plow Kit

G3, G3L

■ **715006202** - Black



- This kit includes:
- Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Kit
 - Plow Roller Fairlead

Can-Am ProMount 60" (152 cm) Steel Plow Kit

G3, G3L

■ **715006203** - Black



- This kit includes:
- Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Kit
 - Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Steel Plow Kit

G3, G3L

■ **715006205** - Black



- This kit includes:
- Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Mounting Kit
 - Plow Roller Fairlead

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ **715004472** - Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ **715004202** - Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ **715009881** Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ **715009877** - Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3, G3L

■ 715006204 • Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3, G3L

■ 715008206 • Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

CAN-AM ProMount FLEX2 PLOWS

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.

- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715009883



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damaging to your plow when accidental impact occurs.
- Replaceable wear blade.

- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.

- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

ANGLE PLOWS

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G3, G3L

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G3, G3L

715009879



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

- Allows for more efficient snow projections in various snow conditions.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System

G3, G3L

715004980



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right in five positions.
- Compatible with all Can-Am ProMount blades.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Kit required for installation.
- G3 X mr models: Require X mr Winch Strap Extension for Plow (715010174).

NEW Can-Am ProMount Plow Angling System

G3, G3L

715010904




- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Compatible with ProMount Blade.
- Push Frame (715004980) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.
- Not compatible with Apache Backcountry LT Track System.

Can-Am ProMount Push Frame Extension

G3, G3L

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

Can-Am ProMount Mounting Kit

G3, G3L

715009483



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- No drilling required.
- Quick installation directly to the chassis.
- Plow Roller Fairlead included.

NEW Plow Quick Adjust Blade Shoes

ProMount Steel & Flex2 Blades 60" (all years), 66" & 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

NEW X mr Winch Strap Extension for Plow

G3 X mr

715010174



- Heavy-duty black polyester webbing strap with PVC abrasion protection.
- UV, mildew and stretch resistant.
- Provides a physical height limiter for enhanced frame protection, avoiding contact between plow pushframe and the vehicle.
- Instantly adds significant length to your winch hook.

Can-Am ProMount Edge Markers

G3, G3L

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters	G3, G3L	715006258
	• Help keep snow in the plow. • Dimensions: 17" x 13" (43.2 cm x 33 cm). • Sold in pairs. • Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).	
Can-Am ProMount Plastic Wear Blade	G3, G3L	715004480 • 54" (137 cm) 715004481 • 60" (152 cm) 715004482 • 66" (168 cm)
	• To help prevent scratches on smooth driveways and markable surfaces.	
Can-Am ProMount Curved Wear Blade	G3, G3L	715007791 • 60" (152 cm) 715007792 • 66" (168 cm) 715007793 • 72" (183 cm)
	• Wear blade designed with a folded back bottom lip. • The increased surface allows for less digging while plowing uneven surfaces. • Ideal for snow covered gravel, grass, paver stone and other soft surfaces.	
Can-Am ProMount Plow Blade Extensions	G3, G3L	 • Add 3" (8 cm) each side. • Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade). • Longer Wear Blade can be installed to further extend the extra length already provided by the extensions. • Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).
		 • Add 3" (8 cm) each side. • Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade). • Longer Wear Blade can be installed to further extend the extra length already provided by the extensions. • Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).
Back Drag Blade	ProMount Plows (60" and more)	715007794
	• ¼" thick steel swivel scraper. • Lifts up when the vehicle is moving forward so as not to affect the scraping. • Increased capacity to pull snow. • More aggressive scraping in reverse mode. • Lifts the blade off the ground so that it scrapes evenly. • Adjustable in length for compatibility with 60", 66" and 72" blades. • Compatible with ProMount blades (Flex and Steel).	
Plow Roller Fairlead	G3, G3L	705009222
	• Larger diameter lower roller reduces wear on wire rope for plow application. • Can be used with all ProMount plows. • Included in the Can-Am ProMount Mounting Kit (715009483).	
Pulley Kit for Alpine Super-Duty Plow	G3, G3L	715000279
	• Pulley kit to be used in conjunction with the winch when using a snow plow. • Recommended to increase winch efficiency. • To be used with the XT Front Bumper.	
Plow Limit Switch (Not illustrated)	G3, G3L	715006319
	• To control the cable tension when raising your plow system. • Prevents winch, plow push frame and vehicle damage.	
Synthetic Winch Cable for Plowing		715000540
	• Specially designed for plowing applications. • 8' (2.4 m) section of durable, extra-strong synthetic rope. • Stands up to repeated, sharp angle pulls used to lift heavy plow blades. • Temporarily replace your winch rope for plow season to save wear and tear on wire rope.	