

can-am®



SIDE-BY-SIDE PRODUCT SPEC BOOK

**VEHICLE SPECIFICATIONS, ACCESSORIES,
PARTS & MAINTENANCE AND APPAREL**

2026

CAN-AM MAVERICK R



CAN-AM MAVERICK R

COMPARATIVE CHART 74

ACCESSORIES 76

Roofs	77
Windshields & Wind Protection	77
Mirrors	79
Doors	79
HMWPE Skid Plates	80
Bumpers & Protection	81
LinQ: Easy On, Easy Off Cargo	83
Racks & Storage	88
ACM & SMART Accessories	91
Lights	98
Audio Systems	99
Electrical & Electronic Accessories	100
Winches	101
Performance	102







MAVERICK R X RC 999T DCT SAS

MAVERICK R X RS 999T DCT

COLOR OPTIONS

LOFT GREEN SATIN

TRIPLE BLACK

ENGINES	Type	999T DCT	999T DCT
	Fuel Delivery System	240 hp, Rotax 999T engine, 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp, Rotax 999T engine, 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Transmission	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Drive Train	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Low range
	Power Steering	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	Gen 2 Tri-mode DPS High torque	Gen 2 Tri-mode DPS High torque
SUSPENSIONS	Front Suspension	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
	Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments
	Rear Suspension	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 25.5 in. (64.8 cm) suspension travel
	Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments
TIRES / WHEELS	Front / Rear Tires	XPS Hammer King 35 x 10 x 16 in.	ITP XNR Tenacity 32 x 10 x 16 in.
	Wheels	16 in. Aluminum flow formed beadlock	16 in. Aluminum FlowFormed Beadlock
BRAKES	Front	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc
	Rear	32 mm hydraulic twin piston caliper with a 255 mm disc	30 mm hydraulic twin piston caliper with a 255 mm disc
DIMENSIONS / CAPACITIES	Cage	High strength (Dual phase) steel tubing and stampings	High strength (Dual phase) steel tubing and stampings
	Estimated Dry Weight*	2,460 lb (1,118 kg)	2,240 lb (1,016kg)
	L x W x H	147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm)	140 x 78.1 x 71.5 in. (355.6 x 198.5 x 181.5 cm)
	Wheelbase	110 in. (279.1 cm)	108 in. (274.3 cm)
	Ground Clearance	18 in. (45.7 cm)	17 in. (43.2 cm)
	Cargo Box Capacity	200 lb (90 kg)	200 lb (90 kg)
	Storage Capacity	Total: 2.1 gal (8.1 L)	Total: 2.1 gal (8.1 L)
	Fuel Capacity	13.2 Gal (50 L)	13.2 Gal (50 L)
FEATURES	Gauge	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	1700-W	1700-W
	Instrumentation	USB A (charging port & communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)
	Lighting	Premium high-performance LED headlights Can-Am LED signature with start-up animation	Premium high-performance LED headlights Can-Am LED signature
	Winch	4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead	Winch-ready bumper (4,500 lb / 2,041 kg winch not installed)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Protection	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Front bumper Front intrusion bar Rock slider (UHMWPE) Rock guard	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate



MAVERICK R X RS 999T DCT SAS

MAVERICK R MAX X RS 999T DCT SAS

COLOR OPTIONS		DUSTY NAVY	DUSTY NAVY
ENGINES	Type	999T DCT	999T DCT
	Fuel Delivery System	240 hp, Rotax 999T DCT engine, 999cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp, Rotax 999T DCT engine, 999cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Transmission	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Drive Train	Rotax DCT, 7 Speed with High & Low range	Rotax DCT, 7 Speed with High & Extra Low range
	Power Steering	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	Gen 2 Tri-mode DPS High torque	Gen 2 Tri-mode DPS High torque
SUSPENSIONS	Front Suspension	Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel
	Front Shocks	FOX® 2.5 PODIUM® Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX® 2.5 PODIUM® RC2® Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
	Rear Suspension	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel with Smart-Shox	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel
	Rear Shocks	FOX® 3.0 PODIUM® Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX® 3.0 PODIUM® Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
TIRES / WHEELS	Front / Rear Tires	ITP XNR Tenacity 32 x 10 x 16 in.	XPS Trac Force 32 x 10 x 16 in.
	Wheels	16 in. Aluminum FlowFormed Beadlock	16 in. Aluminum Flow Formed Beadlock
BRAKES	Front	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc
	Rear	30 mm hydraulic twin piston caliper with a 255 mm disc	32 mm hydraulic twin piston caliper with a 255 mm disc
DIMENSIONS / CAPACITIES	Cage	High strength (Dual phase) steel tubing and stampings	High strength steel (Dual phase) steel tubing and stampings
	Estimated Dry Weight*	2,250 lb (1,020kg)	2,660 lb (1210 kg)
	L x W x H	140 x 78.1 x 71.5 in. (355.6 x 198.5 x 181.5 cm)	175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm.)
	Wheelbase	108 in. (274.3 cm)	142.5 in. (365 cm)
	Ground Clearance	17 in. (43.2 cm)	17 in. (43.2 cm)
	Cargo Box Capacity	200 lb (90 kg)	200 lb (90 kg)
	Storage Capacity	Total: 2.1 gal (8.1 L)	Total: 2.1 gal (8.1 L)
	Fuel Capacity	13.2 Gal (50 L)	13.2 Gal (50 L)
FEATURES	Gauge	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	1700-W	1700-W
	Instrumentation	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)
	Lighting	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature
	Winch	Winch-ready bumper (4,500 lb / 2,041 kg winch not installed)	Winch-ready bumper (4,500 lb / 2,041 kg winch not installed)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Protection	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Rock guard

MAVERICK R HERO UNITS PACKAGES

ESSENTIALS

PACKAGE	DESCRIPTION	MAVERICK R
Starter	Electronic Device Holder	715007176
	Color Touchscreen Display Protector	860202680
	Can-Am JL Audio Roof – Level 4	715007309 / 715007967
	Glass Windshield	715010203
	Cold Air Roof Scoop	715008280 / 715008301
	Soft Upper Door Panels	715007432 / 715007894
	Aluminum Side Mirrors	715007363
	Emergency Kit	715006102

* To complete the package we recommend the installation of a Can-Am HD Winch if not coming with the unit.

+		
Protection	Desert Rear Bumpers	715007172
	Rock Sliders	715007170 / 715007922
	HMWPE Skid Plate Protection Kit	715007373

* To complete the package we recommend the installation of a Front Bumper if not coming with the unit.

+		
Cargo	Upper Door Storage Bags	715008065
	Shoulder Storage Bag	715007371
	LinQ Side Cargo Boxes (13.5 L)	715007372
	LinQ Trunk Box (96 L)	715007182

+		
Smart	Accessory Control Module	715010097*
	Rear ACM Harness	715009268
	SMART Control Center for ACM	715010834
	SMART Integrated LED Side Mirror Lights	715007185
	SMART Integrated LED Hood Light	715007378
	SMART Integrated LED Roof Light	715007322
	SMART Intermittent Wiper & Washer Kit	715007173

* Except X RC models.

** In X RC models will require the X RC Roof Harness to install the SMART Integrated LED Roof Light.

ROOFS

Sport Roof



- Impact-resistant injected polypropylene.
- Provides excellent protection from the elements and downhill visibility.
- Designed to work with the Cold Air Roof Scoop.
- Windshield compatible.

Maverick R

715007364

Maverick R MAX

715008074

Cold Air Roof Scoop



- Feeds fresh air to the engine compartment.
- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a full windshield.
- Requires a Sport Roof or Can-Am JL Audio Roof – Level 4.
- Not compatible with the Audio Roof Flip Kit.

Maverick R

715008280

Maverick R MAX

715008301

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

Powerflip Windshield



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- High-impact-resistant Quantum¹ hardcoated polycarbonate full windshield with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, or somewhere in between.
- You have an infinite number of opening possibilities depending on your protection, visibility and airflow preferences.
- Requires a Cold Air Roof Scoop (715008280 or 715008301).
- Needs Accessory Control Module (ACM) (715010097) or Powerflip Windshield Harness (715008854) for installation.
- Not compatible with SMART Integrated LED Roof Light (715007322) and Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715009900

Glass Windshield



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects both the rider and the passenger from the elements.
- Provides maximum optical clarity and abrasion resistance.
- Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.
- Use with rear wind protection to maximize passenger comfort.
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).
- Compatible with the SMART Integrated Roof LED Light.
- Not compatible with the Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715010203

Full Windshield – Hardcoated



- Highly impact-resistant Quantum¹ hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects the driver and the passenger from the elements.
- Quick and easy tool-less removal.
- Use with rear wind protection to maximize comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).
- Not compatible with the Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715007321

SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX

715008555



- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (715009900) (sold separately).
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric harness required (715008855) to hook up and operate the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Powerflip Windshield Harness

Maverick R, Maverick R MAX

715008854



- Electric harness required to hook up and operate the Powerflip Windshield (715009900) for on/off function when ACM is not installed.

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX

715007173



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric harness required (715008855) to hook up and operate the SMART Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Wiper & Washer Kit Wiring Harness

Maverick R, Maverick R MAX

715008855



- Electric harness required to hook up and operate in ON/OFF functionality the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit and the SMART Intermittent Windshield Wiper & Washer Kit.

Manual Wiper Kit

Maverick R, Maverick R MAX

715009424



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

REAR WIND PROTECTION

Rear Polycarbonate Window

Maverick R, Maverick R MAX

715007315




- High impact-resistant polycarbonate window.
- Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.
- Quick and easy installation.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

Rear Wind Screen for Speakers

Maverick R, Maverick R MAX

715009175



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Holes allowing the clearance of audio surround speakers.

Rear Wind Screen

Maverick R, Maverick R MAX

715007317




- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Not compatible with Can-Am JL Audio System – Level 3 (715007954) and Level 5 (715007957).

MIRRORS

Aluminum Side Mirrors

Maverick R, Maverick R MAX

715007363



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields and upper door net.
- Sold in pairs.

Side Mirrors

Maverick R, Maverick R MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields and upper door net.
- Sold in pairs.

Rear View Mirror and Camera Monitor

Maverick R, Maverick R MAX

715009410



- Fully waterproof rearview mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear view camera.
- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

DOORS


NEW Soft Upper Door Panels

Maverick R

715007432 • 2 doors

Maverick R MAX

715007894 • 4 doors



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- This extension is an excellent addition to the half-door, providing full coverage.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of clear vinyl for added ventilation with heavy duty zippers.
- Ensures high sealing edge performance.
- Easy to use, it follows the door's movements, facilitating ingress and egress.

Upper Wind Nets

Maverick R

715007376


Maverick R MAX

715007962 **NEW**



- Complete mesh screen net with a steel frame attaches to the doors of the vehicle for added protection from the wind and mud.
- Easy to use, it follows the door's movements, facilitating ingress and egress.
- Net zips up and down for added ventilation when required.
- The window can be rolled down and attached with a strap to hold it in position.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

MAVERICK R

MAVERICK R
MAX

HMWPE SKID PLATE PROTECTION KIT		
---------------------------------	--	--

	715007373	-
--	-----------	---

INDIVIDUAL HMWPE SKID PLATES		
------------------------------	--	--

1	HMWPE Front A-Arm and Trailing Arm Protectors	715007183	715007183
2	HMWPE Front Skid Plate	715007313	715007313
3	HMWPE Underbelly Plate	715007314	-
4	HMWPE Front (Nose) Skid Plate	715010009	715010009

BUMPERS & PROTECTION

BUMPERS

NEW Front Bumper X rc

Maverick R, Maverick R MAX

■ **715010008** • Black




- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Requires Front Bumper X rc Light Support (715010532) installation of lights.
- Winch compatible.

Trail Front Bumpers

Maverick R, Maverick R MAX

■ **715010071** • Black
 ■ **715010072** • Yellow
 ■ **715009925** • Legion Red



- Can-Am's largest front bumper protects the headlights and radiator area of the unit.
- Added heavy-duty protection in extreme driving conditions.
- Made of 1.5" (3.8 cm) diameter steel tubing.
- Anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Desert Front Bumpers

Maverick R, Maverick R MAX

■ **715007311** • Black
 ■ **715007691** • Yellow
 ■ **715009926** • Legion Red



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel profiled tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Dune Front Bumpers

Maverick R, Maverick R MAX

■ **715007169** • Black
 ■ **715007305** • Raw Metal



- Highly integrated bumper that creates a more pronounced attack angle and provides added protection to the vehicle.
- Allows for better ground clearance.
- The sleek design gives the unit a sportier look.
- Made of heavy-duty steel with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Features an integrated Tow Hook.
- Not winch compatible.

Desert Rear Bumpers

Maverick R, Maverick R MAX


■ **715007172** • Black
 ■ **715007694** • Yellow
 ■ **715009924** • Legion Red



- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
- Made of heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Front Bumper for ultimate protection.

ROCK SLIDERS

	Maverick R	■ 715007170 • Black ■ 715007693 • Yellow ■ 715009923 • Legion Red
Rock Sliders	Maverick R MAX	■ 715007922 • Black ■ 715007923 • Yellow ■ 715009922 • Legion Red



- Protect the vehicle's sides against obstacles.
- With added grip on top to improve accessibility of the roof cargo.
- Made of unique heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Front and Rear Bumpers for ultimate protection.
- Sold in pairs.

HMW-HDPE Rock Sliders	Maverick R	715008142
-----------------------	------------	------------------



- The sleek design gives the vehicle a sportier look.
- Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.
- Made of combination of HMWPE and HDPE for extra durability.
- Add the Dune Front Bumper for ultimate protection and integrated lights for optimal visibility.
- Sold in pairs.

INTRUSION BAR

Front Intrusion Bar	Maverick R, Maverick R MAX	■ 715007312 • Black
---------------------	----------------------------	----------------------------



- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight and reduces blind spots for increased visibility.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).
- Compatible with all windshields.

LINQ: EASY ON, EASY OFF CARGO



MAVERICK R'S LINQ ACCESSORIES

MOUNTING LOCATION AND REQUIREMENTS

• No tools needed: Quickly install and remove accessories by hand • Equip your Can-Am for specialized tasks in no time • Sturdy mounting system that holds up to the roughest terrain	Standard Cargo Bed	LinQ® Pivoting Rack 715009465	Adventure Roof Rack 715007186
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
NEW LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	Central position: No further requirements Other positions: LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)
NEW LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray	Central position: No further requirements	No compatibility	No compatibility
LinQ 11.4 US Gal (43 L) Cooler 715007825 • Black 715009276 • Gray	Central position: No further requirements (fit on stock mounted LinQ anchors) Other positions: LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black			
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 26 US Gal (100 L) Explorer Bag 295101016	No further requirements (fit on stock mounted LinQ anchors)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE			
LinQ Trunk Box (87 L) – G3L 715009312			
LinQ Cargo Box (53 L) 715006997			
LinQ Low Profile Box (63 L) 715007827			
LinQ Cargo Basket (90 L) 715005274			
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ CARGO ACCESSORIES	No further requirements (fit on stock mounted LinQ anchors)	No compatibility	No compatibility
LinQ Trunk Box (96 L) 715007182			
LinQ Side Cargo Boxes (13.5 L) 715007372			
LinQ HOLDERS	No further requirements	LinQ Base Installation Kit 715008125 (1 set needed)	Side wall installation LinQ Adapters 715003058
LinQ Gear Grips 715005340			
LinQ Tool Holder 715007358	No further requirements	LinQ Base Installation Kit 715008125 (1 set needed)	Side wall installation LinQ Adapters 715003058

The LinQ system is BRP's game-changing, tool-free cargo solution. Snap gear on or off in seconds. No fuss, no rattle, just rock-solid mounting on any terrain.

LINQ SYSTEM ADVANTAGE

ORIGINAL LinQ SYSTEM

Handles medium- to large-sized gear with two anchor setups: the 16" base for standard accessories and the 36" base for racks and serious payloads.

LinQ LITE

Made for smaller items, lightweight gear you can hang from rails or vertical mounts.



LINQ ACCESSORIES WITH 16" BASE

NEW LinQ Rigid Cooler 4.7 US Gal (18 L)	Maverick R, Maverick R MAX	■ 715010491 • Black
--	----------------------------	---------------------



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.
- See table for installation location and requirements.

NEW LinQ Cooler 5.3 US Gal (20 L)	Maverick R, Maverick R MAX	■ 295101257 • Gray
--	----------------------------	--------------------



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).
- LinQ Base Installation Kit (715008125) is required for installation.
- See table for installation location and requirements.

NEW LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler	Maverick R, Maverick R MAX	■ 295101252
---	----------------------------	-------------



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.
- See table for installation location and requirements.

LinQ 11.4 US Gal (43 L) Cooler	Maverick R, Maverick R MAX	■ 715007825 • Black ■ 715009276 • Gray
 • Versatile LinQ 16" configuration fits many vehicles. • High quality injection-molded impact resistant polypropylene outer shell for exceptional durability. • High quality insulation for optimal ice retention. • Thicker insulation on bottom to isolate vehicle heat. • 11.4 US gal (43 L) capacity. • LinQ-mounted for fast, easy, secure storage. • Locks in place with only a quarter turn. • Rigid handles make transportation easy.	• Horizontal locking handles allow installation of LinQ Lite accessories. • Dry-basket included to protect items. • Drain plug at the bottom to evacuate water. • New ergonomic and secure latch system offers excellent sealing. • Possibility to lock the cooler with a padlock. • See table for installation location and requirements.	
LinQ Modular Box	Maverick R, Maverick R MAX	715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)
 • Allows stacking of other modular boxes to always have the right gear accessible. • Always have the right box size to fit everything. • Can be installed on any LinQ base with a 16" width. • See table for installation location and requirements.		
Thermal Insert for LinQ Modular Box (10 L)	Maverick R, Maverick R MAX	219401110
 • Insulated liner. • Fits very well in the LinQ Modular Box (10 L). • Can contain seven 355 ml cans. • Keeps ice cold for one day. • Interior dimensions: 9" L x 17" W x 2½" H.		
LinQ Tool Box	Maverick R, Maverick R MAX	715008111
 • High precision injected HDPE construction provides rigidity and durability. • 5 gal (19 L) maximum capacity. • Weather-resistant, sealed and lockable cover. • Easy one-second on/off tool-less system. • All the benefits of LinQ—simple, fast and secure. • See table for installation location and requirements.		
LinQ Tool Kit	Maverick R, Maverick R MAX	715006829
 • Includes: - Cutter pliers - Long-nose pliers - Locking pliers - Ratchet wrench ¾" drive - 6" ratchet extension - Integrated CVT belt storage location (belt not included) - Long-socket 19 mm ¾" drive – 6 pts - Socket 18 mm ¾" drive - Long-socket 17 mm ¾" drive – 6 pts - Socket 15 mm ¾" drive - Socket 13 mm ¾" drive - Socket 10 mm ¾" drive - Socket 8 mm ¾" drive - Socket Torx T40 ¾" drive - Socket Torx T30 ¾" drive - Socket Torx T20 ¾" drive - Breaker bar ¾" drive • Combination Wrench set: - Wrench 19 mm - Wrench 18 mm - Wrench 15 mm - Wrench 13 mm - Wrench 10 mm - Wrench 8 mm • See table for installation location and requirements.		
LinQ 4.5 Gal (17 L) Sport Bag	Maverick R, Maverick R MAX	860202447
 • All the benefits of LinQ—simple, fast and secure. • 17 liter (4.5 US gallon) capacity. • Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability. • Rigid bottom, semi-rigid top.	• Easy one-second on/off tool-less system. • See table for installation location and requirements.	
SR 5.5 Gal (21 L) LinQ Bag	Maverick R, Maverick R MAX	860202449
 • All the benefits of LinQ—simple, fast and secure. • Semi-rigid expandable bag. • 5.5 gal (21 L) capacity. • Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).	• Easy one-second on/off tool-less system. • See table for installation location and requirements.	

LinQ Roll-Top Bag	Maverick R, Maverick R MAX	715008110
	- Fully waterproof roll-top dry bag will securely store and confine your equipment. - LinQ mounted using heavy-duty rigid plastic base. - High capacity storage solution (40 L). - Bottom foam liner for additional equipment protection.	- Integrated handle for easy transportation on/off the vehicle. - Dimensions: 14" L x 19" W x adjustable H. - See table for installation location and requirements.
LinQ Explorer Bag	Maverick R, Maverick R MAX	295101016
	26 gal (100 L) of watertight storage. - Installs in seconds with tool-less LinQ accessory system. - Dedicated essentials compartment for registration, license, insurance and more. - Exclusive D.E.S.S.™ key storage. - External quick-access pocket for small items like keys and wallets.	- Turns into a backpack when you get off your machine. - Collapsible if not fully packed with straps on both sides. - Dimensions: 26" L x 18" W x 14" H.
LinQ ACCESSORIES WITH 36" BASE		
LinQ Trunk Box (87 L) – G3L	Maverick R, Maverick R MAX	715009312
	- Weatherproof polyethylene rear cargo box compatible on the rear rack. - Storage capacity of 23 gal (87 L). - Optimized shape of the cargo box base to fit the G3L rear rack perfectly. - Lockable with a lock on the front of the box (2 keys included).	- Easy to install, easy to remove using the LinQ system. - Installation in LinQ 36" configuration. - Requires the installation of the Stopper Kit 715008895 included with the accessory. - See table for installation location and requirements.
LinQ 9.2 Gal (35 L) Cooler	Maverick R, Maverick R MAX	715006998
	- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn. - Easy to install, easy to remove using the LinQ system. - Installation in LinQ 36" configuration. - Made of polyethylene for exceptional rigidity and durability. - Storage capacity of 35 L. - Lock the cooler on the vehicle using the LinQ Lock (860201968). - Premium-quality foam insulation for optimal ice retention.	- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler. - A dry basket is included to protect your food from water. - Drain plug at the bottom to get rid of excess water. - The new ergonomic and resistant latch system ensures the top is tightly sealed. - Innovative way to hold 12 cans (355 ml). - Molded-in handles for quick installation and removal. - See table for installation location and requirements.
LinQ Cargo Box (53 L)	Maverick R, Maverick R MAX	715006997
	- Made of polyethylene. - Storage capacity of 14 gal (53 L). - Easy to install and remove with the LinQ system. - New ergonomic and resistant latch system offers excellent sealing. - Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.	- Ability to install Tool Holders (715008896) on the box. - Lockable with a lock on the front of the box (2 keys included). - See table for installation location and requirements.
LinQ Low Profile Box (63 L)	Maverick R, Maverick R MAX	715007827
	- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L. - LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system. - Can be installed in several 16" configurations, or in a 36" configuration. - LinQ 16" accessories can be installed on the cover to increase cargo capacity.	- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding. - Support feet at hinge level so the box can stand on its own. - The compact design allows for maximum rear field of vision. - Features a lock on the front of the box (two keys included). - See table for installation location and requirements.
LinQ Cargo Basket (90 L)	Maverick R, Maverick R MAX	715005274
	- Made of polyethylene. - Storage capacity of 23 gal (90 L). - Easy to install and remove with the LinQ system. - Can already be installed on your vehicle thanks to the stock mounted LinQ anchor. 6 handles on the contour to easily install bungee cords. - Ability to install Tool Holders (715008896) on the basket. - See table for installation location and requirements.	

LinQ CARGO ACCESSORIES

LinQ Trunk Box (96 L)

Maverick R, Maverick R MAX

715007182



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.
- Not compatible with LinQ Pivoting Rack (715009465) and Adventure Roof Rack (715007186).
- See table for installation location and requirements.

LinQ Side Cargo Boxes (13.5 L)

Maverick R, Maverick R MAX

715007372



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 13.5 L each and 5 kg.
- Easy to install, easy to remove thanks to the LinQ system.
- Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).
- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.
- Not compatible with LinQ Pivoting Rack (715009465) and Adventure Roof Rack (715007186).
- See table for installation location and requirements.

LinQ HOLDERS

NEW LinQ Lite Action Camera Holder

Maverick R, Maverick R MAX

295101139



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360° angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

NEW LinQ Lite Device Holder

Maverick R, Maverick R MAX

715009201



- Made with strong magnets that you can trust while riding through rough terrain.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminum construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- To keep a good vision while driving, we recommend using this device for smartphones only.

LinQ Tool Holder

Maverick R, Maverick R MAX

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

Maverick R, Maverick R MAX

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Adapter

Maverick R, Maverick R MAX

715003058



- Sold in pack of 4.
- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.

LinQ Base Installation Kit	Maverick R, Maverick R MAX	715008125
	• Unique mounting fastener usable on any LinQ system accessory. • Included: 2 cargo LinQ bases and hardware.	
LinQ Lock	Maverick R, Maverick R MAX	860201968
	• Simple way to securely lock most LinQ accessories. • Lock cover protects lock from the elements. • Corrosion resistant. • Pack of 1, includes 2 keys. • Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.	
Spare Tire Ratchet Tie-Downs	Maverick R, Maverick R MAX	280000955
	• 3-way ratcheting tie-down strap with loop ends. • Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points. • Adjustable to accommodate most common UTV tire sizes. • Ratchet and junction ring made of durable zinc-plated steel. • Required for spare tire attachment on Adventure Roof Rack.	


RACKS & STORAGE

RACKS

LinQ Pivoting Rack	Maverick R, Maverick R MAX	715009465
	• Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place. • Anti-corrosion coating with durable powder coat finish. • Gas cylinder pivot action, locks in the open position. • Possibility of installing up to three LinQ 16" accessories on top of the rack.	
	• Compatible with LinQ accessories for installation under the rack. • Features anchor points for the spare-tire attachment. • Spare Tire Tie-Downs sold separately.	
Adventure Roof Rack	Maverick R	715007186
	Maverick R MAX	715008073
	• The ideal cargo solution. Pack all the gear you need to take on any off-road experience. • Built using lightweight 1.25" (3.2 cm) diameter steel tubing. • Supports loads of up to 75 lb (34 kg). • This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.	
	• Integrated mounting points for lights. • Features anchor points for a spare tire attachment. • Can be completed with LinQ Adapter (715003058) on the side. • The Spare Tire Tie-Downs sold separately. • Sport Roof (715008074) is required for installation on Maverick R MAX.	

STORAGE

Center Console Bag	Maverick R MAX	715007895
	• These weather-resistant bags hold your gear safely and securely while you ride. • Extra storage solution for front and rear passenger. • Accessible from front and rear seating position. • Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.	
	• Volume 23 L. • Dedicated pocket for goggles. • Detachable side pouches for additional storage/garbage. • Clear side pockets for cellphones.	

Shoulder Storage Bag	Maverick R, Maverick R MAX	715007371
	- This weather-resistant bag holds your gear safely and securely while you ride. - Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity. - This bag has a 1.5 gal (6 L) capacity and is equipped with outer netting compartments and a flexible inner net to hold items in place.	- The thermoformed base creates a semi-rigid structure to ease installation. - Its soft construction makes the bag flexible enough to fit odd-shaped loads.
Overhead Storage Bag	Maverick R, Maverick R MAX	715007379
	- This weather-resistant bag holds your gear safely and securely while you ride. - Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L). - The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.	- Features a hanging function for easier access to the items in the bag and an integrated net for even more storage space. - Contains two sections: a fixed bag and a detachable bag that can be carried. - Easily access your smartphone using the touchscreen-compatible clear front pocket.
Rear Upper Door Storage Bags	Maverick R MAX	715007893
	- Weather-resistant bags hold your gear safely and securely while you ride. - Door bags fit in the upper door opening to increase your vehicle's cargo space. - Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.	- Thermoformed base attaches to the doors, allowing the bags to be installed. - Its soft construction makes the bag flexible enough to fit odd-shaped loads. - Added elbow cushions for extra comfort. - Sold in pairs.
Upper Door Storage Bags	Maverick R, Maverick R MAX	715008065
	- These weather-resistant bags hold your gear safely and securely while you ride. - The door bags fit in the upper door opening to increase your vehicle's cargo space. - Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.	- The thermoformed base attaches to the doors, allowing the bags to be installed. - Its soft construction makes the bag flexible enough to fit odd-shaped loads. - Added elbow cushions for extra comfort. - Sold in pairs.
Lower Door Storage Bags	Maverick R, Maverick R MAX	715007324
	- These weather-resistant bags hold your gear safely and securely while you ride. - The door bags fit in the lower door opening to increase the vehicle's cargo space. - Each bag is designed as a 1.3 gal (5 L) capacity pocket and equipped with inner netting compartments. - The thermoformed base attaches to the doors, allowing the bags to be installed.	- Its soft construction makes the bag flexible enough to fit odd-shaped loads. - Added cushions for extra comfort. - Sold in pairs. - Not compatible with Door Speakers (Level 5 Audio System).
Passenger Storage Seat Bag	Maverick R, Maverick R MAX	715008080
	- This weather-resistant bag holds your gear safely and securely while you ride. - Bag settling on the passenger's seat to increase the vehicle's cargo capacity. - This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments. - The top compartment is insulated to keep your beverages cold and includes two cup holders.	- Additional pocket inside for additional storage, such as a cell phone. - The bottom compartment is accessible from both sides and serves as a large pocket for storing various items. - The detachable pocket at the front of the bag can be used as a garbage bag.
Back Panel Storage Net	Maverick R, Maverick R MAX	715008312
	Storage net behind the passenger's seat for more storage.	
Bed Side Doors	Maverick R, Maverick R MAX	715009154
	- Creates a storage solution out of the rear bed cavities of the unit. - Perfect for housing trail and safety items that remain on the vehicle. - Includes two Bed Side Doors, one for each side.	



SMART ACCESSORIES

Powered by the ACM, SMART Accessories respond automatically to speed, steering, and other sensor data, adjusting light output, behavior, and function in real time.

A RESPONSE SYSTEM THAT TAKES TECH TO THE NEXT LEVEL.

ACM

This is the brain of the SMART Ecosystem. It reads multiple sensors on the vehicle and translates the reading into actions for the accessories.



10.25" TOUCHSCREEN DISPLAY

When your vehicle is equipped with the 10.25" touchscreen display, it allows you to control up to 19 accessories at the same time.



SMART CONTROL CENTER

Allows you to quickly access SMART Accessories (can be used with or without the 10.25" touchscreen display).



SMART ACCESSORIES

Accessories designed to execute multiple functions depending on the input from the ACM.



ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

Accessory Control Module

Maverick R, Maverick R MAX
(except X rc models)

715010097



- Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Color Touchscreen Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).
- Requires ACM Rear Harness (715009268) to connect rear-mounted SMART accessories to the Accessory Control Module.

Rear ACM Harness

(Not illustrated)

Maverick R, Maverick R MAX

715009268

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

NEW X rc Roof Harness

Maverick R, Maverick R MAX
(X rc models only)

715010620



- Electric harness required to hook up and operate Roof Lights with ACM.
- Required only for Maverick R X rc.

SMART Control Center for ACM

Maverick R, Maverick R MAX

715010834



- Control accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customize according to the accessories installed.
- Requires Accessory Control Module.

SMART ACCESSORIES

NEW SMART 10" (25 cm) LED Light Bar

Maverick R, Maverick R MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increase or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715009886) is required for on/off function when ACM is not installed. Sold separately.
- See table for installation and requirements.
- ECE Certified

NEW SMART 40" (102 cm) LED Light Bar

Maverick R, Maverick R MAX

715008747

- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- Accessory Control Module (715010097 or 715010620) is required for SMART functionality
- Requires LED Light Bar Mounts (715003529) or mounts directly to some Can-Am audio roofs.
- See table for installation location and requirements.
- ECE Certified

SMART Particle Separator


Maverick R, Maverick R MAX

715007187

- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- Air intake tube (706600403) is currently required for installation.
- IP68 fan.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.
- Keeps your air filter clean longer.
- Maintains engine performance.

SMART Integrated LED Roof Light


Maverick R, Maverick R MAX

715007322**22,100 lumens**

- Mounted under the roof for a signature look.
- Windshield compatible except PowerFlip Windshield (715009900).
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).
- Accessory Control Module (715010097 or 715010620) is required for SMART functionality.
- Electric Harness (715008209) required to hook up and operate the Integrated LED Roof Light (715007322) for on/off function when ACM is not installed. Sold separately.
- ECE Certified

SMART Integrated LED Hood Light


Maverick R, Maverick R MAX

715007378**5,250 lumens**

- Mounted flush inside the hood scoop for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 5,250 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715008211) required for on/off function when ACM is not installed. Sold separately.
- ECE Certified

SMART Integrated LED Side Mirror Lights

Maverick R, Maverick R MAX

715007185**3,000 lumens**

- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- Accessory Control Module (715010097) is required for SMART functionality.
- Require Aluminum Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

SMART LED Chase Lights	Maverick R, Maverick R MAX	715007727
	• Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. • Four modes available: - Trail Mode: serves as a taillight and as a brake light. - Chasing Mode: displays amber light pattern and serves as a brake light. - Work Mode: white light to light up your cargo bed. - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light. • Modular to allow installation with rear roll cage mounted accessories.	• Plug-and-play installation with the Accessory Control Module (ACM). • Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality. • Electric Harness (715008210) required to hook up and operate the LED Chase Lights (715007727) for a non-smart function when ACM is not installed. • The Cold Air Roof Scoop limits the performance of the Chase Lights to only the two outside portions and not the center. • ECE Certified
SMART PowerFlip Intermittent Windshield Wiper & Washer Kit	Maverick R, Maverick R MAX	715008555
	• Washer fluid dispenser is perfectly concealed on the vehicle. • Must be installed with the PowerFlip Windshield (sold separately).	• SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM. • Electric Harness required (715008855) to hook up and operate the Wiper & Washer Kits when ACM is not installed (sold separately).
SMART Intermittent Wiper & Washer Kit	Maverick R, Maverick R MAX	715007173
	• An ideal way to keep your windshield clear in the rain, or while riding through mud and water. • The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle. • The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.	• For use on glass or hardcoated windshields. • SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM. • Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

LIGHTS

CAN-AM LIGHTS

CAN-AM LIGHTS WITH ACM

1 CHOOSE YOUR MOUNT POINT		2 CHOOSE YOUR LIGHTS					
		SMART Integrated LED Roof Light 715007322	SMART Integrated LED Hood Light 715007378	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727	SMART 40" (102 cm) LED Light Bar 715008747	SMART 10" (25 cm) LED Light Bar 715008745
SMART FUNCTIONALITY	Vehicle Integrated	Accessory Control Module 715010097 or X rc Roof Harness 715010620 (X rc models only)	Accessory Control Module 715010097	Aluminum Side Mirrors 715007363 + Accessory Control Module 715010097	Accessory Control Module 715010097 + Rear ACM Harness 715009268	No compatibility	
	Desert Front Bumper (715007311, 715007691 or 715009926)	No compatibility	No compatibility	No compatibility	No compatibility	No compatibility	Accessory Control Module 715010097 *Not compatible with Accessory Control Module 715009796
	Trail Front Bumper (715010071, 715010072 or 715009925)					Accessory Control Module 715010097 or X rc Roof Harness 715010620 (X rc models only) *Not compatible with Accessory Control Module 715009796	
	Sport Roof with Light Support Bar (715003529)					No compatibility	
	Audio Roof (no additional bracket needed)					No compatibility	
	Adventure Roof Rack (715007186, 715008073)					No compatibility	

CAN-AM LIGHTS WITHOUT ACM

1 CHOOSE YOUR MOUNT POINT		2 CHOOSE YOUR LIGHTS					
		SMART Integrated LED Roof Light 715007322	SMART Integrated LED Hood Light 715007378	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727	SMART 40" (102 cm) LED Light Bar 715008747	SMART 10" (25 cm) LED Light Bar 715008745
ON/OFF FUNCTIONALITY	Vehicle Integrated	Integrated LED Roof Light Wiring Harness 715008209	Integrated LED Hood Light Wiring Harness 715008211	Aluminum Side Mirrors 715007363 + Integrated LED Side Mirror Lights Wiring Harness 715008212	LED Chase Lights Wiring Harness 715008210	No compatibility	No compatibility
	Desert Front Bumper (715007311, 715007691 or 715009926)	No compatibility					Lights Wiring Harness 715009886
	Trail Front Bumper (715010071, 715010072 or 715009925)						
	Sport Roof with Light Support Bar (715003529)						
	Audio Toof (no additional bracket needed)						
	Adventure Roof Rack (715007186, 715008073)						

*All lights are intended for off-road use only.

BAJA LIGHTS

BAJA LIGHTS WITH ACM

1 CHOOSE YOUR MOUNT POINT	2 CHOOSE YOUR LIGHTS				
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar 710006818	10" (25 cm) Baja Designs OnX6 LED Light Bar 710006819	Baja Designs XL Sport LED Lights 710006821	Baja Designs Squadron Sport LED Lights 710006820	Baja Designs XL80 LED Lights 710005041
Front Bumper X rc (71501008)	No compatibility	Front Bumper X rc Light Support 715010532 + LED Light Bars ACM Adaptor 715008213	Front Bumper X rc Light Support 715010532 + LED Lights ACM Adaptor 715007715		
Desert Front Bumper (715007311, 715007691 or 715009926)		LED Light Bars ACM Adaptor 715008213	LED Lights ACM Adaptor 715007715		
Trail Front Bumper (715010071, 715010072 or 715009925)					
Roof with Light Support Bar (715003529)			LED Lights ACM Adaptor 715007715 + X rc Roof Harness 715010620 (X rc models only)		
Roof Light Mounting Kit – Low Position (715008585)	LED Light Bars ACM Adaptor 715008213 + X rc Roof Harness 715010620 (X rc models only)	No compatibility	No compatibility		
Roof Light Mounting Kit – High Position (715007930)					

*All Baja lights are not ACM compatible with Maverick R X rc models


BAJA LIGHTS WITHOUT ACM

1 CHOOSE YOUR MOUNT POINT		2 CHOOSE YOUR LIGHTS				
		40" (102 cm) Baja Designs OnX6 Arc LED Light Bar 710006818	10" (25 cm) Baja Designs OnX6 LED Light Bar 710006819	Baja Designs XL Sport LED Lights 710006821	Baja Designs Squadron Sport LED Lights 710006820	Baja Designs XL80 LED Lights 710005041
Front Bumper X rc (71501008)		No compatibility	Front Bumper X rc Light Support 715010532 + Wiring Harness 715008863	Front Bumper X rc Light Support 715010532 + Wiring Harness 715008865		Front Bumper X rc Light Support 715010532 + Wiring Harness 715008863
Desert Front Bumper (715007311, 715007691 or 715009926)						
Trail Front Bumper (715010071, 715010072 or 715009925)			Wiring Harness 715008863	Wiring Harness 715008865	Wiring Harness 715008865	Wiring Harness 715008863
Roof with Light Support Bar (715003529)						
Roof Light Mounting Kit – Low Position (715008585)		Wiring Harness 715008864	No compatibility			
Roof Light Mounting Kit – High Position (715007930)						
4 ORDER		ORDER ALL PART NUMBERS IN INTERSECTING BOX *Note: When installing more than one light kit, additional light power cable or mounting kit is required.				

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar


Maverick R, Maverick R MAX

710006818**29,000 lumens**

- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.
- Requires Light Power Cable and Light Support Bar.
- ACM Adaptor required (715008213) to connect the Baja Designs LED Light Bars to the ACM harness.
- Electric Harness (715008864) required to hook up and operate the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) for on/off function when ACM is not installed.
- Baja Designs Light Mounting Kit (715007930 or 715008585) is required for installation.
- See table for installation location and requirements.

Baja Designs 10" (25 cm) OnX6 LED Light Bar


Maverick R, Maverick R MAX

710006819**12,460 lumens**

- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.
- Requires Baja Designs Light Power Cable.
- ACM Adaptor required (715008213) to connect the Baja Designs LED Light Bars to the ACM harness.
- Electric Harness (715008863) required to hook up and operate the 10" (25 cm) Baja Designs OnX6 LED Light Bar (710006819) for on/off function when ACM is not installed.
- See table for installation location and requirements.

Baja Designs XL80 LED Lights


Maverick R, Maverick R MAX

710005041**9,500 lumens**

- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the ACM harness.
- Electric Harness (715008863) required to hook up and operate the Baja Designs XL80 LED Lights (710005041) for on/off function when ACM is not installed.
- See table for installation location and requirements.

Baja Designs Squadron Sport LED Lights


Maverick R, Maverick R MAX

710006820**3,150 lumens**

- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).
- Electric Harness (715008865) required to hook up and operate the Baja Designs Squadron Sport LED Lights (710006820) for on/off function when ACM is not installed.
- See table for installation location and requirements.

Baja Designs XL Sport LED Lights

Maverick R, Maverick R MAX

710006821**3,150 lumens**

- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the ACM harness.
- Electric Harness (715008865) required to hook up and operate the Baja Designs XL Sport LED Lights (710006821) for on/off function when ACM is not installed.
- See table for installation location and requirements.

NEW Dome Light	Maverick R, Maverick R MAX	715009228
	• Offers an optimal visibility in the cab and integrates perfectly with the vehicle. • 160 lumens of soft white light ensure clear visibility of the surroundings. • Built-in on/off button on the light. • Wiring included. • Can be installed on cage or Sport Roof. • Not compatible with Audio Roof.	
NEW Front Bumper X rc Light Support	Maverick R, Maverick R MAX	715010532
	• Required for lights on Front Bumper X rc (715010008). • Baja Design lights not compatible with the front bumper and ACM connector on X rc models.	
Baja Designs Light Mounting Kit – High Position	Maverick R, Maverick R MAX	715007930
	• Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Compatible with the Cold Air Roof Scoop.	
Baja Designs Light Mounting Kit – Low Position	Maverick R, Maverick R MAX	715008585
	• Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Not compatible with the Cold Air Roof Scoop.	
NEW Lights Wiring Harness	Maverick R, Maverick R MAX	715009886
	• Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).	



Rugged on the trails doesn't mean giving up the finer things. Treat yourself to exceptional sound on the move. Expertly tuned and DSP-calibrated, Can-Am's JL Audio-powered systems deliver precise equalization, time alignment, crossover filtering, bass boost, and more.

YOUR SOUND, YOUR WAY

Choose the audio setup that matches your style.



LEVEL 3

This option includes four 6.5" (165 mm) speakers (two dash and two surround speakers) PLUS a 10" under-seat 250-watt amplifier



LEVEL 4

This option includes a full roof with a premium JL Audio system including four or six 7.7" coaxial speakers and a 500-watt amplifier



LEVEL 5

This option includes six 6.5" (165 mm) speakers (two dash, two door, and two surround speakers) PLUS two 10" under-seat 250-watt amplifiers

LEVEL UP WITH UPGRADES

Bring the thunder wherever you roll with an amplifier, rear speakers, or a subwoofer for even bigger sound on every ride.

AUDIO SYSTEMS

Can-Am JL Audio System – Level 5

Maverick R, Maverick R MAX

715007957



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Color Touchscreen Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including six 6.5" (165 mm) speakers (two dash, two door, and two surround speakers), as well as two 10" (254 mm) under-seat 250 W subwoofers that will enhance both the driver's and the passenger's experience.
- Speakers include an adjustable RGB LED cone illumination.
- Uses one MX500/4 to power up our six speakers, and one MX500/1 to feed the under-seat subwoofers.
- Complements the Can-Am Audio Roof – Level 4 (715007309).

Can-Am JL Audio Roof – Level 4

Maverick R

715007309

Maverick R MAX

715007967



- Full roof with premium JL Audio System for Maverick R.
- Features fully sealed and waterproof components and construction.
- Easy to install and connect.
- Controlled by the 10.25" Color Touchscreen Display or by the Can-Am JL Audio Source Unit.
- Its weatherproof components include four 7.7" coaxial speakers (6 speakers for MAX) and a 500-watt amplifier.
- The system is expertly tuned for exceptional sound when you're riding in your Maverick R.
- Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- When combined with the Can-Am Audio System – Level 3 (715007954) or Level 5 (715007957), it provides the ultimate sound experience.
- Not compatible with the Adventure Roof Rack (715008073 or 715007186).

Can-Am JL Audio System – Level 3

Maverick R, Maverick R MAX

715007954



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Color Touchscreen Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers), and a 10" (254 mm) under-seat 250 W subwoofer that will enhance both the driver's and the passenger's experience.
- Uses one MX280/4 to power up our four speakers, and one MX500/1 to power up the under-seat subwoofer.
- Easy to install, with the option to add a second subwoofer (715007310).
- Complements the Can-Am Audio Roof – Level 4 (715007309).

Can-Am JL Audio Roof Flip Kit

Maverick R, Maverick R MAX

715008164



- Combines with the Can-Am JL Audio Roof – Level 4 (715007309 or 715007967) for Flip option.
- Not compatible with the Cold Air Roof Scoop and the Roof Rack.

Can-Am JL Audio Subwoofer

Maverick R, Maverick R MAX

715007310



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- When combined with the Can-Am audio system – Level 3 (715007954) or with the Can-Am Audio Roof – Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, a Can-Am JL Audio Amplifier (715007714) is required.

Can-Am JL Audio Amplifier

Maverick R, Maverick R MAX

715007714



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a seamless integration.
- Designed to be Can-Am tough in the most demanding riding conditions.
- This MX500/1 is a premium JL Audio component and is used to feed one or two 250 W under-seat subwoofers.
- When combined with the Can-Am Audio Roof – Level 4 (715007309 or 715007967), it creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, this item is required.
- Easy to install, mounting support included.

Can-Am JL Audio Source Unit

Maverick R, Maverick R MAX

715008230



- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Color Touchscreen Display.
- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electronic Device Holder

Maverick R, Maverick R MAX

715007176



- Increases the storage capacity of the glovebox by 1 gal (4 L), with secure magnetic adjustable support for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction allows for the right fit and easy installation.
- Magnet 10 times stronger than any electronic device's weight, ride through rough terrain confidently.
- 2 possible positions for your electronic device: Portrait & Landscape. Adjustable support with 2 positions: facing the passenger or towards the driver for an improved driving experience and immersion.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.

Cellphone Holder

Maverick R, Maverick R MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.
- Requires the Electronic Device Holder (715007176) for the Cellphone Holder to be supported.

Color Touchscreen Display Protector

Vehicle equipped with 10.25 in. Color Touchscreen Display

860202680



- Provides additional protection for the digital display 10.25 in. touchscreen.
- Protects from scratches caused by ice, rocks, branches or other small debris.
- Anti-glare treatment to ensure good visibility.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Auxiliary Battery Installation Kit

Maverick R, Maverick R MAX

715007837



- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.
- Requires the purchase of a second battery and battery hardware (not included and sold separately).
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

WINCHES

CAN-AM HD WINCHES

Can-Am HD 4500 Winch

Maverick R, Maverick R MAX

715006416



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 1/4" (13.1 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper are required.
- CE & UKCA Compliant

Can-Am HD 4500-S Winch

Maverick R, Maverick R MAX

715006417



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of 1/4" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- Winch Electrical Harness (715008850) and winch compatible front bumper are required.
- CE & UKCA Compliant

WINCH ACCESSORIES

NEW Winch Cable Stopper

All Can-Am HD Winches

715009921



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead.
- In addition, the split design makes it easy to install.

Can-Am HD Hawse Fairlead

Can-Am HD Winch

715006426



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

WARN Hawse Fairlead

WARN Winch

715007785



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

Winch Roller Fairlead Spacer

Maverick R, Maverick R MAX

715008922



- Required when using a Winch and Roller Fairlead with a wire cable.
- Made of aluminum, with an anti-corrosion finish.

Synthetic Winch Cable

Can-Am HD Winch

715006430

WARN Winch

715007783



- 50' of 1/4" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch

705014978

WARN Winch

715006699



- 43' of 1/4" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of 1/4" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension	715001120
 • Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box. • Easily attaches to winch cable to provide additional 50' (15.2 m) of distance. • 4,500 lb (2,041 kg) single line capacity.	

Winch Electrical Harness (Not illustrated)	Maverick R, Maverick R MAX	715008850
• Required for winch installation.		

NEW Wireless Winch Remote	With Can-Am HD Winch	715008286
 • On/Off and Winch In / Winch Out buttons with LED indicator light. • Large Winch In / Winch Out buttons for easy activation with gloves. • Ergonomic remote handle shape with a trigger-like holding protrusion. • Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. • Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. • All components are IP67 sealing rated. • The remote also floats in case it's dropped during a deep water recovery. • Dash and handlebar mounting options. • Compatible with all Can-Am HD winches.		

Wired Remote Control	Can-Am HD Winch†	715006504
 • This kit allows winch owners to add the hand-held remote to vehicles with a stock winch. • OEM stock winch is sold separately. • EC compliant. † Harness (710001023) is required to use remote control on a vehicle with a factory installed winch. ‡ Remote Control (710007050) and connection socket are included.		

PERFORMANCE

SMART Particle Separator	Maverick R, Maverick R MAX	715007187
 • Filters up to 96% of the dust prior to air intake. • Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module). • Mounts directly to the stock air intake duct. • Air Intake Tube (706600403) is currently required for installation. • IP68 fan. • Requires Particle Separator Harness (715008890) when not equipped with the ACM. • Keeps your air filter clean longer. • Maintains engine performance.		

Particle Separator Harness (Not illustrated)	Maverick R, Maverick R MAX	715008890
• Electric harness required to hook up and operate the Engine Air Intake Particle Separator (715007187) for on/off function when ACM is not installed.		

Lonestar Racing Fire Extinguisher Support	Maverick R, Maverick R MAX	715007320
 • Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency. • Made of billet anodized black aluminum. • Fits 1.85" (4.7 cm) tubing. • Can be fixed anywhere on the cage. • Provides riders with the safety and security of knowing they have dependable emergency equipment on board. • Comes with both billet mounts, quick-pull pin, mounting plate and two clamps. • Fire extinguisher sold separately. • "Lonestar Racing for Can-Am" branded. • Incompatible with LinQ Pivoting Rack (715009465).		

Performance Air Filter by Twin AIR†	Maverick R, Maverick R MAX	715002895
 • The best choice for the harshest conditions. • Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow. • Washable and reusable.		

Digitally Encoded Security System (D.E.S.S.) Green Key	Maverick R, Maverick R MAX	710005232
 • Top-security anti-theft protection for your vehicle. • Encrypted chip technology restricts access to your vehicle's electronic ignition system. • One vehicle/one code. • A vibration/shock-resistant ball-and-socket design that ensures a reliable connection. • 2 programmable modes: - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction. - Performance mode: No restrictions.		