

can-am®



SIDE-BY-SIDE PRODUCT SPEC BOOK

**VEHICLE SPECIFICATIONS, ACCESSORIES,
PARTS & MAINTENANCE AND APPAREL**

2026

CAN-AM MAVERICK



CAN-AM MAVERICK

COMPARATIVE CHART

106

ACCESSORIES

108

Roofs	109
Soft Cab Enclosure	110
Windshields & Wind Protection	110
Mirrors	112
Doors	113
Seat Accessories	114
HMWPE Skid Plates	115
Bumpers & Guards	116
LinQ: Easy On, Easy Off Cargo	119
Racks & Storage	125
ACM & SMART Accessories	127
Lights	129
Audio & Communication Systems	136
Electrical & Electronic Accessories	137
Winches & Hitches	138
Performance	142
Apache Track Systems	143
ProMount Plows	146
Cover & Trailering	149







MAVERICK DS TURBO RR

MAVERICK X RC TURBO RR

MAVERICK X RS TURBO RR

COLOR OPTIONS

SCANDI BLUE ORANGE CRUSH

LOFT GREEN SATIN

	Type	Turbo RR	Turbo RR	Turbo RR
ENGINES	Fuel Delivery System	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Transmission	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Drive Train	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P
	Power Steering	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok® technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok® True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Trophy truck inspired double arched A-arm with sway bar / 22 in. (55.9 cm) suspension travel	Double A-arm with sway bar / 22 in. (55.9 cm) suspension travel / Trophy truck inspired arms
	Front Shocks	SHOWA HPG piggyback 2.5 (Dual Speed Compression, Dual-rate spring)	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links / 24 in. (61 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm) suspension travel
	Rear Shocks	SHOWA HPG piggyback 2.5 (Dual Speed Compression, Dual-rate spring)	FOX† 3.0 PODIUM RC2† with bypass, dual speed compression and rebound adjustments	FOX† 3.0 PODIUM RC2† with bypass, dual speed compression and rebound adjustments
TIRES / WHEELS	Front / Rear Tires	XPS Trac Force 30 x 10 x 14 in.	XPS Hammer King 32 x 10 x 15 in.	XPS Trac Force 32 x 10 x 15 in.
	Wheels	14 in. cast-aluminum	15 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Cage	Dual-phase 980 steel	Dual-phase 980 steel	Dual-phase 980 steel
	Estimated Dry Weight*	1,546 lb (701.3 kg)	1,843 lb (836 kg)	1,680 lb (762 kg)
	L x W x H	132 x 64 x 65.4 in. (335.3 x 162.5 x 166.1 cm)	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)
	Wheelbase	102 in. (259.1 cm)	102 in. (259.1 cm)	102 in. (259.1 cm)
	Ground Clearance	14 in. (35.6 cm)	16 in. (40.6 cm)	16 in. (40.6 cm)
	Cargo Box Capacity	200 lb (91 kg) with LinQ™ quick-attach	200 lb (91 kg) with LinQ™ quick-attach	200 lb (91 kg) with LinQ™ quick-attach
	Storage Capacity	Total: 2.5 gal (9.4 L)	Total: 2.5 gal (9.4 L)	Total: 2.5 gal (9.4 L)
	Fuel Capacity	10.5 gal (40 L)	10.5 gal (40 L)	10.5 gal (40 L)
FEATURES	Gauge	4.5 in. wide digital display with keypad	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	7.6 in. wide digital display with keypad
	Magneto	850-W	850-W	850-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Lighting	LED Headlight LED tail lights	LED Headlight LED Signature LED tail lights	LED Headlight LED Signature LED tail lights
	Winch	N/A	4,500 lb (2,041 kg) winch with synthetic rope	N/A
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Protection	Integrated front bumper Quarter-doors Full heavy-duty HMW plastic skid plate Rear tow hook	Front bumper Half-doors Aluminum roof Intrusion bar 4-point harness with shoulder pads UHMWPE rock sliders HMWPE skid plates: Full heavy duty with differential / Under bumper / Front and rear suspension arm Rear tow hook Trailing Arm protector	Integrated front bumper Quarter-doors Full hard roof 4-point harness with shoulder pads HMWPE full skid plate Rear tow hook



MAVERICK X RS TURBO RR SAS



MAVERICK MAX X RS TURBO RR SAS

COLOR OPTIONS

ENGINES	Type	Turbo RR	Turbo RR
	Fuel Delivery System	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Transmission	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Drive Train	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
	Power Steering	Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm with sway bar / 22 in. (55.9 cm) suspension travel / Trophy truck inspired arms	Double A-arm with sway bar / 22 in. (55.9 cm) suspension travel / Trophy truck inspired arms
	Front Shocks	FOXt 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOXt 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 22 in. (55.9 cm) suspension travel
	Rear Shocks	FOXt 3.0 PODIUM† with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOXt 3.0 PODIUM† with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
TIRES / WHEELS	Front / Rear Tires	XPS Trac Force 32 x 10 x 15 in.	XPS Trac Force 32 x 10 x 15 in.
	Wheels	15 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Cage	Dual-phase 980 steel	Dual-phase 980 steel
	Estimated Dry Weight*	1,699 lb (770.7 kg)	1,942 lb (880.9 kg)
	L x W x H	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
	Wheelbase	102 in. (259.1 cm)	135 in. (342.9 cm)
	Ground Clearance	16 in. (40.6 cm)	16 in. (40.6 cm)
	Cargo Box Capacity	200 lb (91 kg) with LinQ™ quick-attach	150 lb (68 kg) with LinQ™ quick-attach
	Storage Capacity	Total: 2.5 gal (9.4 L)	Total: 3 gal (11.4 L)
FEATURES	Fuel Capacity	10.5 gal (40 L)	10.5 gal (40 L)
	Gauge	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	850-W	850-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)
	Lighting	LED Headlight LED Signature LED tail lights	LED Headlight LED Signature LED tail lights
	Winch	N/A	N/A
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Protection	Integrated front bumper Quarter-doors Full hard roof 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook	Integrated front bumper Quarter-doors Full hard roof 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook

MAVERICK HERO UNITS PACKAGES

ESSENTIALS

PACKAGE	DESCRIPTION	MAVERICK
Starter	Electronic Device Holder	715002874
	Color Touchscreen Display Protector	860202680*
	Can-Am Rockford Fosgate Audio Roof – Level 4	715010098** / 715010099**
	Glass Windshield	715008859
	Rear Wind Screen	715006701***
	Upper Soft Door Panels	715008091*** / 715008092***
	Side Mirrors	715004236
	Emergency Kit	715006102

* Except models without touchscreen display.

** For models without touchscreen display change to SKUs 715007130 & 715006709 (MAX).

*** Except X mr models.

+

Protection	Front Pre-Runner Bumper	715002878
	Rear Pre-Runner Bumper	715002880
	Rock Sliders	715002963* / 715003730

* Except X RC models.

** To complete the package we recommend the installation of a Skid Plate Protection Kit.

+

Cargo	Overhead Storage Bag	715004275
	Upper Door Storage Bags	715004276
	Shoulder Storage Bag	715004277*
	LinQ Pivoting Rack	715010786**

* Except X mr models.

** Except X mr & X RC with Smart-Shox models.

+

Smart (models with touchscreen display)	Accessory Control Module	715010097
	Rear ACM Harness	715009268
	SMART Control Center for ACM	715010834
	SMART Integrated LED Roof Light	715010102
	SMART 10" (25 cm) LED Light Bar	715008745
	SMART Windshield Wiper & Washer Kit	715003282

ROOFS

Sport Roof



- Impact-resistant injected polypropylene.
- Excellent protection from the elements.
- Provides excellent downhill visibility.
- Windshield compatible.

- Standard on X rs model.
- Easy, tool-less installation and removal with quick-release ¼ turn fasteners and Velcro straps.

Maverick

715005521

Maverick MAX

715003750

ProVent Roof Module Kit



- Provides fresh air in the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- Easy cleaning of filter and pre-filter.
- Patent pending water management system to keep water out of cabin while maintaining air flow.

- Outer plug closes air intake completely for winter or heavy weather.
- Sport Roof requires ProVent Module Adapter Kit.
- Not compatible with roof mounted LED bars, roof racks (715006225/715003868) or roof liners, Lonestar Roof, or Bimini tops.

Maverick, Maverick MAX

715005279

ProVent Roof Module Adapter Kit for Sport Roof

(Not illustrated)

Maverick

715006199

Maverick MAX

715006371

- Adapter for fitting ProVent Roof Module Kit onto Maverick.

- Includes roof adapter and hardware.
- Requires ProVent Roof Module Kit (715005279).

Aluminum Roof



- Formed aluminum roof 0.09" (2.3 mm) thick.
- Durable and lightweight.
- Sporty look.
- Windshield compatible.
- Easy and tool-less installation.

Maverick

■ **715004224** • Black

■ **715002900** • Silver

Bimini[®] Roof with Sun Visor



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Innovative soft top comes with a hard visor that allows for storage of rolled-up soft top.
- Easy, tool-less installation and removal with quick-release/turn fasteners and Velcro straps.

Maverick

715002901

Maverick MAX

715003749

Tinted Sun Visor



- Tinted polycarbonate construction.
- Extra protection for driver and passenger from the sun.
- Not compatible with Aluminum Roof, Audio Roof or Full Windshields.

Maverick, Maverick MAX

715007098

Lonestar Racing Aluminum Roof



- 0.083" (2.1 mm) thick aluminum roof.
- Durable and lightweight.
- Enhances the vehicle's racing appearance thanks to an authentic sporty look combined with unique graphics.
- Offers you protection from the elements with a personalized touch.
- Lower profile than other roofs.

Maverick produced after January 1, 2017

■ **715005507** • Black

Maverick MAX

■ **715005515** • Black

- Compatible with Lonestar Racing Light Bar Racks.
- Not compatible with LinQ[®] Pivoting Rack, Light Support Bar and Full Windshields.
- "Lonestar Racing for Can-Am" branded.
- Includes middle intrusion bars for installation.

SOFT CAB ENCLOSURE

Soft Cab Enclosure	Maverick (except X mr models)	715003754
	Maverick MAX (except X mr models)	715003755



- Protection for rider and passenger from the elements.
- For added cabin comfort, complete your cab enclosure with Cab Seal Kit.
- Includes:
 - Bimini roof with sun visor
 - Full windshield — hardcoated
 - Upper soft door panels
 - Front lower door panels
 - Soft rear window

Cab Seal Kit <i>(Not illustrated)</i>	Maverick	715004433
	Maverick MAX	715004434

- Prevents dirt, dust and wind infiltration in the cab area.
- Improves cabin comfort for driver and passenger.
- Recommended with Soft Cab Enclosures.

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

PowerFlip Windshield	Maverick, Maverick MAX	715007097
-----------------------------	------------------------	------------------



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.
- Compatible with Can-Am roofs.

Windshield Wiper for PowerFlip Windshield	Maverick, Maverick MAX	715006310
--	------------------------	------------------



- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.
- Must be installed with the PowerFlip Windshield (sold separately).

Provent Windshield	Maverick, Maverick MAX	715005277
---------------------------	------------------------	------------------



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Controllable vents to manage air flow.
- Optimal performance with full cab enclosure.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- Formed polycarbonate construction for enhanced rigidity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Not compatible with wiper kits and Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar.
- Upper vent channels air into the cabin.
- Lower vents defog windshield.
- Provides excellent optical clarity and better abrasion resistance.

Glass Windshield	Maverick, Maverick MAX	715008859
-------------------------	------------------------	------------------



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Provides the best optical clarity and abrasion resistance.
- Must be used with Windshield Wiper & Washer Kit to maintain clear visibility during severe riding conditions, such as mud riding.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Glass Windshield with SMART Wiper & Washer Kit	Maverick, Maverick MAX	715008858
	• Complete kit that includes a curved and laminated glass windshield with a single-speed wiper and washer fluid dispenser. • Seals firmly against the cage and protects rider and passenger from the elements. • An ideal way to keep your windshield clear in rain, or while riding through mud and water. • Recommended to use with rear wind protection to maximize comfort for passenger. • Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.	
Full Windshield	Maverick, Maverick MAX	715002907
	• High-impact-resistant durable polycarbonate full windshield. • Formed polycarbonate construction for enhanced rigidity. • Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity. • Protects driver and passenger from the elements. • Quick and easy tool-less installation or removal. • Recommended to use with rear wind protection to maximize comfort for passenger.	
Full Windshield – Hardcoated	Maverick, Maverick MAX	715004417
	• High-impact-resistant Quantum hardcoated polycarbonate full windshield. • Formed polycarbonate construction for enhanced rigidity. • Provides excellent optical clarity and better abrasion resistance. • Protects driver and passenger from the elements. • Quick and easy tool-less installation or removal. • Recommended to use with rear wind protection to maximize comfort for passenger. • Can be used with the SMART Windshield Wiper and Washer Kit (715004762).	
Half Windshield	Maverick, Maverick MAX	☐ 715002909 • Clear ☒ 715004291 • Tinted
	• High-impact-resistant durable polycarbonate half windshield. • Formed polycarbonate construction for enhanced rigidity. • Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity. • Protects driver and passenger from the elements. • Features reverse angle lip to deflect air flow. • Quick and easy tool-less installation or removal.	
SMART Windshield Wiper & Washer Kit	Maverick, Maverick MAX Fit with Full Windshield Hardcoated (715004417) Maverick, Maverick MAX Fit with Glass Windshield (715008859)	715004762 715003282
	• An ideal way to keep your windshield clear in rain, or while riding through mud and water. • Includes single-speed wiper and washer fluid dispenser. • Wiper mechanism and washer fluid dispenser perfectly concealed within the vehicle. • Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.	
Manual Wiper Kit	Maverick, Maverick MAX	715009424
	• Single manual wiper that can be used to clear windshield of debris. • Easy to install system that requires no electrical hookup. • Large ergonomic handle provides a good grip over the entire sweeping surface. • Compatible with glass and hardcoated windshields that use top mounted wipers.	

WIND PROTECTION

Rear Wind Screen	Maverick, Maverick MAX (except X mr models)	715006701
	• Full rear mesh screen reduces windshield backdraft for added cabin comfort. • Installs quickly and easily on roll cage. • Large white Can-Am logo on black mesh.	

Rear Polycarbonate Window	Maverick, Maverick MAX (except X mr models)	715006387
 • High-impact-resistant polycarbonate window. • Blocks windshield backdraft or dust and rain from entering for added cabin comfort. • Quick and easy tool-less installation. • Ready for MTX Audio System Rear Speakers.		

Soft Rear Window	Maverick, Maverick MAX (except X mr models)	715006702
 • Clear, flexible window made from transparent vinyl. • Resists cold-cracking to -4°F (-20°C). • Ideal for preventing backdraft of dust or rain in harsh environments. • Quick tool-less installation.		

MIRRORS

Aluminum Side Mirrors	Maverick, Maverick MAX	715007363
 • Sleek design. • High-quality black molded aluminum for extreme durability. • The convex surface provides a wider field of view and better visibility around the unit. • Can be installed at any height on the cage A-pillar for optimized rider vision. • Possibility to install the Integrated SMART LED Side Mirror Lights (715007185). • Adjustable ball-joint mirrors. • Possibility to fold down the mirrors (fold-away mechanism). • Not compatible with Glass Windshield and upper soft door panel. • Sold in pairs.		

Side Mirrors	Maverick, Maverick MAX	715007188
 • Sleek design. • High-impact resistant plastic mirrors. • The convex surface provides a wider field of view and better visibility around the unit. • Can be installed at any height on the cage A-pillar for optimized rider vision. • Adjustable ball-joint mirrors. • Possibility to fold down the mirrors (fold-away mechanism). • Not compatible with Glass Windshield and upper soft door panel. • Sold in pairs.		

Side Mirrors	Maverick, Maverick MAX	715004236 • For stock quarter doors 715005315 • For aluminum doors
 • Rugged cast aluminum mount with black nylon cover. • Multi-position adjustable ball-joint mounted mirrors. • Convex optics for a wide viewing angle. • Spring-loaded pivots let mirrors fold back completely. • Door mounted. • Compatible with Upper Soft Door Panels. • Sold in pairs.		


Racing Side Mirrors	Maverick, Maverick MAX	715002898
 • Race-inspired design features rugged black nylon % construction with coated cast-aluminum mount. • Dual adjustment provides optimal field of view (FOV). • Multi-position adjustable ball-joint mounted mirrors. • Flat optics deliver improved distance perception. • Spring-loaded pivots let mirrors fold back completely. • Not compatible with Lonestar Racing Light Racks, Upper Soft Door Panels or Flip Audio Roof Kit (715007131). • Sold in pairs.		

Rally Side Mirrors	Maverick, Maverick MAX	715005262
	• Sleek design with unique racing style. • High-quality black molded aluminum for extreme durability. • 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit. • Can be installed at any height on the cage A-pillar for optimized rider vision. • Multi-position adjustable ball-joint-mounted mirrors. • Spring-loaded pivots let mirrors fold back completely. • Sold in pairs. • Not compatible with Glass Windshield.	

Rear Mirror & Camera Monitor	Maverick, Maverick MAX	715009410
	• Fully waterproof rearview mirror and monitor kit. • See exactly what you need to see with the multiple camera feeds from the rear view camera. • This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror). • The camera uses infrared light for night vision capabilities.	

DOORS

Aluminum Half Doors	Maverick, Maverick MAX	715007971 • Front
	Maverick MAX	715007972 • Rear
	• Lightweight half doors made of formed 5/16" (2 mm) thick aluminum. • Smooth finish. • Engineered for maximum rigidity and durability. • Designed for a perfect fit and seamless integration with the vehicle's lines. • Contoured with a thick seal for better protection from the elements.	
	• Easy installation using the standard door frame. • Includes the easy-to-operate Deluxe Door Handles. • Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags. • Not compatible with the Lower Door Panel Storage Bags. • Sold in pairs.	

Deluxe Door Handles	Maverick, Maverick MAX	715004758 • Front
	Maverick MAX	715004860 • Rear
	• Convert the standard door straps into easy-to-access door handles. • Include inside and outside handles for each door. • Greatly facilitate door opening. • Standard on accessory Aluminum Half Doors. • Sold in pairs.	

Lower Door Panels	Maverick, Maverick MAX	715002903 • Front
		715003751 • Rear
	• Robust injection-molded polypropylene construction designed to match vehicle. • Extend stock doors at bottom to protect from the elements. • A great-looking add-on. • Easy and quick installation. • Sold in pairs.	

Window Nets	Maverick	715006693 • Front
	Maverick MAX	715004694 • Front
	Maverick MAX	715006700 • Rear
	 • Window mesh screen for added protection from wind. • Can be easily lowered in seconds. • Sold in pairs. • Not compatible with Can-Am Audio Roof.	

Upper Soft Door Panels

Maverick (except X mr models)

715008091 • 2 doors

Maverick MAX (except X mr models)

715008092 • 4 doors



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors, Side Mirrors, Aluminum Side Mirror and Can-Am Audio Roof.

SEAT ACCESSORIES

4-Point Harness

Maverick, Maverick MAX

715008033 • Driver

715008034 • Passenger



- Exclusive controlled decelerator technology (patent pending) absorbs additional energy in case of accident.
- Designed to offer maximum riding comfort.
- Easy one-click latch and release.
- Patent pending.
- Not EC compliant.

Retractable 4-Point Harness

Maverick, Maverick MAX

715005021 • Driver

715005022 • Passenger



- Convenient harness allows you to move freely in your seat and at the same time fully benefit from the extra support given by the 4-point attachments.
- Makes it easier to buckle up and requires fewer adjustments when switching passenger or driver.
- Retractor Protector (707900653) is required for installation on front seats of MAX models.
- Compatible with rear passengers' seats on MAX models.
- Standard on select Maverick models.

Retractor Protector

(Not illustrated)

Maverick MAX

707900653

- Protective pad required for the installation of the Retractable 4-Point Harness on front seat of MAX models.
- Protects the passengers from the retractor mechanism.
- Sold individually.

Seat Belt Shoulder Pads


Maverick, Maverick MAX

715002894



- Provide additional riding comfort by preventing seat belt from rubbing on neck and shoulder.
- Fit with stock 3-point seat belts and 4 point harness.
- Easy Velcro installation.
- Can-Am branded.
- Sold in pairs for driver and passenger.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed $\frac{3}{8}$ " (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

MAVERICK, MAVERICK MAX

HMWPE Skid Plates are standard on X rs models (2019 to 2021) and X rc models (2022 & up) only.	Maverick 64" models	Maverick Max 64" models	Maverick, Maverick Max 72" models (except Base models)	Maverick Base 72" models	Maverick Max Base 72" models
HMWPE SKID PLATE PROTECTION KIT					
	715003713	715003747	715003718	715006767	715006769
INDIVIDUAL HMWPE SKID PLATES					
1 HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552
2 HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933
3 HMWPE Central Skid Plate	—	715003731	Standard on X rc models only	—	715003731
4 HMWPE Underbelly Plate	715004904	715004904	Standard on X rc models only	715004904	715004904

BUMPERS & GUARDS

BUMPERS

Front Pre-Runner Bumper

Maverick, Maverick MAX

■ **715002878** • Black
■ **715003433** • Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch mounting plate and mount points for lights.

Rear Pre-Runner Bumper

Maverick, Maverick MAX

■ **715002880** • Black
■ **715003436** • Can-Am Red



- Extra-durable 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protects vehicle bodywork and exhaust system.
- Rear Receiver Hitch compatible.
- Required for installation of the Rear Cage Extension.

Dune Front Bumper

Maverick, Maverick MAX

■ **715002961** • Black
■ **715003432** • Can-Am Red



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Features a more pronounced attack angle and integrated mounting points for lights.
- Not winch compatible.

Dune Rear Bumper

Maverick, Maverick MAX 2021 & prior
Maverick, Maverick MAX 2022 & up

■ **715002962** • Black
■ **715003437** • Can-Am Red
■ **715009242** • Black



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.
- Not compatible with Rear Cage Extension and Lonestar Racing Spare Tire Holder.

X rc/X mr Front Bumper

Maverick, Maverick MAX

■ **715004788** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.
- Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook.
- Standard on Maverick X rc and X mr models.
- Not compatible with winches with steel cable.

Lonestar Racing Front Bumper

Maverick, Maverick MAX
(not compatible X mr and X rc models)

■ **715005510** • Hyper Silver
■ **715005509** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a 1/8" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar and SMART 10" (25 cm) LED Light Bar (715008745).
- Not compatible with stock Smart-Shox.

Lonestar Racing Rear Bumper

Maverick, Maverick MAX 2021 & prior

■ **715005512** • Hyper Silver
 ■ **715005511** • Black
 ■ **715004162** • Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional vehicle-rear bodywork and exhaust system protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Compatible with Lonestar Racing Spare Tire Holder.
- Not hitch compatible.

S3⁺ Front Bumper

Maverick, Maverick MAX

■ **715004867** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights.
- Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- Winch not included.

S3 Rear Bumper

Maverick, Maverick MAX 2021 & prior

■ **715004869** • Black



- Made of extra-durable 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions—protects vehicle bodywork and exhaust system.
- Permits installation of a winch at a higher location to improve accessibility in muddy conditions.
- "S3 for Can-Am" branded.
- Engineered to sustain heavy winch loads without damaging the vehicle's frame.
- Compatible with Can-Am HD and WARN VRX winches—Rear Winch Harness (715006007) is required to install a winch on the bumper.
- Includes a robust recovery hook to facilitate vehicle recovery.
- Winch not included.
- Not EC compliant.

ROCK SLIDERS

Rock Sliders

Maverick (except X rc)

■ **715002963** • Black
 ■ **715003438** • Can-Am Red

Maverick MAX

■ **715003730** • Black
 ■ **715003888** • Can-Am Red



- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's sides and undercarriage against large obstacles.
- Support plate adds rigidity and style.
- Sold in pairs.

Lonestar Racing Rock Sliders

Maverick (except X rc models)

■ **715005514** • Hyper Silver
 ■ **715008845** • Black
 ■ **715008846** • Can-Am Red
 ■ **715008847** • Black
 ■ **715008848** • Can-Am Red

Maverick MAX



- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Essential protection from large obstacles for your vehicle's sides.
- Sold in pairs.
- Maverick MAX: Not compatible with the Rear Aluminum Half Doors (715007972).

INTRUSION BARS

Front Intrusion Bar

Maverick, Maverick MAX

■ **715002889** • Black
■ **715003435** • Can-Am Red



- Matches vehicle styling.
- Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.
- Not compatible with windshields or Lonestar Racing Aluminum Roof.

Lonestar Racing Front Intrusion Bar

Maverick, Maverick MAX

■ **715003916** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Enhances the racing look of the vehicle.
- Compatible with Lonestar Racing Aluminum Roof and Aluminum Roofs.
- Not compatible with windshields.

Lonestar Racing Rear Intrusion Bar

Maverick (except X mr models),
Maverick MAX

■ **715003918** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tire Holder.
- Not compatible with LinQ mounted accessories or Pre-Filter in the cargo bed.

OTHER ACCESSORIES

Fender Flares

Maverick, Maverick MAX

715002973



- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

Lonestar Racing Spare Tire Holder

Maverick, Maverick MAX 2021 & prior
(except X mr models)

■ **715003922** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tires up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.
- Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- Wheel not included.
- Not compatible with the S&B Particle Separator or LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

Maverick, Maverick MAX

715003943



- Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Not compatible with LinQ Pivoting Rack.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

S3 Rear Pull Plate

Maverick, Maverick MAX 2021 & prior

■ **715004870** • Black
■ **715005233** • Can-Am Red



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- "S3 for Can-Am" branded.

LINQ: EASY ON, EASY OFF CARGO

MAVERICK'S LINQ ACCESSORIES

MOUNTING LOCATION AND REQUIREMENTS

• No tools needed: Quickly install and remove accessories by hand • Equip your Can-Am for specialized tasks in no time • Sturdy mounting system that holds up to the roughest terrain				Standard Cargo Bed	LinQ Pivoting Rack 715010786/715008296	Adventure Roof Rack 715003868/715006225
LinQ ACCESSORIES WITH 16" BASE				• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
NEW LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491 NEW LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black LinQ Tool Kit 715006829 LinQ Tool Box 715008111 LinQ SR 5.5 Gal (21 L) Bag 860202449 LinQ 4.5 Gal (17 L) Sport Bag 860202447 LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) LinQ Roll-Top Bag 715008110 LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252				LinQ Anchor Adapter Kit 715004960	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125
LinQ ACCESSORIES WITH 36" BASE				• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 32 Gal (121 L) Trunk Box 715001748 LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 LinQ 8 Gal (30 L) Cooler Box 715004778 • Black LinQ Premium Storage Bag by OGIO[†] 715002923 • Black LinQ Heavy Duty Basket 715001215 LinQ Low Profile Basket 715004282				No further requirements	No further requirements	No compatibility
				No further requirements *Not compatible if the LinQ Pivoting Rack is installed.		
				No further requirements		
				No further requirements		
				No further requirements		
				No further requirements		
				No further requirements		
LinQ HOLDERS						
LinQ Gear Grips 715005340 LinQ Tool Holder 715007358				No further requirements	No further requirements	Side wall installation LinQ Adapters 715003058

The LinQ system is BRP’s game-changing, tool-free cargo solution. Snap gear on or off in seconds. No fuss, no rattle, just rock-solid mounting on any terrain.

LINQ SYSTEM ADVANTAGE

ORIGINAL LinQ SYSTEM

Handles medium- to large-sized gear with two anchor setups: the 16" base for standard payloads and the 36" base for racks and serious payloads.

LinQ LITE

Made for smaller items, lightweight gear you can hang from rails or vertical mounts.



LinQ ACCESSORIES WITH 16" BASE

NEW LinQ Rigid Cooler 4.7 US Gal (18 L)	Maverick, Maverick MAX	715010491
--	------------------------	------------------



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).
- See table for installation location and requirements.


NEW LinQ Cooler 5.3 US Gal (20 L)	Maverick, Maverick MAX	295101257
--	------------------------	------------------



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H),
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H),
- LinQ Base Installation Kit (715008125) is required for installation.
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

LinQ Modular Box	Maverick, Maverick MAX	715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)
	• Allows stacking of other modular boxes to always have the right gear accessible. • Always have the right box size to fit everything. • Can be installed on any LinQ base with a 16" width. • See table for installation location and requirements.	
Thermal Insert for LinQ Modular Box (10 L)	Maverick, Maverick MAX	219401110
	• Insulated liner. • Fits very well in the LinQ Modular Box (10 L). • Can contain seven 355 ml cans. • Keeps ice cold for one day. • Interior dimensions: 9" L x 17" W x 2½" H.	
LinQ Tool Box	Maverick, Maverick MAX	715008111
	• High precision injected HDPE construction provides rigidity and durability. • 5 gal (19 L) maximum capacity. • Weather-resistant, sealed and lockable cover. • Easy one-second on/off tool-less system. • All the benefits of LinQ—simple, fast and secure. • See table for installation location and requirements.	
LinQ Tool Kit	Maverick, Maverick MAX	715006829
	Includes: - Cutter pliers - Long-nose pliers - Locking pliers - Ratchet wrench ¾" drive - 6" ratchet extension - Integrated CVT belt storage location (belt not included) - Long-socket 19 mm ¾" drive – 6 pts - Socket 18 mm ¾" drive - Long-socket 17 mm ¾" drive – 6 pts - Socket 15 mm ¾" drive - Socket 13 mm ¾" drive - Socket 10 mm ¾" drive - Socket 8 mm ¾" drive - Socket Torx T40 ¾" drive - Socket Torx T30 ¾" drive - Socket Torx T20 ¾" drive - Breaker bar ¾" drive - Combination Wrench set: - Wrench 19 mm - Wrench 18 mm - Wrench 15 mm - Wrench 13 mm - Wrench 10 mm - Wrench 8 mm • See table for installation location and requirements.	
LinQ 4.2 Gal (16 L) Cooler	Maverick, Maverick MAX	219400964 • Black 295100698 • White
	• All the benefits of LinQ—simple, fast and secure. • Rotomolded construction for exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. • Uses LinQ mounting system (Patent US 8777531 and US 8875830). • Easy one-second on/off tool-less system. • Can contain twenty 355 ml cans. • Keeps ice cold for three days. • Exterior dimensions: 13" L x 20" W x 10" H. • Interior dimensions: 9" L x 17" W x 7" H. • See table for installation location and requirements.	
NEW LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler	Maverick, Maverick MAX	295101252
	• 5.3 US gal (20 L) of insulated, water-resistant capacity. • Quick, easy and secure LinQ system installation. • Attaches with one set of LinQ fasteners. • Single-day-use soft cooler. • Mesh pocket on top of the lid. • Zippered pocket under the lid for quick and easy access. • Removable interior for easy cleaning. • Carry handles for easy transport. • Can contain twelve 355 ml cans. • Dimensions: 19" L x 13" W x 10" H. • See table for installation location and requirements.	
LinQ 4.5 Gal (17 L) Sport Bag	Maverick, Maverick MAX	860202447
	• All the benefits of LinQ—simple, fast and secure. • 17 liter (4.5 US gallon) capacity. • Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability. • Rigid bottom, semi-rigid top. • Easy one-second on/off tool-less system. • See table for installation location and requirements.	

SR 5.5 Gal (21 L) LinQ Bag	Maverick, Maverick MAX	860202449
	• All the benefits of LinQ—simple, fast and secure. • Semi-rigid expandable bag. • 5.5 gal (21 L) capacity. • Utilizes LinQ mounting system (Patent US 8777531 and US 8875830). • Easy one-second on/off tool-less system. • See table for installation location and requirements.	
LinQ Roll-Top Bag	Maverick, Maverick MAX	715008110
	• Fully waterproof roll-top dry bag will securely store and confine your equipment. • LinQ mounted using heavy-duty rigid plastic base. • High capacity storage solution (40 L). • Bottom foam liner for additional equipment protection. • Integrated handle for easy transportation on/off the vehicle. • Dimensions: 14" L x 19" W x adjustable H. • See table for installation location and requirements.	
LinQ ACCESSORIES WITH 36" BASE		
LinQ 12 Gal (45 L) Cargo Box	Maverick, Maverick MAX	715003879
	• LinQ mounted for easy-on, easy-off installation. • Holds cargo safely and securely while riding. • See table for installation location and requirements.	
LinQ 23 Gal (86 L) Trunk Box	Maverick (except X mr models), Maverick MAX	715004923
	• LinQ mounted for easy-on, easy-off installation. • Holds cargo safely and securely while riding. • See table for installation location and requirements.	
LinQ 32 Gal (121 L) Trunk Box	Maverick (except X mr models), Maverick MAX	715001748 • (No rear tail light)
	• Equipped with the LinQ system, the rear trunk box plugs in and out in seconds. • 32 gal (121 L) load capacity with unobstructed space to maximize storage room and access to the trunk's interior. • Made of injection-molded polyethylene, double walled in critical areas. • The fully sealed lid protects your belongings from dust, moisture and the elements. • No rear tail light. • Trunk Box Panels available in many colors to match your vehicle (sold separately). • See table for installation location and requirements.	
LinQ 32 Gal (121 L) Trunk Box Panels	Fit with LinQ 32 Gal (121 L) Trunk Box EUROPEAN VERSION (EC compliant)	
	• Color panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle. • No rear tail light ■ 715001397 • Black ■ 715001398 • Yellow ■ 715002483 • White ■ 715006121 • Can-Am Red ■ 715006123 • Orange Crush ■ 715006124 • Viper Red	
LinQ 8 Gal (30 L) Cooler Box	Maverick, Maverick MAX	■ 715004778 • Black
	• LinQ mounted for easy-on, easy-off installation. • Rotomolded construction provides exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. • Integrated, fully removable compartment protects food. • Robust rubber latches keep the cover tightly closed. • Weather-resistant. • Convenient drain plug. • See table for installation location and requirements.	

LinQ 11.5 Gal (43 L) Audio Cargo Box	Maverick, Maverick MAX	715003018
	• An affordable and quick solution for adding music and storage to your next ride. • The rear installation does not use up any cab space and allows easy listening at an average speed. • Mounts on/off easily to hold/carry cargo safely and securely. • Backlit control panel perfect for night riding. • Water-resistant speakers. • The Bluetooth[†] enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. • Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity. • See table for installation location and requirements.	
LinQ Heavy-Duty Basket	Maverick, Maverick MAX	715001215
	• Made of high-strength, low-alloy steel. • LinQ mount for easy-on, easy-off installation. • See table for installation location and requirements.	
LinQ Premium Storage Bag by OGIO	Maverick, Maverick MAX	■ 715002923 • Black
	• Tool-less installation and removal thanks to the LinQ system. • 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle. • Buckle and elastic closure with a rubber seal that prevents dust from entering the bag. • 3-section lid for partial or full access to your bag. • Inside separators for optimal bag organization. • See table for installation location and requirements.	
LinQ Low Profile Basket	Maverick, Maverick MAX	715004282
	• Low profile, open basket increases cargo space. • Perfect for easy access to tools, rope, winch and plow accessories. • Multiple bungee cord and tie-down anchor points. • Made of impact-resistant injected polypropylene. • See table for installation location and requirements.	
LinQ HOLDERS		
NEW LinQ Lite Action Camera Holder	Maverick, Maverick MAX 2026	295101139
	• LinQ Lite attachment system for cameras. • Provides great vantage points to capture photos and videos. • Offers 360-angle positioning for perfect filming and taking photos. • Designed to hold devices securely. • Fast, easy attachment and removal.	
NEW LinQ Lite Device Holder	Maverick, Maverick MAX 2026	715009201
	• Made with strong magnets that you can trust while riding through rough terrain • Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive. • 360° adjustment for an improved driving experience and immersion. • Secure LinQ Lite attachment allows you to install/remove the holder in seconds. • Robust plastic and aluminum construction allows for the right fit and easy installation. • Compatible with the Cellphone Holder (715008786). • To keep a good vision while driving, we recommend using this device for smartphones only.	
LinQ Tool Holder	Maverick, Maverick MAX	715007358
	• Ultra-versatile tool holder. • Convenient swivel-latch allows tools to be stored in any orientation. • Sold in pairs.	

LinQ Gear Grips

Maverick, Maverick MAX

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Anchor Adapter Kit

Maverick, Maverick MAX

715004960



- Allows the installation of LinQ accessories with 16" base on LinQ racks.
- Tool-less installation and removal.

LinQ Base Installation Kit

Maverick, Maverick MAX

715008125



- Allows installation of compatible LinQ accessories.
- Included: 2 LinQ Cargo bases and hardware.

LinQ Lock

Maverick, Maverick MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

LinQ Replacement Part

Maverick, Maverick MAX

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Adapter

Maverick MAX

715003058



- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.
- Sold in pack of 4.

Cargo Box Net

Maverick, Maverick MAX

715001371



- Solid net designed to secure and ensure the compact confinement of your Adventure Roof Rack.

Spare Tire Ratchet Tie-Downs

Maverick, Maverick MAX

280000955



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

RACKS & STORAGE

RACKS

LinQ Pivoting Rack

Maverick, Maverick MAX (except X mr models and X rc with Smart-Shox)

■ **715010786** • Black
■ **715008296** • Can-Am Red



- LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tire (tire not included).
- Includes custom tie-down strap for fast spare tire installation or removal (tire not included).
- Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed.
- Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminum Roofs.
- Not compatible with snorkel and rad relocater.

Adventure Roof Rack

Maverick
Maverick MAX

715006225
715003868



- Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.
- Built with lightweight 1.25" (3.2 cm) diameter steel tubing.
- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tire attachment.
- LinQ anchor on both sides.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

Adventure Roof Rack

Maverick
Maverick MAX

715007186
715008073



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof.
- Integrated mounting points for lights.
- Features anchor points for a spare tire attachment.
- LinQ anchor on both sides.
- The Spare Tire Tie-Downs sold separately.
- Sport Roof or Aluminum Roof is required for installation.

STORAGE

Passenger Storage Seat Bag

Maverick, Maverick MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Shoulder Storage Bag

Maverick (except X mr models),
Maverick MAX (rear only)

715004277



- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- Installs between the rear seats only on MAX models.

Front Shoulder Storage Bag

Maverick MAX

715004888



- Opens on each side so that both front and rear passengers can access the bag's content.
- Installs between the driver's and passengers' seats on MAX models.

Overhead Storage Bag	Maverick, Maverick MAX	715004275
	• Weather-resistant bag, holds your gear safely and securely while riding. • Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L). • Semi-rigid construction renders it flexible enough to fit odd-shaped loads. • Touchscreen-compatible clear front pocket allows for easy access to your smartphone. • Not compatible with the Bimini Roof.	
Upper Door Storage Bags	Maverick, Maverick MAX	715004276
	• Weather-resistant, they'll hold your gear safely and securely while riding. • Bags attach on stock quarter doors to increase your vehicle's cargo space. • Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with inner netting compartments. • Semi-rigid construction renders them flexible enough to fit odd-shaped loads. • Sold in pairs.	
Lower Door Panel Storage Bags	Maverick, Maverick MAX	715004355
	• Weather-resistant, they'll hold your gear safely and securely while riding. • Bags attach on Lower Door Panels to increase your vehicle's cargo space. • Each bag is designed as a 1.6 gal (6 L) capacity pocket also equipped with inner netting compartments. • Semi-rigid construction renders them flexible enough to fit odd-shaped loads. • Sold in pairs. • Not compatible with Aluminum Half Doors. • Lower add-on doors required for installation.	
Soft Storage Bag	Maverick, Maverick MAX	715003759
	• 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage. • 3 sections. • Weatherproof.	
Storage 2.6 Gal (10 L) Bag	Maverick, Maverick MAX	269502121
	• Roll-top dry bag for fully protecting your cargo from the elements.	



SMART ACCESSORIES

Powered by the ACM, SMART Accessories respond automatically to speed, steering, and other sensor data, adjusting light output, behavior, and function in real time.

A RESPONSE SYSTEM THAT TAKES TECH TO THE NEXT LEVEL.

ACM

This is the brain of the SMART Ecosystem. It reads multiple sensors on the vehicle and translates the reading into actions for the accessories.



10.25" TOUCHSCREEN DISPLAY

When your vehicle is equipped with the 10.25" touchscreen display, it allows you to control up to 19 accessories at the same time.



SMART CONTROL CENTER

Allows you to quickly access SMART Accessories (can be used with or without the 10.25" touchscreen display).



SMART ACCESSORIES

Accessories designed to execute multiple functions depending on the input from the ACM.



ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

NEW Accessory Control Module

Maverick, Maverick MAX (with touchscreen display)

715010097



- Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Color Touchscreen Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

NEW Rear ACM Harness

(Not illustrated)

Maverick, Maverick MAX (with touchscreen display)

715009268

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

NEW SMART Control Center for ACM

Maverick, Maverick MAX (with touchscreen display)

715010834



- Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customize according to the accessories installed.
- Requires Accessory Control Module.

SMART ACCESSORIES

NEW SMART Integrated LED Roof Light

Maverick, Maverick MAX (2020 & up)

715010102



- Mounted under the roof for a signature look.
- Windshield compatible except with the PowerFlip.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).
- Accessory Control Module (715010097) is required for SMART functionality.
- Integrated LED Roof Light Wiring Harness (715008209) is required for on/off function when ACM is not installed. Sold separately.
- Not compatible with PowerFlip Windshield (715007097).
- ECE Certified

NEW SMART 10" (25 cm) LED Light Bar

Maverick, Maverick MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715009886) is required for on/off function when ACM is not installed. Sold separately.
- Just a heads-up, you'll need a bumper for this.
- ECE Certified

NEW SMART 40" (102 cm) LED Light Bar

Maverick, Maverick MAX

715008747



- The perfect combination of a powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumen, and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- Accessory Control Module (715010097) is required for SMART functionality.
- See table for installation location and requirements.
- ECE Certified

NEW SMART LED Chase Lights

Maverick, Maverick MAX

715007727



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
 - Trail Mode: serves as a taillight and as a brake light.
 - Chasing Mode: displays amber light pattern and serves as a brake light.
 - Work Mode: White light to light up your cargo bed.
 - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Wiring harness required for a non-smart function when ACM is not installed. Sold separately.
- ECE Certified

Integrated LED Side Mirror Lights

Maverick, Maverick MAX

715007185



- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- Accessory Control Module (715010097) is required for SMART functionality.
- Require Aluminum Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

LIGHTS

CAN-AM LIGHTS WITH ACM






	1 CHOOSE YOUR MOUNT POINT	2 CHOOSE YOUR LIGHTS				
		SMART Integrated LED Roof Light 715010102	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727	SMART 40" (102 cm) LED Light Bar 715008747	SMART 10" (25 cm) LED Light Bar 715008745
SMART FUNCTIONALITY	Vehicle Integrated	Accessory Control Module 715010097	Aluminum Side Mirrors 715007363 + Accessory Control Module 715010097	Accessory Control Module 715010097 + Rear ACM Harness 715009268	No compatibility	No compatibility
	Front Bumper (except XMR/XRC and Lonestar)	No compatibility			No compatibility	Accessory Control Module 715010097
	Sport Roof with Light Support Bar 715003529					No compatibility
	Audio Roof (no additional bracket needed)				Accessory Control Module 715010097	
	Adventure Roof Rack 715006225, 715003868, 715007186					

CAN-AM LIGHTS WITHOUT ACM

	1 CHOOSE YOUR MOUNT POINT	2 CHOOSE YOUR LIGHTS				
		SMART Integrated LED Roof Light 715010102	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727	SMART 40" (102 cm) LED Light Bar 715008747	SMART 10" (25 cm) LED Light Bar 715008745
ON/OFF FUNCTIONALITY	Vehicle Integrated	Wiring Harness 715008209	Aluminum Side Mirrors 715007363 + Wiring Harness 715008212	Wiring Harness 715008210	No compatibility	No compatibility
	Front Bumper (except XMR/XRC and Lonestar)	No compatibility				Lights Wiring Harness 715009886
	Sport Roof with Light Support Bar 715003529					No compatibility


2 CHOOSE YOUR LIGHTS										
1 CHOOSE YOUR MOUNT POINT	BAJA DESIGNS [†] LIGHTS					CAN-AM LIGHTS				
	10" (25 cm) LED Light Bar	40" (102 cm) Baja Design OnX6 Arc LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-runner or Dune Bumpers	710006819 + 715007049 (Power Cable)	710006818 + 715008864 (Power Cable)	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 (Not compatible with Pre-runner Bumper) + 715003417 (Power Cable)	No compatibility	715002935 (4" Round), 715010093 (3.5" Flood) or 715010094 (3.5" Spot) + 715003417 (Power Cable)	
Lonestar Racing Front Bumper	NA	NA	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	710005041 + 715007049 (Power Cable)	No compatibility				
Light Support Bar or Adventure Roof Rack		710006818 + 715008864 (Power Cable)	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	710005041 + 715007049 (Power Cable)	NA	715002934 + 715003417 (Power Cable)			
Lonestar Racing 40" (102 cm) LED Light Bar Rack		710006818 + 715008864 (Power Cable)	NA	NA	NA		NA	NA	NA	NA
Lonestar Racing Light Rack	NA	710006821 + 715008865 (Power Cable)	710005041 + 715007049 (Power Cable)							
3 ORDER										
ORDER ALL PART NUMBERS IN INTERSECTING BOX										
*Note: When installing more than one light kit, additional light power cable or mounting kit is required.										

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick, Maverick MAX	710006818
	29,000 lumens	
• 252 W light bar producing 29,000 lumens. • Equipped with 24 Cree XM-L2 LEDs. • Driving/combo light pattern for smooth blend of light for both near field applications and distance.	• Designed for installation onto Light Support Bar equipped roofs. • Requires Light Power Cable and Light Support Bar. • See table for installation location and requirements.	
Baja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick, Maverick MAX	710006819
	12,460 lumens	
• 108 W light bar producing 12,460 lumens. • Equipped with 6 Cree XM-L2 LEDs. • Driving/combo light pattern for smooth blend of light for both near field applications and distance.	• Dual intensity (high/low) settings. • Requires Baja Designs Light Power Cable. • See table for installation location and requirements.	
Baja Designs XL80 LED Lights	Maverick, Maverick MAX	710005041
	9,500 lumens	
• 80 W per spot producing 9,500 lumens. • Equipped with 4 Cree XHP50 LEDs per spot. • Dual intensity (high/low) settings. • Driving/combo light pattern for smooth blend of light for both near field applications and distance.	• Require Baja Designs Light Power Cable. • Sold in pairs. • Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm). • See table for installation location and requirements.	
Baja Designs Squadron Sport LED Lights	Maverick, Maverick MAX	710006820
	3,150 lumens	
• 26 W per spot producing 3,150 lumens. • Equipped with 4 Cree XP-G2 LEDs per spot. • Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.	• Require Baja Designs Light Power Cable. • Sold in pairs. • Dimensions: 3" x 3" (7.6 cm x 7.6 cm). • See table for installation location and requirements.	
Baja Designs XL Sport LED Lights	Maverick, Maverick MAX	710006821
	3,150 lumens	
• 26 W per spot producing 3,150 lumens. • Equipped with 4 Cree XP-G2 LEDs per spot. • High Speed Spot features a longer and narrower beam focus for illumination farther down.	• Require Baja Designs Light Power Cable. • Sold in pairs. • Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm). • See table for installation location and requirements.	
Lights Power Cable <i>(Not illustrated)</i>	Maverick, Maverick MAX	715003417 715007049 715008865 715008864
• Required for installation of Baja Designs LED lights onto roof or bumper. • 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049). • Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715008865). • 40" (102 cm) Arc LED Light Bar ONX6 (715008864).		

10" (25 cm) Double Stacked LED Light Bar (60 W)

Maverick, Maverick MAX


715002933**5,400
lumens**

- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Requires light power cable for installation.

- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE Certified.
- See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)

Maverick, Maverick MAX


715002934**8,400
lumens**

- Equipped with 18 5 W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.

- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE Certified.
- See table for installation location and requirements.

39" (99 cm) Double Stacked LED Light Bar (270 W)

Maverick, Maverick MAX


715004007**24,300
lumens**

- Equipped with 54 5 W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.

- Compatible with the Adventure Roof Rack.
- Requires light power cable for installation.
- Not ECE Certified

4" (10 cm) Round LED Lights (2 x 25 W)

Maverick, Maverick MAX


715002935**1,800
lumens**

- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.

- Can-Am branded grill.
- Requires light power cable.
- Sold in pairs.
- Not EC compliant.
- Requires light power cable for installation.


3.5" (9 cm) LED Driving Lights (2 x 14 W)

Maverick, Maverick MAX


715010094**1,260
lumens**

- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.

- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE Certified
- Requires light power cable for installation.


3.5" (9 cm) LED Flood Lights (2 x 14 W)	Maverick, Maverick MAX	715010093
		
• 14 W LED lights producing 1,260 lumens each. • Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. • Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.	• Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light. • Sold in pairs. • ECE Certified. • Requires light power cable for installation.	
Can-Am LED Signature Lights	Maverick, Maverick MAX	715003673
	• Add style with a more aggressive look. • Use bright and energy efficient LEDs. • Do not give additional lighting for driving.	
NEW Dome Light	Maverick, Maverick MAX	715009228
	• Offers an optimal visibility in the cab and integrates perfectly with the vehicle. • 160 lumens of soft white light ensure clear visibility of the surroundings. • Built in on/off button on the light. • Wiring included. • Can be installed on cage, Sport Roof or All-Terrain Trunk Cover. • Not compatible with Audio Roof.	
Lonestar Racing 40" (102 cm) LED Light Bar Rack	Maverick, Maverick MAX	715003920
	• Designed for use with 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Enhances the vehicle's race-inspired look. • Compatible with Aluminum Roof, Lonestar Racing Aluminum Roof and Sport Roof. • Not compatible with Racing Side Mirrors and PowerFlip Windshield. • Lights sold separately.	
Lonestar Racing Light Rack	Maverick, Maverick MAX	715003948
	• Designed for use with Baja Designs XL80 LED Light and Baja Designs XL Sport LED Light. • Accommodates up to two pairs of XL Lights. • Not compatible with Racing Side Mirrors and PowerFlip Windshield. • Compatible with Lonestar Racing Aluminum Roof, Aluminum Roof and Sport Roof. • Lights sold separately.	
Chase Lights	Maverick, Maverick MAX	715002887
	• Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. • Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility colored light patterns (blue, red and yellow). • Trail Mode: Serves as a tail light and as a brake light.	• Chasing Mode: Displays amber and blue light patterns and serves as a brake light (brake light function can be deactivated for racing applications). • Modular to allow installation with rear roll cage mounted accessories. • Plug-and-play installation. • Verify your local regulations concerning the use of blue lighting.
LED Chase Lights	Maverick, Maverick MAX	715009887
	• Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. • High-visibility colored light patterns (red, yellow, white). • Three modes available: - Trail Mode: serves as a tail light and as a brake light. - Chasing Mode: displays amber light pattern. - Work Mode: white light to light up your cargo bed.	• Modular to allow installation with rear roll cage mounted accessories. • Plug-and-play installation. • Wiring Harness required (715008210). Sold separately. • Can be installed with roof scoop but only with the lateral light.

Light Support Bar	Maverick, Maverick MAX	715003529
	• Sleekly styled rugged aluminum construction. • Accommodates light bars and spotlights with or without any roof and windshield combination. • Full vehicle width to allow the installation of any large LED light bar.	• Required for light installation on vehicle's roof. • Not compatible with Lonestar Racing Aluminum Roof. • Lights sold separately.
Mounting Kit for 39" (99 cm) LED Light Bar <i>(Not illustrated)</i>	Maverick, Maverick MAX	715005822
	• Required for installation of the 39" (99 cm) double stacked LED Light Bar. • Includes wiring and support bracket. • Light Support Bar required for installation.	
NEW Lights Wiring Harness	Maverick, Maverick MAX	715009886
	• Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).	
Light Power Cable <i>(Not illustrated)</i>	Maverick, Maverick MAX	715003417
	• Required for installation of 10" (25 cm), 15" (38 cm) and Double Stacked LED Light Bars and 4" (10 cm) Round LED Lights. • For bumper and roof mounting locations.	



YOUR SOUND, YOUR WAY

Choose the audio setup that matches your style.



MTX CENTRAL SPEAKERS

This option includes a top mounted central speaker case with two 6.5" 100-watt speakers PLUS a 10" under-seat 250-watt amplifier.



AUDIO ROOF

This option includes a full roof with four or six 8" speakers, one 400 RMS, and an 800 peak watt amplifier supplied by Rockford Fosgate audio.



COMPLETE MTX AUDIO SYSTEM

This option includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" subwoofer.

LEVEL UP WITH UPGRADES

Bring the thunder wherever you roll with an amplifier or a subwoofer for even bigger sound on every ride.

AUDIO & COMMUNICATION SYSTEMS

AUDIO

Can-Am Rockford Fosgate Audio Roof – Level 4	Maverick (with touchscreen display) Maverick	715010098 NEW 715007130
	• Full roof with sleek built-in audio. • Fully sealed and waterproof. • Easy to install: one wire connects the roof to the vehicle's electronics. • Four 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio. • Multi-colored RGB LED accent lighting around each speaker.	• 2.7" color display with Bluetooth and Pandora connectivity (715007130). • Controlled by the 10.25" Color Touchscreen Display (715010098). • Flip Kit-compatible. • Not compatible with the Adventure Roof Rack if the Flip Kit is installed. • Not compatible with the Upper Soft Door Panels.
Can-Am Rockford Fosgate Audio Roof MAX – Level 4	Maverick MAX (with touchscreen display) Maverick MAX	715010099 NEW 715006709
	• Full roof with built-in audio. • Fully sealed and waterproof. • Easy to install, one wire connects the roof to the vehicle's electric system. • Six 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio. • Multi-colored RGB LED accent lighting around each speaker.	• 2.7" color Display with Bluetooth and Pandora connectivity (715007130). • Controlled by the 10.25" Color Touchscreen Display (715010099). • Not compatible with the Adventure Roof Rack if the Flip Kit is installed. • Not compatible with the Upper Soft Door Panels.
Can-Am Audio Roof Flip Kit	Maverick, Maverick MAX	715007131
	• Combines with Audio Roof (715007130 or 715006709) for Flip option. • Not compatible with the Racing Side Mirrors (715002898).	
MTX Central Speakers	Maverick MAX	715004748
	• Top mounted central speaker case holding two 6.5" (16.5 cm)/100 W speakers. • Designed to be Can-Am-tough in the most demanding riding conditions.	• Perfect add-on to the Complete MTX Audio System for a 7-speaker system or as a stand-alone system by plugging the AUX input jack directly into your music device. • Not compatible with Lonestar roofs.
Complete MTX Audio System	Maverick, Maverick MAX	715002873
	• Bluetooth 5+ equipped 400 W RMS/800 W peak audio system by MTX. • Designed to be Can-Am-tough in the most demanding riding conditions.	• Includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" (16.5 cm) subwoofer. • Add the Electronic Device Holder to securely hold your Bluetooth device ready to play your favorite tunes.
Can-Am Subwoofer	Maverick, Maverick MAX	715004956
	• Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box. • Easy plug-and-play connections to Audio Roof system. • Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt.	• Requires 1 Amplifier Kit (715007227) for 1 or 2 subwoofers. • Fits two per vehicle: under driver's or passenger's seat.
Can-Am Amplifier Kit	Maverick, Maverick MAX	715007227
	• A powerful 400 W amplifier to feed up to two Underseat Subwoofers. • Easy plug-and-play connections to Audio Roof system and subwoofer. • Installation plate and wiring included.	
Electronic Device Holder	Maverick, Maverick MAX	715002874
	• A great in-ride entertainment system platform. • Robust injected-polypropylene construction allows for right fit and easy installation. • Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).	• Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System. • Allows the installation of Garmin Montana 680T GPS. • Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12V outlet for device charging.

ELECTRICAL & ELECTRONIC ACCESSORIES

ELECTRICAL

Seat Heater

Maverick, Maverick MAX

715006112



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fiber seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.
- Heated Accessories Wiring Harness (710005757) is required for front seat installation.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Heated Visor Outlet

Maverick, Maverick MAX

715001246



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

Heated Accessories Wiring Harness

(Not illustrated)

Maverick, Maverick MAX

710005757

Maverick MAX

715006004

- Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Auxiliary Battery Installation Kit

(Not illustrated)

Maverick, Maverick MAX

715006315

- Allows you to add a second 18 Ah battery for a dual battery setup necessary to power auxiliary electrical components such as sound systems or winches.
- Equipped with an IP67-rated waterproof electronic module that will prevent your auxiliary electrical components from draining your starting battery.
- Kit includes an additional battery junction block, all necessary wiring and the battery holder.
- Both batteries are perfectly integrated, in stock location, behind the passenger's seat.
- Additional battery (410301203), plus battery hardware (250000282) sold separately.

ELECTRONIC

Cellphone Holder

Maverick, Maverick MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.
- Requires the Electronic Device Holder (715002874) for the Cellphone Holder to be bolted on its door.

Lighted Whip Flag

Maverick, Maverick MAX

715002886



- A must for riding the dunes.
- 5 W Cree LED.
- 5 colored lenses to allow personalization.
- Glow-through whip, quickly removable and replaceable pole.
- Increases vehicle's visibility.
- Meets most dune-area requirements.
- Die cast aluminum base, acetal hand nut.
- Includes mounting brackets and wiring.
- 4' (1.2 m) flag mounts on top of the roll cage.
- Can be installed on both sides of a vehicle.

Digitally Encoded Security System (D.E.S.S.™) Green Key

Maverick (except 900 HO)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
 - Normal mode: configurable vehicle speed limit between 50 km/h (31 mph) and 136 km/h (85mph) and may have engine torque reduction.
 - Performance mode: No restrictions.

WINCHES & HITCHES

CAN-AM HD WINCHES

Can-Am HD 4500 Winch	Maverick, Maverick MAX	715006416
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and durability. - Automatic 100% load-holding brake. - Sealed solenoid for all-weather protection. - Weather sealed corded remote and dash mounted switch.	- Pulling strength capability of 4,500 lb (2,041 kg). 43' of 1/8" (13.1 m of 6.3 mm) wire steel cable. - Heavy-duty 4-way roller fairlead. - Winch Electrical Harness (715003585) and winch compatible front bumper are required. - CE & UKCA Compliant
Can-Am HD 4500-S Winch	Maverick, Maverick MAX	715006417
	- Ergonomic clutch handle. - Rugged all-steel gears and bushings for more torque and durability. - Automatic 100% load-holding brake. - Sealed solenoid for all-weather protection. - Weather-sealed corded remote and dash mounted switch.	- Pulling strength capability of 4,500 lb (2,041 kg). 50' of 1/4" (15.2 m of 6.35 mm) synthetic rope. - Corrosion-proof aluminum Hawse fairlead. - Winch Electrical Harness (715003585) and winch compatible front bumper are required. - CE & UKCA Compliant

WINCH ACCESSORIES

NEW Winch Cable Stopper	All Can-Am HD Winches	715009921
	- Made of EPDM, a highly durable synthetic rubber. - The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead. - In addition, the split design makes it easy to install.	
Can-Am HD Hawse Fairlead	Can-Am HD Winch	715006426
	- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. - Must be used with synthetic cables only.	
WARN Hawse Fairlead	WARN Winch	715007785
	- Double-powder-coated construction. - To be used with synthetic winch cables only.	
Synthetic Winch Cable	Can-Am HD Winch WARN Winch	715006430 715007783
	50' of 1/4" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. - Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear. - WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.	

Wire Rope Replacement	Can-Am HD Winch	705014978
	WARN Winch	715006699



- 43' of 1 $\frac{5}{64}$ " (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of 1 $\frac{1}{4}$ " (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension	715001120
----------------------------------	------------------



- Lightweight 1 $\frac{1}{4}$ " (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness (Not illustrated)	Maverick, Maverick MAX	715003585
--	------------------------	------------------

- Required for winch installation.

Rear Winch Harness (Not illustrated)	715006007
--	------------------

- Required for installation of a winch on the S3 Rear Winch Bumper.

NEW Wireless Winch Remote	With Can-Am HD Winch	715008286
----------------------------------	----------------------	------------------



- On/Off and Winch In / Winch Out buttons with LED indicator light.
- Large Winch In / Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control	Can-Am HD Winch†	715006504
-----------------------------	------------------	------------------



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.
- † Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.
- ‡ Remote control (710007050) and connection socket are included.

X rc/X mr Rear Tow Hook	Maverick, Maverick MAX 2021 & prior	715004450
--------------------------------	-------------------------------------	------------------



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- Made of rugged 3 $\frac{1}{8}$ " (5 mm) steel plate and 1 $\frac{1}{2}$ " (16 mm) steel hook tube.
- Standard on Maverick X rc and X mr models.

HITCHES

Rear Hitch	Maverick, Maverick MAX 2021 & prior	■ 715002883 • Black
		■ 715003938 • Can-Am Red



- Rugged lightweight steel construction.
- E-coated finish.
- Fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

Front and Rear Hitch Drawbar	Maverick, Maverick MAX	715008350
-------------------------------------	------------------------	------------------



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

PERFORMANCE

Performance Half Shaft	Maverick, Maverick MAX	705401634 · 64"
	Maverick, Maverick MAX	705402048 · 72"



- High-performance design ideal for off-road use, with superior protection in any riding usage.
- Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.
- Required to install the Smart-Lok™ Differential Kit.

Mud Smart Mode Module (Not illustrated)	Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005282
---	---	------------------

- This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end.
- The system will stay locked until throttle release.
- Only one Smart Mode Module can be installed at a time.

Rock Smart Mode Module (Not illustrated)	Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005283
--	---	------------------

- This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Rock Mode has been specially designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module (Not illustrated)	Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005284
---	---	------------------

- This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engage the front end and maintain it engaged until throttle release or vehicle speed reduction.
- The progressive engagement allows for smoother and lower steering effort.
- Only one Smart Mode Module can be installed at a time.

Lonestar Racing Mud Flaps with Brackets	Maverick, Maverick MAX	715004865
--	------------------------	------------------



- These bolt-on mud flaps make a great addition.
- Durable chromoly brackets.
- Protect trailing arms, rotors and CVs from rocks and debris.
- Sold in pairs.
- Incompatible with HMWPE Front A-Arm and Trailing Arm Protector (715002905 and 715003552).

Lonestar Racing Heavy-Duty Shift Plate & Knob	Maverick, Maverick MAX	715004866
--	------------------------	------------------



- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminum Lonestar Racing shift knob.
- Offers improved durability for the performance-oriented driver.

Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead	Maverick, Maverick MAX 2021 & prior	715004868
---	-------------------------------------	------------------



- Protects and strengthens the middle radius rod links from rough riding conditions.
- Includes high-grade steel bolts.

Lonestar Racing Quick Release Clutch Cover Pins	Maverick, Maverick MAX	715005045
	• This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly. • Includes 4 stainless steel "quick release" pins with clips and tethers. • Replaces all clutch cover screws. • This product affects the clutch cover sealing. • It is highly recommended to use this product under dry riding conditions only.	
Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate	Maverick, Maverick MAX 2021 & prior	715005046
	• Double-layered radius rod support plate made of high-grade steel. • Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle. • Easy to install.	
Yoshimura[†] Slip-on Exhaust	Maverick, Maverick MAX	715002882
	• Developed in collaboration with Yoshimura. • Made from 304-grade stainless steel with brushed aluminum tip. • Better sounding, better looking and 19% lighter than stock muffler. • USDF/USDA approved spark arrester. • Fuel injection system tuning not required. • ROHVA and EPA compliant. • Not CE Compliant.	
Performance Air Filter by Twin AIR[†]	Maverick, Maverick MAX	715002895
	• The best choice for the harshest conditions. • Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow. • Washable and reusable.	
Snorkel Pre-Filter	Maverick, Maverick MAX (with Snorkel Kit)	715005599
	• Pre-filter specifically for snorkels. • Adds extra protection to your engine in harsh riding conditions. • Helps keep air filter cleaner. • Filter blocks particles larger than 0.005" (0.13 mm). • Necessary to maintain vehicle warranty when tracks are installed.	
Snorkel Kit	Maverick, Maverick MAX (2019 and prior) Maverick, Maverick MAX (2020 & up)	715003733 715007110
	• Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water or mud without the engine taking in water. • Not compatible with S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar or any rear panels or windows. • Sealed Air Box 707800780 (sold separately) is required for installation on models manufactured before January 1, 2018. • Standard on Maverick X mr models. • Not EC-compliant. • No fit on all models equipped with remote shock reservoir mounted on C-pillar.	
Radiator Relocator	Maverick, Maverick MAX	715004937
	• Relocates stock radiator to rear of cage. • Protects it from debris and rocks. • Prevents cooling performance loss in muddy conditions. • Reduces hot air in the cabin. • Easy to clean. • Includes support hardware and hoses. • Not compatible with any bed accessories, Rear Cage mounted accessories, Complete MTX Audio system and Upper Soft Doors (except LinQ 8 gal [30 L] Cooler Box). • Radiator (709200703) is required for installation on 2017 models. • Not compatible with full windshield.	
850 W Magneto Kit	Maverick, Maverick MAX (2021 & up)	715006279
	• Increases the magneto output to 850 W. • Includes rotor, stator and regulator.	

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

EMERGENCY ACCESSORIES

Lonestar Racing Fire Extinguisher Support

Maverick, Maverick MAX

715007320



- Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.
- Made of billet anodized black aluminum.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.
- Provides riders with the safety and security of knowing they have dependable emergency equipment on board.
- Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.
- Fire extinguisher sold separately.
- "Lonestar Racing for Can-Am" branded.

Fire Extinguisher

295100833



- Ideal for grease, oil and electrical fires.
- Fits with Lonestar Racing Fire Extinguisher Support Kit.
- Not EC compliant.

Emergency Kit

Maverick, Maverick MAX

715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.
- Includes: jumper cables, air compressor, tire repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties, cloth rags.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

No traction? No problem. Apache XC Tracks are built for serious terrain. With improved flotation and stability, they tackle deep snow, mud, and everything in between. Engineered for optimized attack angles, reduced noise, and unmatched durability, this system means all-season dominance.

DESIGNED FOR PEAK PERFORMANCE

Aggressive lugs deliver max traction without sacrificing handling. A reinforced steel frame boosts strength, while the center slide improves alignment and reduces de-tracking. Reduced NVH levels and the wheel placement ensure smooth, quiet power delivery. Plus, wheel longevity is increased with replaceable wheel bearings.



APACHE TRACK SYSTEMS

YEAR-ROUND TRACKS		LIMITED WARRANTY*
Apache XC LT Track System  • Long Track version. • Brand-new track design to optimize driving off-road and in deep snow conditions . • Reduction in steering effort thanks to the tandem 4 wheels. • Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem. • Better steering precision because of this wheel and track alignment due to good ground contact. • 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability. • Track width: front 12.5" and rear 15". • Adds 3" (7.62 cm) of ground clearance versus 27" tires.	Maverick, Maverick MAX • Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness). • Central guide for optimized track alignment and reduced occurrences of detracking. • Optimized track layout with increased angle of attack for better obstacle crossing and snow performance. • Stamped and welded steel frame for improved strength and durability. • Easy maintenance with replaceable hub and wheel bearings. • Main hub is oil bath with 3 bearings inside for consistent lubrication. • DPS module and engine and CVT pre-filter required. • Mounting kit sold separately.	715007719
NEW Apache XC LT Mounting Kit  • Required for the installation of the Apache XC LT Track System. • DPS module and Engine Pre-Filter not included.	Maverick, Maverick MAX (64" models) Maverick, Maverick MAX (72" models) • DPS module and Engine Pre-Filter not included.	715008873 715008614

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

WINTER TRACKS

LIMITED WARRANTY*

Apache Backcountry LT Track System

Maverick, Maverick MAX

715004734



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry LT Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.
- For winter use only.
- Track installation will affect vehicle width and length.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Apache Backcountry LT Mounting Kit

(Not illustrated)

Maverick, Maverick MAX

715004397 · 64" models

715004394 · 72" models

- Required for installation of the Apache Backcountry Track LT System.
- DPS™ Module and Pre-Filter are required and sold separately.

APACHE ACCESSORIES

Rail Ice Scratchers

Apache Backcountry LT Track System

860201728




- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Extends slider life.

Apache Backcountry LT Wheel Kit

Apache Backcountry LT Track System

715006293



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Sliders with Vespel[®] Inserts

Apache Backcountry LT Track Systems

503194815



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Track DPS Module

(Not illustrated)

Maverick, Maverick MAX
(Turbo RR Engine only)

715006266

Maverick, Maverick MAX
(2022 & prior except Turbo RR Engine)

715007338

- Innovative DPS module that ensures speedometer accuracy and optimized steering assist, making for perfect track control and riding ease.
- Required to install the Apache Track Systems.
- See table for fit, compatibility and requirements.

Engine & CVT Air Intake Pre-Filter

Maverick, Maverick MAX (except X mr models)

715005600



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy installation.
- Not compatible with S&B Particle Separator.
- Necessary to maintain vehicle warranty when tracks are installed.

Required to install the Apache Backcountry LT and Apache 360 LT Track Systems.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY LT

Model Year / Model	Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up Maverick, Maverick MAX (64" Models)	715004734	715004397	715007338 Maverick, Maverick Max 2022 & prior (except Turbo RR Engine) OR	715005600 (except X mr)	715005599
2017 & Up Maverick, Maverick MAX (72" Models)		715004394	715006266 Maverick, Maverick Max 2023 and up, and 2022 & prior with Turbo RR engines		

APACHE XC LT

Model Year / Model	Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up Maverick, Maverick MAX (64" Models)	715007719	715008873	715007338 Maverick, Maverick Max 2022 & prior (except Turbo RR Engine) OR	715005600 (except X mr)	715005599
2017 & Up Maverick, Maverick MAX (72" Models)		715008614	715006266 All Maverick, Maverick Max 2023 and up, and 2022 & prior with Turbo RR engines		

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.



BUILD A KIT THAT WORKS HARD.

Combine a mounting kit, push frame, and blade. Then, customize with accessories like the plow angling kit, blade extensions, or edge markers. Easy to install, engineered to last, and tough enough for brutal winter jobs—this lineup covers every plowing need.



PROMOUNT PLOWS

ProMount PLOW KITS – REFERENCE CHARTS		
	72" Black Steel	72" Flex2
Plow Kit	715008176	715008175
Blade	715009877	715009868
Push Frame	715008116	715008116
Mounting Plate	715008197	715008197

CAN-AM ProMount STEEL PLOW KITS

Can-Am ProMount Steel 72" (183 cm) Plow Kit	Maverick, Maverick MAX	■ 715008176 • Black
---	------------------------	---------------------



- These kits include:
 - Can-Am ProMount Steel Blade
 - Push Frame with Quick-Attach System
 - Can-Am ProMount Mounting Plate

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715009877 • Black



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Not compatible with S3 High Clearance Front A-Arm.

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade

Maverick, Maverick MAX

715008175



- These kits include:
 - Can-Am ProMount Flex2 Blade
 - Push Frame with Quick-Attach System
 - Can-Am ProMount Mounting Plate

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868




- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount 72" (183 cm) Plastic Wear Blade

Fits ProMount Plow Blades

715004483



- Ideal to prevent marks on your driveway.
- Compatible with Can-Am ProMount 72" (183 cm) Blades.

Can-Am ProMount Drift Cutters	Fits ProMount Plow Blades	715006258
--------------------------------------	---------------------------	------------------



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Blade Extensions	Fits ProMount Plow Blades	715004205 • Black 715005319 • Yellow
---	---------------------------	---



- These conveniently extend your Can-Am ProMount Blade.
- Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).
- Longer wear blade can be installed to go over the extra length given by the extensions.

Back Drag Blade (Not illustrated)	Fits ProMount Plows (60" and more)	715007794
---	------------------------------------	------------------

- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).
- Not compatible with Backcountry Track Kit.

Curved Wear Blade (Not illustrated)	Maverick, Maverick MAX	715007793 • 72" (183 cm)
---	------------------------	---------------------------------

- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.


CAN-AM ProMount CUSTOM SOLUTIONS

Can-Am ProMount Push Frame with Quick-Attach System	Maverick, Maverick MAX	715008116
--	------------------------	------------------



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Plate required for installation.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.
- Plow Roller Fairlead included.

Can-Am ProMount Push Frame Extension	Maverick, Maverick MAX	715006257
---	------------------------	------------------



- 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Can-Am ProMount Mounting Plate	Maverick, Maverick MAX	715008197
---------------------------------------	------------------------	------------------



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.
- Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount Plow Angling System	Maverick, Maverick MAX	715009241
--	------------------------	------------------



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.
- Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks.
- Compatible with the SxS ProMount Push Frame and Blade.
- Not compatible with Apache Backcountry LT Track System.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.

NEW Plow Quick Adjust Blade Shoes	ProMount steel & Flex2 Blades 60" (all years), 66" & 72" (2025 & prior)	715009751
	• Zinc-plated steel construction for corrosion resistance. • Easy and quick tool-free adjustment. • Pre-set adjustment for different heights. • Larger shoe diameter for greater ground contact. • Improved shoe design for better flotation.	
ProMount Plow Limit Switch	Maverick, Maverick MAX	715006259
	• For controlling the cable tension when over-raising your plow system. • Prevents winch, plow push frame and vehicle damage. • Sensor relocated for optimal lift height.	
Plow Roller Fairlead	Maverick, Maverick MAX	715001223 • Cylindrical Roller Fairlead
	• Larger diameter lower roller reduces wear on wire rope for plow application. • Can be used with all ProMount plows.	

COVER & TRAILERING

Trailer Cover <i>(Not illustrated)</i>	Maverick Maverick MAX	715005813 715005814
• Heavy-duty canvas made of UV-resistant solution-dyed polyester. • Inner soft liner protects windshield and colored panels from abrasion. • All high-abrasion areas are reinforced with a double canvas layer. • Weather-resistant trailering cover protects your vehicle during storage and transportation. • Opening for fuel cap and cabin access on passenger side. • Quick and easy installation. • Designed to perfectly fit your vehicle with or without Can-Am accessories.		
Bolt-On⁺ Retractable Ratcheting Tie-Downs		295101072
	• Perfect for transporting your powersport vehicle or securing loads. • Mount easily: bolt on any flat surface (e.g., truck bed or frame). • 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength. • Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place. • Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into. • Sold in pairs.	
Ratchet Tie-Downs		 715008309 • Black/Gray
	• 400 lb (181 kg) safe working load. • 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos. • Deluxe ratchet with rubber handle. • Coated S hooks. • Pack of 2.	
Heavy-Duty Ratchet Tie-Down		715008308
	• 1,000 lb (454 kg) safe working load. • 1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands. • Deluxe ratchet with rubber handle. • Black-coated clip hooks. • 12" (300 mm) webbing included. • Pack of two.	